Tetrahedron: *Asymmetry*

The International Journal for Rapid Publication on all Aspects of Asymmetry in Organic, Inorganic, Organometallic, Physical and Bio-organic Chemistry

Editor-in-Chief: **STEPHEN G. DAVIES**, *University of Oxford, Oxford, UK*
Chairman of the Executive Board of Editors for Tetrahedron Publications: Sir Derek Barton, *Texas A&M University, USA*

SUBJECT INDEX AND AUTHOR INDEX
Volume 4 (1993)

Pergamon

TETRAHEDRON: *Asymmetry*

Editor-in-Chief: **Dr S. G. DAVIES,** Dyson Perrins Laboratory
South Parks Road, Oxford OX1 3QY, UK
Fax: (44) 865 275633

Japanese Regional Editor: **Professor T. Hayashi,** Department of Chemistry, Faculty of Science, Kyoto University, Kyoto 606, Japan
Fax: (81) 75-753-3988

American Regional Editor: **Professor D. P. Curran,** Department of Chemistry, University of Pittsburgh, Pittsburgh PA 15260, USA
Fax: (1) 412 624-9861

EXECUTIVE BOARD OF EDITORS FOR TETRAHEDRON PUBLICATIONS

Chairman: **Professor Sir Derek Barton, FRS,** Department of Chemistry, Texas A & M University, College Station, Texas 77843-3255, USA

Professor J. E. Baldwin, FRS, Dyson Perrins Laboratory, Oxford, OX1 3QY, UK

Professor D. L. Boger, Department of Chemistry, The Scripps Research Institute, La Jolla, CA 92037, USA

Professor L. Ghosez, Laboratoire de Chimie Organique de Synthèse, Université Catholique de Louvain, B-1348 Louvain-la-Neuve, Belgium

Professor S. Ito, Faculty of Pharmaceutical Sciences, Tokushima Bunri University, Yamashiro-cho, Tokushima 770, Japan
(Associate Editor, Professor Y. Shizuri)

Professor A. R. Katritzky, FRS, Department of Chemistry, University of Florida, Gainesville, FL 32611, USA

Professor N. K. Kochetkov, N. D. Zelinsky Institute of Organic Chemistry, Academy of Sciences, Moscow B-334, Russia

Professor Lin Guo-Qiang, Shanghai Institute of Organic Chemistry, Academia Sinica, Shanghai 200032, China

Professor S. F. Martin, Department of Chemistry and Biochemistry, University of Texas, Austin, TX 78712, USA

Professor A. McKillop, University of East Anglia, School of Chemical Sciences, University Plain, Norwich, NR4 7TJ, UK

Professor W. B. Motherwell, Department of Chemistry, University College, 20 Gordon Street, London WC1H 0AJ, UK

Professor A. Nickon, Department of Chemistry, The Johns Hopkins University, Baltimore, MD 21218, USA

Professor G. Ourisson, Centre National de la Recherche Scientifique, Centre de Neurochimie, 67084 Strasbourg, Cedex, France
(Associate Editor, Professor G. Solladié)

Professor T. Shioiri, Faculty of Pharmaceutical Sciences, Nagoya City University, Tanabe-dori, Mizuho-ku, Nagoya 467, Japan

Professor W. Steglich, Institut für Organische Chemie der Universität München, Karlstr. 23, D-80333 München, Germany

Professor H. H. Wasserman, Department of Chemistry, Yale University, PO Box 208107, New Haven, CT 06520-8107, USA

Professor C.-H. Wong, Department of Chemistry, The Scripps Research Institute, La Jolla, CA 92037, USA

BOARD OF CONSULTING EDITORS

F. Arcamone, Florence
D. Arigoni, Zurich
A. R. Battersby, Cambridge
A. L. J. Beckwith, Canberra
R. Breslow, New York, NY
H. C. Brown, Lafayette, IN
J. M. Brown, Oxford
H. Brunner, Regensburg
A. Collet, Lyon
E. J. Corey, Cambridge, MA
P. Deslongchamps, Sherbrooke
W. von E. Doering, Cambridge, MA
J. Elguero, Madrid
D. Enders, Aachen
A. Eschenmoser, Zurich
C. Gennari, Milan
L. M. Harwood, Oxford
G. Helmchen, Heidelberg
Y. Hirata, Nagoya
R. Huisgen, Munich
W. S. Johnson, Stanford, CA
J. B. Jones, Toronto
H. B. Kagan, Orsay
V. A. Koptyug, Novosibirsk
X. T. Liang, Beijing
J. Michalski, Lodz
K. Mori, Tokyo
T. Mukaiyama, Tokyo
K. Nakanishi, New York, NY
T. Norin, Stockholm
R. Noyori, Nagoya
S. Nozoe, Sendai
W. Oppolzer, Geneva
L. E. Overman, Irvine, CA
P. Potier, Gif-sur-Yvette
V. Prelog, Zurich
G. Quinkert, Frankfurt
C. W. Rees, London
A. I. Scott, College Station, TX
K. B. Sharpless, La Jolla, CA
G. Solladié, Strasbourg
H. A. Staab, Heidelberg
G. Stork, New York, NY
Sukh Dev, New Delhi
W. Tochtermann, Kiel
H. G. Viehe, Louvain-la-Neuve
E. Vogel, Cologne
P. von Ragué Schleyer, Erlangen
Y. Wang, Shanghai
G. H. Whitham, Oxford
K. B. Wiberg, New Haven, CT
S. B. Wild, Canberra
E. Winterfeldt, Hannover
H. Yamamoto, Nagoya
N. S. Zefirov, Moscow

PUBLISHED MONTHLY

Tetrahedron: Asymmetry is included in subscriptions to *Tetrahedron* but can also be ordered separately

Publishing, Subscription and Advertising Office:
Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford, OX5 1GB, UK (Tel: (0865) 843000; Fax: (0865) 843010)

Subscription Rates
Annual Institutional Subscription Rates 1995: North, Central and South America, U.S.$ 820.00, Rest of World £ 550.00. Associated Personal Subscription Rates are available on request for those whose institutions are library subscribers. Sterling prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice. Subscription enquiries from customers in North America should be sent to: Elsevier Science Inc., 660 White Plains Road, Tarrytown, New York 10591-5153, USA, and for the remainder of the world to: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, UK.
Second Class Postage paid at Newark, NJ and additional mailing offices. Postmaster send address corrections to Elsevier Science Inc., 660 White Plains Road, Tarrytown, New York 10591-5153, USA.

Copyright © 1994 Elsevier Science Ltd

Subject Index 1993

Acetals
chiral use in asymmetric synthesis, Report 2109
Acetophenone
enantioselective reduction, ephedrine, pseudoephedrine and phenylglycine derived 1,3,2-oxazaborolidines 13
fluorine substituted, stereoselective microbial reduction 1287
Acetyl (*R*)-(+)- and (*S*)-(–)-cycloserine
chemoenzymatic synthesis 1073
Acetyl-DL-amino acid methyl esters
enantioselective hydrolysis in carbonic anhydrase 1137
Acetylation
enzyme-catalysed synthesis (+) and (–) *endo*-tricyclo[5.2.1.$0^{2,6}$]deca-4,8-dien-3-one and (–)-4-*t*-butyldimethylsilyloxycyclopentenone 2277
Acetylferrocene
fluorine substituted, stereoselective microbial reduction 1287
Acrylates
chiral clay catalysed asymmetric Diels–Alder reaction with cyclopentadiene 223
Diels–Alder asymmetric reaction with cyclopentadiene, $AlPO_4$ catalyst 2507
Diels–Alder reactions Lewis acid modified silica, alumina catalysts 621
Acrylonitrile
asymmetric nucleophilic addition to β-enamino esters 25
Acylaminocinnamic acid
derivatives with different protective groups, asymmetric hydrogenation 2047
Acylates
prochiral phenolic with guaiacol-type moiety of aryl and aryl–alkyl tetrahydroisoquinolinols, immobilized lipase resolution 933
Acylation
allylic alcohols PPL-catalysed, effect double bond isomerism on rate 907
asymmetric, *cis*-2,5-disubstituted tetrahydrofuran derivatives 911
biochemical, in (diene)$Fe(CO)_3$ series, molecular modelling 1241
deacylation, enantiocomplimentary resolution racemic 4-hydroxy-5-(4-methoxyphenoxy)-1-pentyne using lipase catalyst 157
enzymatic with succinic anhydride, resolution racemic alkyl–aryl alcohols 839
lipase catalysed, 4,6-*O*-benzylidene-D-glucopyranosides to useful esters 931
Acyliminium ion
precursors, addition amines, thiols to (*R*)-1-acetyl-5-isopropoxy-3-pyrrolin-2-one 1941
Acyloxy methyl 3,3-difluorolactate
asymmetric synthesis both enantiomers 889
Acyltransfer
irreversible intramolecular, lipase catalysed lactone formation 1027
Addition reactions
amines, thiols to (*R*)-1-acetyl-5-isopropoxy-3-pyrrolin-2-one, enantiopure *N*-acyliminium ion precursors 1941
asymmetric, nucleophilic, chiral β-enamino esters to acrylonitrile 25
asymmetric conjugate organocopper reagents via phosphorus ligands 2427
dialkylzinc to aldehydes:
aromatic, using enantiomerically pure hydroxymethyl oxazoline ligands 649
benzaldehyde, using β-hydroxysulfoxide catalysis 727
benzaldehyde, using optically active 2-hydroxymethyl piperazine 2389
enantioselective 1449
using enantiomerically pure oxazoline ligands 649
with cyclic or bicyclic catalysts 637, 1413
enones, inclusion crystals with optically active host compounds 1771
Grignard reagents, diastereomer differentiation under rotamer distribution control 1759
Grignard reagents to cinnamides from *N*-fluoroalkyl (*R*)-(–)-2-aminobutan-1-ol 1469
heterocyclic Diels–Alder, chiral vinyl ethers as dienophiles, asymmetric synthesis dihydropyrans 193
Michael, methyl vinyl ketone to 2-nitrocycloalkanones, change in absolute configuration 173
organometallic reagents to 1-*O*-silylated 3,4-di-*O*-benzyl-L-erythrulose derivatives 1799
to aldehydes via homochiral binaphthol-modified organolanthanide reagents 2407
Aegeline
(*R*)-enantiomer, synthesis from *p*-methoxybenzaldehyde 205
Agathosma sp. oil, *cassis* flavour and fragrance compounds 651
Aggregation
borane and chiral oxazaborolidine catalysts, enantioselective reduction ketones 1505
Alanine
phosphonic and phosphonous analogs, enzyme prep L- and D-enantiomers using penicillin acylase 1965
Alcohols
1-heteroaryl- and 1-aryl, enantioselective resolution by *Bacillus stearothermophilus* 1607
chain length, effect on enantioselectivity, resolution 2-methylalkanoic acids 1869
chiral secondary, absolute configuration using ^{13}C- and 2D-NMR 1527
cyclic allylic, optically active via substrate increased enantioselectivity of hydrolases 879
diquinane, known absolute configuration, via bicyclo[2.1.0]pentane intermediates 2475
hindered secondary, enzymatic resolution, access chiral auxiliary 761
kinetic resolution, search derivatizing agents, lipase catalysis in organic solvents 773
optically active secondary, aldehyde additions via binaphthol modified organolanthanide homochiral reagents 2407
(*R*)-tertiary, diastereofacial differentiation under rotamer distribution control via addition Grignard reagents 1759
racemic alkyl–aryl, resolution via enzymatic acylation with succinic anhydride 839

unsaturated, synthetic routes to 2,5-substituted tetrahydrofuran 1711
Aldehydes
achiral, specificity of spinach transketolase 2383
addition reactions:
asymmetric, benzaldehyde to HCN 1553
benzaldehyde to diethylzinc using optically active 2-hydroxymethyl piperazine 2389
diethylzinc using enantiomerically pure 2-hydroxymethyl oxazoline ligands 649
enantioselective, via homochiral binaphthol-modified organolanthanide reagents 2407
to dialkylzinc, new cyclic or bicyclic catalysts 637, 1413, 1449
aromatic aliphatic, alkylation to secondary alcohols via ferrocene catalysts 285
hydrophosphonylation, chiral titanium alkoxide catalysis 1779
hydrophosphonylation by lanthanum–binaphthol complex, electronic effect substituents 1783
Aldimines
chiral ligand mediated enantioselective alkylation, steric tuning 1603
Aldol condensation
metal assisted of chiral 6-methyl perihydro-pyrimidin-4-ones 2241
Aldolisation
microbiological, synthesis 2-keto-3-deoxy-D-gluconate 1165
Alkadienes
$(R)_S$- and $(S)_S$- 2-*p*-tolylsulfinyl-1,3-derivatives, preparation 1667
Alkanols
racemic 2-alkyl substituted, lipase catalysed resolution 823
Alkenes
asymmetric epoxidation using chiral borates 2339
dihydroxylation, heterogeneous catalysis with cross-linked polymer 2351
synthesis, resolution CD of substituted bithi-oxanthylidenes 1481
Alkenones
α-chiral conjugated (*E*)-derivative, enantio-selective synthesis 59
Alkylation
aromatic, aliphatic aldehydes to secondary alcohols via ferrocene catalysts 285
asymmetric catalytic of 4-chlorophenylacetic acid 1957
diastereoselective via camphor-based chiral oxazinone auxiliary 2435
enantioselective, imines, chiral ligand mediated, steric tuning 1603
phenylacetic amides via chiral amino ethers derived from carbohydrates 2415
reductive, proline with ketones, stereochemistry 331
stereochemistry, (*S*)-(–)-3-methyl-2-[(phenyl-sulfonyl)methyl]butylphenyl sulfide 947
stereoselective, cyclic and acyclic chiral β-enamino ketone lithium dianions 1651
Alkylboronate reagent
from pantolactone 1439
Alkynols
optically pure, synthesis 1645
Allene oxides
prep optically active α-fluoroketones 1417
D-Allose
6-deoxy-6,6,6-trifluoro-derivatives, prepared via enzymatically resolved butenolides 1059
Allyl bromide
asymmetric dihydroxylation, preparation (*R*)-(–)-carnitine, and (*R*)-(–)-γ-amino-β-hydroxybutyric acid syntheses 133
Allylic alcohols
with O-bearing stereocenters, vicinal diol controller approach, MCPBA hydroxy-directed epoxidations 5
rate PPL-catalysed acylation, effect double bond isomerism 907
Alumina
Lewis acid modified catalysts, Diels–Alder reactions of chiral acrylates 621
Aluminium
diaza-, oxaza-, and dioxa-aluminolidines, coordination to carbonyl compounds use as controllers organic syntheses 2517
Amides
chiral group, effect on separation diastereomeric $(\eta^4\text{-diene})Fe(CO)_3$ complexes 1969
methylenation, *S*-5-hydroxy-2-piperidone with dimethyltitanocene, synthesis 2*S*,5*S*- and 2*R*,5*S*-5-hydroxypipecolic acid 2085
optically active, lipase catalysed synthesis 1105
stereoselective hydrolysis whole cell catalyst 1085
Amines
addition to (*R*)-1-acetyl-5-isopropoxy-3-pyrrolin-2-one, enantiopure *N*-acyliminium ion precursors 1941
asymmetric synthesis via chiral, non-racemic cyclic sulphinamide 2159
chiral, enantiomeric excesses determination by enantio-merically pure *anti* head-to-head coumarin dimer derivative 1421
optically active, use in NMR analysis carboxylic acids 207
via reductive amination ketones using (+) and (–) norephedrine and periodate oxidation 2095
Amino acid amides
α,α-disubstituted, enzymatic resolution 1113
Amino acid esters
α,α-disubstituted, enzymatic resolution 1113
Amino acids
asymmetric synthesis derivatives, α-haloglycine template 197
asymmetric synthesis thienylalanines 1833
C-α-D-glucosyl derivatives, synthesis 2343
Amino alcohols
asymmetric synthesis, application in enantio-selective reduction prochiral aromatic ketones with borane 2299
chiral, derived from isosorbide 1879
chiral auxiliaries enantioselective chiral NADH model 1635
enzyme route to (*R*)- and (*S*)-*t*-butyloxirane catalysts 1449
preparation, stereoisomers chiral bromohydrins 1271

synthesis, enzymatic route to optically active 3-hydroxyamides 2199
Amino aldehydes
hydrophosphonylation, preparation β-amino-α-hydroxyphosphonic acid derivatives 1401
Amino ethers
chiral, derived from isosorbide 1879
derived from carbohydrates, asymmetric alkylation of phenylacetic amides 2415
Amino-2-methylbutanoic acid
enantiomerically pure, synthesis 1445
Amino-1,2-propanediol
series, enzymatic resolutions 1035
Amino-α-hydroxyphosphonic acid
derivatives via Lewis acid stereoselective hydrophosphonylation α-amino aldehydes 1401
Aminolysis
esters, lipase from *Candida* sp. 1105
Aminopentanoic acid
2-methyl-4-hydroxy-5-derivative, synthesis four stereoisomers 121
Aminophosphonic acids
enzyme-catalysed resolution, serine, isoserine analogs 959
Amphetamines
S-(+)-, synthesis 1619
Analysis
revision, Cahn, Ingold, Prelog rules 657
Angelica lactone
(*S*)-(+)-β-derivative, synthesis via microbiological reduction keto-sulfones 239
Animals
intraspecific communication, value of partial racemates 2327
Antagonists
LTD_4, chemoenzymatic synthesis 865
Anti-fungal agents
activity butoconazole nitrate enantiomers 1521
Anti-inflammatory agents
ketoprofen, ibuprofen, asymmetric synthesis 1435
Antipsychotic agents
enantiomers of α-(4-fluorophenyl)-4-(2-pyrimidinyl)-1-piperazinebutanol 2399
Aristeromycin
natural carbocyclic nucleoside, preparation 981
Arthronia endlicheri
metabolite arthonin structure, synthesis 303
Arthonin
Arthonia endlicheri metabolite, structure, synthesis 303
Arylalanines
asymmetric synthesis 73
Arylalkenes
regio- and stereoselective hydrosilylation via Pd–MOP catalyst 2419
Aspergillus niger
aldolisation, synthesis 2-keto-3-deoxy-D-gluconate 1165
Asymmetric reactions
acylation, hydrolysis, *cis*-2,5-disubstituted tetrahydrofuran derivatives 911
addition acrylonitrile to β-enamino esters 25
alkylation 4-chlorophenylacetic acid 1957
bioreduction, acylation, hydrolysis in (diene)-$Fe(CO)_3$ series, results, molecular model studies 1241
catalysis, synthesis, resolution 1-(2-diphenylphosphino-1-naphthylisoquinoline) 743
catalytic alkylation metallocenecarboxaldehydes with dialkylzinc, synthesis 1-metallocenylalkanols 1763
clay catalysed Diels–Alder reaction cyclopentadiene with chiral acrylates 223
conjugate addition organocopper reagents via phosphorus ligands 2427
cyclization, 6-octen-1-als chiral protecting group, Rh catalysed 1857
cycloaddition, to α-hydroxy-α-phenyl-*ortho*-quinodimethane 645
Diels–Alder:
(η^6-arene)Cr tricarbonyl complexes achiral auxiliaries 2291
cyclopentadiene with chiral acrylates, $AlPO_4$ catalyst 2507
reactions of γ-alkoxy-α-sulfinylbutenolides 177
diethylzinc addition to aromatic aldehydes using enantiomerically pure hydroxymethyl oxazoline ligands 649
dihydroxylation alkenes, heterogeneous catalysis with cross-linked polymer 2351
enzyme catalysed alcoholysis *meso*-2,4-dimethylglutaric anhydride, synthesis 2,4-dimethylglutaric acid monoesters 695
epoxidation:
alkenes using chiral borates 2339
reaction of olefins, carbohydrates as chiral auxiliaries 2283
styrene by chiral ruthenium(II) Schiff base complexes, synthesis, characterization 1693
hydrogenation:
catalyst, water-soluble ruthenium sulfonated BINAP 2461
methyl *N*-phthaloyl-3-amino-2-oxopropanoate, synthesis L-and D-isoserine 2179
rhodium/diphosphine catalysed, diastereoselective hydrogenation and kinetic resolution of imines 215
hydrolysis:
disubstituted malononitrile by *Rhodococcus rhodochrous* 1081
epoxides, using immobilized enzyme preparation *Rhodococcus* sp. 1161
meso-diacetates, lipase catalysed, synthesis chiral building blocks using *Pseudomonas fluorescens* 973
hydrosilylation of ketones 143
induction:
to *meso*-cyclohexane-1,2-diol based on diastereoselective elimination 1767
with Oppolzer's chiral sultam, regioselective SN' allylic substitution versus 1,4-addition 613
Michael addition methyl vinyl ketone to 2-nitrocycloalkanones, change in absolute configuration 173
reduction, ketopantolactone by baker's yeast 1253
tautomerization of photodienols, inversion principle 2351

titanium-catalysed silylcyanation, (*S*)-3,3-dimethyl-1,2,4-butanetriol as ligand 185
Asymmetric synthesis
3-arylalanines 73
(+)- and (–)-roccellaric and dihydroprotolichesterinic acids 457
(+)-mesembrine 1409
(2*R*,3*S*) and (2*S*,3*R*) precursors of β,2-methylhistidine, -phenylalanine and -tyrosine 2315
2,3-dideoxy-*C*-methylheptose derivatives 681
amines:
reductive amination ketones using (+) and (–) norephedrine and periodate oxidation 2095
via chiral non-racemic cyclic sulphinamide 2159
amino acid derivatives, α-haloglycine template 197
application chiral cyclic diols, Report 2109
benzilic acid analogs using 8-phenylmenthol chiral auxiliary 2183
C-glycosylamino acids 2343
chiral β-amino alcohols, application in enantioselective reduction prochiral aromatic ketones with borane 2299
dioxolane nucleoside analogs 2319
enantiomers:
α-(4-fluorophenyl)-4-(2-pyrimidinyl)-1-piperazinebutanol 2399
acyloxy methyl 3,3-difluorolactate 889
enzymatic hydrolysis prochiral dienol diacetate 2447
thienylalanines 1833
trans-2,5-dimethylpyrrolidine 2163
with new chiral auxiliaries derived from isosorbide 2415
Asymmetrization
lipase *cis*-3,7-dihydroxycycloheptane derivatives, organic, aqueous media 875
Azabicyclo[2.2.1]hept-5-en-3-one
biocatalytic resolution, entry single enantiomer carbocyclic nucleosides 1117
Azetidinones
asymmetric synthesis, (*R*)-2-phenylglycine as chiral auxiliary 1441
(*R*)-3-alkyl-3-benzyl-2-derivative, enantiomerically pure, synthesis 229
Azido-neuraminic acid
enzymatic repetitive batch synthesis 1193
Aziridin-2,3-dicarboxylates
dimethyl, stereoselective hydrolysis with PLE 2295
Aziridines
carboxylates, enzymatic resolution 903
preparation, stereoisomers chiral bromohydrins 1271

Bacillus stearothermophilus
enantioselective resolution 1-heteroaryl- and 1-aryl-alcohols 1607
Baeyer–Villiger reactions
enzymatic oxidation, 4-substituted cyclohexanones 1387
oxidation, enantioselective synthesis enantiopure bicyclic furofuran, pyrofuran chirons 1341
Baker's yeast
reduction:
ethyl 2-alkyl 3-oxobutanoates, product derivative as precursor free radical chirons 2(*S*)-hydroxyalkyl moiety 1229
ethyl 2-chloro-3-oxobutanoate, product precursor 1-ethoxycarbonyl 2(*S*)-hydroxypropyl radical 1233
keto-piperidinecarboxylates to β-hydroxypiperidinecarboxylates 625
ketopantolactone 1253
preparation enantiopure pyridylethanols 1255
stereocontrolled synthesis *p*-substituted trifluoromethylbenzylic alcohol derivative of high optical purity 1237
stereochemical control, diastereoselectivity, 2-alkyl-3-oxobutanoate oxido-reductases 1259
transformation, racemic, enantiomerically pure 2-deutero-3-chloropropiophenone, stereochemistry 1909
Benzaldehyde
addition diethylzinc using optically active 2-hydroxymethyl piperazines 2389
alkylation by diethylzinc using chiral diethanolamines and lithium alcoholate catalysts 1987
diethylzinc addition, β-hydroxysulfoxides catalysis 727
oxidation to benzoic acid catalysed by cyclo-[(*S*)-His-(*S*)-Phe], asymmetric addition HCN to aldehydes 1553
Benzene
chromophore in substituted 1,1-diphenylcyclopropanes, CD 383
ring effect in 1,5-electrocyclization, synthesis, thermolysis, optically active homoindene, *N*-carbmethoxyhomoindole, benzohomo -furan, -thiophene, -phosphole 479
Benzilic acid
analogs, synthesis using 8-phenylmenthol chiral auxiliary 2183
Benzodioxane
(±)-2-hydroxymethyl-1,4-derivative, kinetic lipase catalysed resolution 339
Benzofuran
biotransformation by *Pseudomonas putida*, derived chiral synthons, stereochemistry, structures 1307
Benzohomofuran
optically active, thermolysis, synthesis 479
Benzohomophosphole
optically active, thermolysis, synthesis 479
Benzohomothiophene
optically active, thermolysis, synthesis 479
Benzomorphan
tricyclic analogs via intramolecular oxa-Pictet–Spengler reaction 2307
Benzophenones
substituted, stereoselective reduction by *Debaryomyces marama* 301
Benzylic amines
enantiomeric purity using Marfey's reagent 2437
Benzylic hydroxylase
side-chain hydroxylation aromatic compounds 1353

Benzylidene acetals
heptonolactones 1579
Benzylidene-acetone
enantioselective hydrogenation with proline 331
Benzylidene-D-glucopyranosides
lipase catalysed acylation to useful esters 931
Benzyloxy-2,3-dihydrofuran
enantiomerically pure, precursor protected glycerinaldehyde synthesis 2155
Bicyclic compounds
furofuran, chirons, enantiopure, enantioselective Baeyer–Villiger oxidation 1341
lactones, cyclization, hydrolysis product methyl *cis*-3-chloro-methyl-2-tetrahydrofurancarboxylates 425
pyrofuran, chirons, enantiopure, enantioselective Baeyer–Villiger oxidation 1341
Bicyclo[2.1.0]pentane
intermediates, synthesis diquinane alcohols of known absolute configuration 2475
Bicyclo[2.2.1]hexane-1-carboxylic acids
esters, substituted, enantiospecific synthesis 2333
Bicyclo[3.3.0]oct-7-en-2-ol
endo, preparation pure enantiomers 735
Bilirubin amides
optically active, conformation, intramolecular H-bonding, CD, NMR 491
Bimetallic chiral complexes
with hard and soft Lewis acid sites, synthesis, characterization 2229
Binaphthol
1,1'-derivative, chirality recognition with optically active bis(oxazolinyl)pyridines 1461
modified organolanthanide homochiral reagents for aldehyde addition reactions 2407
thiophosphonates, chiral equivalents H_2, mercapto-norbornanes and -norbornenes 1591
Binaphthyls
1,1'-derivative, approach via metalation/ligand coupling 2423
optically active Te-containing, synthesis, use asymmetric 1,4-addition α,β-unsaturated ketones 2127
Biocatalytic resolution
2-azabicyclo[2.2.1]hept-5-en-3-one entry single enantiomer carbocyclic nucleosides 1117
2,3-epoxyalcohols in organic solvents 85
Bioformation
optically pure epoxides 1331
Biooxidation
diol metabolites chlorostyrenes with *Pseudomonas putida*, stereochemistry, enantiomeric excess by convergent syntheses 1365
Biotransformation
(–)-vernolic acid into (4*R*,5*R*)-5-hydroxy-γ-decalactone 1391
2,3-dihydrobenzofuran, benzofuran by *Pseudomonas putida*, derived chiral synthons, stereochemistry, structures 1307
Bipyridines
phenanthrolines, bromo-substituted, synthesis camphor sultam based chiral chelating ligands 39
Bis(oxazolinyl)bipyridine
chiral ligand, enantioselective asymmetric hydrosilylation, ketones 143
Bithioxanthylidenes
substituted, synthesis, CD, resolution 1481
BMS 181100
asymmetric synthesis enantiomers α-(4-fluorophenyl)-4-(2-pyrimidinyl)-1-piperazinebutanol 2399
Borane
adducts, isomerism chiral oxazaborolidines, catalytic enantioselective reduction ketones 1569
chiral oxazaborolidine aggregation, catalysts enantioselective reduction ketones 1505
enantioselective reductions:
catalytic, achiral ketones, application chiral β-amino alcohols from L-methionine 1983
ketones catalysed by (*S*)-(+)-prolinol or (*S*)-(–)-proline 2255
prochiral aromatic ketones 2299
Borates
chiral, asymmetric epoxidation alkenes 2339
Boron
analog of DIOP, synthesis and properties 2219
Bower's compound
enantiopure, synthesis, microbiological hydrolysis racemic epoxides 2445
Bromohydrins
chiral, stereoisomers, preparation epoxides, aziridines, aminoalcohols 1271
Bromostyrene
Pseudomonas putida 39/D oxidation, identification of metabolites 2469
Butanediol
(±)-2,3-derivative, kinetic resolution in organic solvent using *Pseudomonas cepacia* lipase 1995
Butanoic esters
1-phenyl, 1-phenylmethyl, 1-[2-phenylethyl] and 1-[2-phenoxyethyl] ethers of 3-methoxy-1,2-propanediol, 1-phenylmethyl and 1-[2-phenylethyl] ethers of 3-chloro-1,2-propanediol, enzymatic resolution 961
enzymatic hydrolysis 2265
Butenolides
5-ethoxy-3-sulfinyl derivative, enantiomerically pure, Diels–Alder reactions cyclopentadiene 177
enzymatically resolved, preparation 6-deoxy-[6,6,6]-trifluoro-D-mannose and D-allose 1059
Butoconazole nitrate
enantiomers antifungal activity 1521
Butyldimethylsilyloxycyclopentenone
enantioselective synthesis by enzyme catalysed acetylation 2277
Butyrolactones
chiral 3-substituted and 3,3-disubstituted, chiral synthesis 1475
(*R*)-γ-phenyl-γ-(trifluoromethyl)-derivative, synthesis in homochiral form 1703

Cahn
Ingold, Prelog rules, analysis, revision 657
Camphor sultam
based chiral bipyridine and phenanthroline, synthesis 39

chiral probe for optical resolution, X-ray crystallography, stereochemistry carboxylic acids 1755
Candida cylindracea
lipase, diastereoselective hydrolysis steroidal 3-(*O*-carboxymethyl)oxime methyl esters 1467
lipase resolution aziridine carboxylates 903
Candida parapsilosis
carbonyl reductases, synthetic applications 1683
Candida rugosa
lipase esterification 2-methylalkanoic acids, enantioselectivity dependent on water activity 2123
***Candida* sp.**
catalysed alcoholysis *meso*-2,4-dimethylglutaric anhydride synthesis 2,4-glutaric acid monoesters 695
lipase catalysed synthesis optically active amides 1105
Carbmethoxyhomoindole
optically active, thermolysis, synthesis 749
Carbohydrates
chiral auxiliaries, asymmetric epoxidation of olefins 2283
Carbonic anhydrase
enantioselective hydrolysis *N*-acetyl-DL-amino acid methyl esters 1137
Carbonyl compounds
complexes with chiral N-sulfonylated 1,3,2-oxazaborolidine catalysts in enantioselective Diels–Alder reactions 1565
coordination to diazo-, oxaza- and dioxaluminolidines, use as controllers organic syntheses 2517
oxaza- and dioxaluminolidines used as chiral controllers organic syntheses, *ab initio* MO methods 2517
reductases, *Candida parapsilosis*, *Rhodococcus erthyropolis*, synthetic applications 1683
Carboxylic acids
chiral, NMR analysis using optically active amines 207
fluorescent chiral, with 1,3-benzodioxole skeleton 1431
Carnitine
(*R*)-(–)-γ-amino-β-hydroxybutyric acid syntheses 133
Carotenoids
amine, synthesis 2377
optically active thiols, synthesis 361
Carvone
synthesis homochiral octalones 633
Catalysis
β-hydroxysulfoxides, diethylzinc addition benzaldehyde 727
chloroperoxidase, enantioselective epoxidation styrene derivatives 1325
enantioselective, synthesis homochiral α-cyperone 641
heterogeneous, with cross-linked polymer, dihydroxylation alkenes 2351
Catalysts
modifier/substrate interactions, model chiral pyruvate hydrogenation 1803
$AlPO_4$, Diels–Alder asymmetric reaction cyclopentadiene with chiral acrylates 2507
bipymox-Rh, pymox-Rh, pybox-Rh, comparison hydrosilylation ketones 143
chiral diethanolamines and lithium alcoholates, enantioselective alkylation benzaldehyde by diethylzinc 1987
comparison, application *relative enantioselectivity*, asymmetric hydrogenation amino acid precursors 369
cyclic, enantioselective addition aldehydes to diethylzinc 1413
enantioselective:
diazaborolidines 2335
tricarbonyl (η^6-arene)chromium complexes for asymmetric induction 261
enzyme route to (*R*)- and (*S*)-*t*-butyloxirane and related β-amino alcohols 1449
ferrocene, alkylation aromatic, aliphatic aldehydes to secondary alcohols 285
hydrogenation, water soluble ruthenium sulfonated BINAP 2461
Lewis acid modified silica, alumina, Diels–Alder reactions of chiral acrylates 621
new bicyclic, diethylzinc addition to aldehydes 637
optically active 2-hydroxymethyl piperazines, enantioselective addition diethylzinc to benzaldehyde 2389
titanium based on chiral triol 185
Chelation
P–N ligand, synthesis, resolution 1-(2-diphenylphosphino-1-naphthyl)isoquinoline 743
Chemoenzymatic synthesis
2*O*-6-deoxy-α-L-sorbofuranosyl-D-glucose 1173
α-C-mannoside, simple, stereoselective 1203
α-bichiral synthons, preparation chiral epoxides 1271
acetyl (*R*)-(+)- and (*S*)-(–)-cycloserine 1073
lipid A 1051
LTD_4 antagonist 865
optically active 1,4-dihydropyridine derivatives via enantioselective hydrolysis and transesterification 2061
Chirality
1,5-bisnitrogen ligands, Rh(I) complexes, enantioselective cyclopropanation styrene, *in situ* generation Cu(I) complexes 575
4-hydroxypentan-2-one enantiomers, flavour, odour 655
auxiliary, access, enzymatic resolution hindered secondary alcohols 761
coefficients, drug potency, Pfeiffer's rule 1917
cyclic diols applied to asymmetric synthesis, Report 2109
recognition 1,1-bi-2-naphthol with optically active bis(oxazolinyl)pyridines 1461
stereoisomeric 4-hydroxypentan-2-one enantiomers, flavour 651
synthesis, via organoboranes, conjugated acyclic α-chiral (*E*)-alkenones 59
Chiroptical properties
olefins, dienes, effect CH/π interaction 555

Chloroperoxidase
catalysis, enantioselective epoxidation styrene derivatives 1325
Chlorophenylacetic acid
asymmetric catalytic alkylation 1957
Chloropropiophenone
deuterated racemic, enantiomerically pure, stereochemistry baker's yeast transformation 1909
Chlorostyrenes
biooxidation diol metabolites with *Pseudomonas putida*, stereochemistry, enantiomeric excess by convergent syntheses 1365
Cholest-4-en-3-one
electric dipole/magnetic dipole, electric dipole/electric quadrupole contribution 517
Chromatography
capillary gas, chemical and enzymatic racemization investigated via enantioseparation 5-monosubstituted hydantoins by GC 1129
gas, enantiomeric resolution juvenile hormones 165
resolution C_2-symmetric spirosulfurane: 1,1'-[3*H*-2,1-benzoxathiol]-3,3'-dione 2329
separation furnidipine stereoisomers 617
Chromium
chiral tricarbonyl(benzaldehyde oxime) complex, enzymatic resolution 767
(η^6-arene)tricarbonyl complexes:
chiral auxiliaries in Diels–Alder asymmetric reactions 2291
enantioselective catalysts 261
Chrysanthemic acids
optically active (1*R*)-*cis*- and (1*R*)-*trans*, via dimethyl dimedone 289
Chymotrypsin
synthesis kyotorphin in frozen solution 1559
Cinnamides
from *N*-fluoroalkyl (*R*)-(–)-2-aminobutan-1-ol, enantioselective addition to Grignard reagents, diastereomeric excess by ^{19}F NMR 1469
Circular dichroism
1,5-bisnitrogen ligands and Rh(I) complexes 575
2-amino-2-deoxy-galactopyranosides, conformations of 2-NAcBz group 321
absolute configuration α-furfuryl amines 1501
benzene chromophore in substituted 1,1-diphenyl-cyclopropanes 383
conformation, intramolecular H-bonding, optically active bilirubin amides 49
correlation to biphenyls, absolute helicities, twisted phenanthrenequinones 433
intensities, coupled oscillator calculations, structural organic chemical applications 545
opposite exciton coupling patterns, retinylidene chromophore, chiral 1,2-cyclohexanediamine Schiff bases 1
oriented β-sheets, theoretical predictions 529
oriented molecules, electric dipole/magnetic dipole, electric dipole/electric quadrupole contribution, cholest-4-en-3-one 517
spectra polypeptides, FT-IR guided analysis 591
steroidal and related cisoid α,β-unsaturated ketones 411
substituted bithioxanthylidenes 1481
synthesis pyridazino[4,5-*b*]cholestenes 393
Circular-polarization-luminescence
barrier ring inversion in $S_1(n\pi^*)$ state *cis*-3,4-dimethyl cyclopentanone 473
Clay
catalysed asymmetric Diels–Alder reaction cyclopentadiene with chiral acrylates 223
Cobalt
[CoI_2:Zn] catalytic system, enantioselective synthesis deltacyclenes 1977
Communication
intraspecific, value of partial racemates 2327
Complexes
chiral bimetallic with hard and soft Lewis acid sites, synthesis, characterization 2229
preparation, structure (R_{Ir}-$S_N S_C$-($S_{Ir} S_N S_C$)-η^5-C_5Me_5)Ir(L-prolinate) (C≡C-Me_3)] 1425
Configurations
absolute α-furfuryl amines by CD 1501
C-2 strigol analogs 351
change, asymmetric Michael addition, methyl vinyl ketone to 2-nitrocycloalkanones 173
chiral secondary alcohols using ^{13}C- and 2D-NMR 1527
dexmedetomidine and tosyl derivatives 45
enantiomeric purity control, N-protected 2-cyanoglycinates 1891
natural, stereoselective synthesis isoschizandrin 605
optically active pheromones using liquid crystals 687
tricyclic lactone precursor highly functionalized terpenoids 17
twisted phenanthrenequinones 433
Conformations
1,5-bisnitrogen ligands and Rh(I) complexes, imine–enamine equilibrium 575
2-NAcBz group, CD 2-amino-2-deoxy-galactopyranosides 321
intramolecular H-bonding, optically active bilirubin amides CD, NMR 49
polypeptides, CD spectra, Fourier-transform IR spectral analysis 591
Copper
organo-reagents, asymmetric conjugate addition via phosphorus ligands 2427
Corrigenda
Achmatowicz B., Wicha J.: Vol.4, 399 (1993): page 404, line 8 and page 405, line 1 have been corrected 1955
Herradon B., Ceuto S., Morcuende A., Valverde S.: Vol.4, 845 (1993): entries 11–17 of Table 5 have been corrected 2275
Coumarins
enantiomerically pure *anti* head-to-head dimer derivative, enantiomeric excesses chiral amines 142
Coupled oscillator calculations
CD intensities, application organic chemical structures 545
Crystal structure
absolute configuration, dexmedetomidine and tosyl derivative 45

Crystallization
(*S*)-timolol *O,O*-diacetyl-L-tartaric acid monoester X-ray, NMR, theoretical studies 709
Cuparenone
(+)-α, synthesis construction chiral quaternary C-center 21
Cyanocinnamic acids
chiral esters, Diels–Alder reaction with cyclopentadiene, enantiomeric purity 1677
Cyanoglycinates
N-protected, control enantiomeric purity, correlation with absolute configuration 1891
Cyanohydrins
optically active aliphatic, enzymatic resolution 2355
Cyclization
stereoselective radical mediated, *o*-bromobenzamide derived norephedrine, to tricyclic δ-lactams 273
Cyclo-2-en-1-ones
route to enantiomerically pure 4,4-disubstituted derivative, asymmetric synthesis (+)-mesembrine 1409
Cyclo-[(*S*)-His-(*S*)-Phe]
benzaldehyde oxidation to benzoic acid, asymmetric addition HCN to aldehydes 1553
Cycloaddition
1,3-dipolar, nitrones to chiral methyl enol ethers of 3-fluoro-1-sulfinyl-2-propanones 2131
Diels–Alder asymmetric to α-hydroxy-α-phenyl-orthoquinodimethane 645
(η^6-arene)Cr tricarbonyl complexes, chiral auxiliaries in Diels–Alder asymmetric reactions 2291
silyl enol ether of cyclopentanone with chiral propynoates 2475
Cycloalken-1-ols
(*R*)-2-derivative, enantiomerically pure, via enantioselective transesterification 2323
Cyclobutane monoterpenes
grandisol, lineatin, enantioselective synthesis key intermediates 1537
Cyclobutene
meso esters, enzymatic hydrolysis 807
Cyclodextrin
phosphine modified and Rh-complex 2405
Cycloheptenes
meso-diol and diacetates, asymmetrization using *Pseudomonas cepacia* lipase 875
Cyclohexane-1,2-dimethanol
enzyme catalysed esterification 969
Cyclohexane-1,2-diol
chiral induction, diastereoselective elimination 1767
Cyclohexanediamine
chiral Schiff bases, exciton interaction retinylidene chromophore 1
Cyclohexanones
4-substituted, enzymatic Baeyer–Villiger oxidation 1387
Cyclopentadiene
bicyclic chiral, kinetic resolution cyclic dienophiles 345
clay catalysed asymmetric Diels–Alder reaction with chiral acrylates 223
Diels–Alder reaction:
with chiral acrylates, $AlPO_4$ catalyst 2507
with (*E*)-2-cyanocinnamic acids, enantiomeric purity 1677
Cyclopentanes
diesters, substituted, hydrolysis with pig liver esterase 1047
meso-bis(acetoxymethyl)- and bis(hydroxymethyl)-derivatives, enzymatic, hydrolysis, transesterification 981
Cyclopentanone-3,4-dicarboxylate
trans-dimethyl, optical resolution 1547
Cyclopentenol
optically pure 2-trimethylsilylethynyl-derivative, homochiralization racemic precursors, route key intermediate 1,25-dihydroxycholecalciferol, vincamine 1043
Cyperone
homochiral, enantioselective catalytic synthesis 641

DAVA
enantiopure derivatives, synthesis 2-Me-4-OH-DAVA 121
Deacylation and acylation
enantiocomplimentary resolution racemic 4-hydroxy-5-(4-methoxyphenoxy)-1-pentyne using same lipase catalyst 157
Debaryomyces marama
stereoselective reduction substituted benzophenones 301
Decalactone
(4*R*,5*R*)-5-hydroxy-derivative, via biotransformation (–)-vernolic acid 1391
Dehydroamino acids
3-aryl derivatives, hydrogenation 73
Deltacyclenes
enantioselective synthesis using [CoI_2:Zn] catalytic system 1977
Denopamine
inotropic activity, synthesis 2149
Deoxyaldoses
synthesis 2,3-dideoxy-C-methylheptose derivatives 681
Deoxygenation
natural lentiginosine via cyclic imide with C-2 symmetry derived from L-tartaric acid 1455
trans-selective, quaternary α-hydroxylactams 1451
Deprotonation
chiral synthesis 3-substituted and 3,3-disubstituted γ-butyrolactones, enantioselectivity 1475
construction chiral quaternary C-center, synthesis (+)-α-cuparenone 21
Derivatizing agents
kinetic resolution alcohols, lipase catalysis in organic solvents 773
Desymmetrization
enzyme catalysed, *meso*-skipped polyols to chiral building blocks 793

Deuteration
sesquiterpene precursors, enantiomeric excess analysis 31
Deutero-3-chloropropiophenone
racemic, enantiomerically pure, stereochemistry baker's yeast transformation 1909
Dexmedetomidine
tosyl derivative, crystal structure, absolute configuration 45
Dialkylzinc reagents
catalysts for enantioselective addition to aldehydes 1449
Diastereocontrol
synthesis functionalized optically pure hetero-helicenes 1843
Diastereodivergent synthesis
trans and *cis*-6-benzyloxymethyl-4-tetrahydro-2-pyrones via 3-hydroxyalkenyl phenyl sulfides 1795
Diastereoface differentiation
oxidation enol ether derived cyclohexanone and 2,4-pentanediol with MCPBA, preparation optically pure 2-hydroxycyclohexanone acetal 43
Diastereomeric excess
by ^{19}F NMR 1469
Diastereoselective reactions
2-alkyl-3-oxobutanoate oxido-reductases 1259
additions, organometallic reagents to 1-*O*-silylated 3,4-di-*O*-benzyl-L-erythrulose derivatives 1799
alkylation via camphor-based chiral oxazinone auxiliary 2435
elimination, chiral induction from *meso*-cyclohexane-1,2-diol 1767
hydrolysis, steroidal 3-(*O*-carboxymethyl) oxime methyl esters with *Candida cylindracea* lipase 1467
hydroxy-directed MCPBA epoxidations, allylic alcohols with O-bearing stereocenters, vicinal diol controller approach 5
Diazaaluminolidines
coordination to carbonyl compounds use as controllers organic syntheses 2517
Diazaborolidines
enantioselective organoboron catalysts 2335
Diels–Alder reactions
asymmetric:
clay catalysed, cyclopentadiene with chiral acrylates 223
cycloaddition to α-hydroxy-α-phenyl-orthoquino-dimethane 645
cyclopentadiene with chiral acrylates, $AlPO_4$ catalyst 2507
cyclopentadiene and (*E*)-2-cyanocinnamates of (*R*)-pantolactone, *endo*-cycloadducts 1677
of γ-alkoxy-α-sulfinylbutenolides 177
chiral acrylates:
silica and alumina modified by Lewis acids as catalysts 621
with fluorinated alcohols as solvents 1613
enantioselective, complexes of carbonyl compounds with *N*-sulfonylated 1,3,2-oxaza-borolidine catalysts 1565
heterocyclic additions, chiral vinyl ethers as dienophiles, asymmetric synthesis dihydropyrans 193
kinetic resolution processes 345
stereocontrolled with chiral tricyclic oxazolidinones 629
Dienes
olefins chiroptical properties, effect CH/π interaction 555
synthetic routes to 2,5-substituted tetrahydro-furans 1711
Dienol diacetate
prochiral asymmetric synthesis via enzymatic hydrolysis 2447
Dienyl phosphine oxides
enantiomerically pure via Pd-catalysed Heck coupling 2143
Diethanolamines
chiral, and lithium alcoholate catalysts, enantioselective alkylation benzaldehyde by diethylzinc 1987
Diethylzinc
additions:
to aldehydes, new cyclic and bicyclic catalysts 637,1413
to aromatic aldehydes using enantiomerically pure hydroxymethyl oxazoline ligands 649
to benzaldehyde, β-hydroxysulfoxide catalysis 727
Dihydrobenzofuran
biotransformation by *Pseudomonas putida*, derived chiral synthons, stereochemistry, structures 1307
Dihydroprotolichesterinic acid
asymmetric synthesis 457
Dihydropyrans
asymmetric synthesis, Diels–Alder heterocyclo-additions, chiral vinyl ethers as dienophiles 193
Dihydropyridine
optically active derivatives, chemoenzymatic synthesis via enantioselective hydrolysis and transesterification 2061
Dihydroxybutanoic esters
threo-2,3-derivatives, regioselective protection 2347
Dihydroxycarboxylates
enzyme enantioselective lactonization, effect OH configuration on stereochemistry intramolecular transesterification 153
Dihydroxycholecalciferol
route to key intermediate 1043
Dihydroxylation
alkenes, heterogeneous catalysis with cross-linked polymer 2351
Diketones
(*R*)- and (*S*)-[1,3], synthesis 1651
Dimerization
reversible, ephedrine derived oxazaborolidines 2151
Dimethyl aziridin-2,3-dicarboxylates
stereoselective hydrolysis with PLE 2295
Dimethyl cyclopentanones
circular-polarization-luminescence, barrier ring inversion in $S_1(n\pi^*)$ state 473

Dimethyl dimedone
conversion to optically active (1*R*)-*cis*- and (1*R*)-*trans*-chrysanthemic acids 289
Dimethyl-β-cyclodextrin
regiospecific overmethylation, inclusion, complexation, efficient enantiomeric discrimination 181
Dimethylglutaric acid
monoesters via enzyme catalysed alcoholysis *meso*-2,4-dimethylglutaric anhydride 695
Dimethylpyrrolidines
asymmetric synthesis 2163
Dimethyltitanocene
amide-methylenation *S*-5-hydroxy-2-piperidone, synthesis 2*S*,5*S*- and 2*R*,5*S*-5-hydroxypipecolic acid 2085
Diol diacetates
lipase enantiomer selective hydrolysis 2211
Diols
C_2-symmetry, resolution via lipase catalysed transesterification 925
cyclic chiral applied to asymmetric synthesis, Report 2109
polyfunctionalized *meso* form to chiral building blocks via enzyme catalysed desymmetrization 793
DIOP
rhodium complex analog, synthesis and properties 2219
Dioxaaluminolidines
coordination to carbonyl compounds use as controllers organic syntheses 2517
Dioxaspiro(5,5)undecane
inclusion complex with partially methylated cyclodextrin derivative 181
Dioxolane
nucleoside analogs, divergent asymmetric synthesis 2319
Diphenylcyclopropanes
benzene chromophore, CD 383
Diphosphine
chiral ligand with cyclodextrin-based molecular recognition site and palladium complex, synthesis, properties 1829
ligands, chiral, rhodium catalysed hydroformylation 1625
Diquinane alcohols
known absolute configuration, via bicyclo[2.1.0]pentane intermediates 2475
Dithianes
asymmetric derivatives, oxidation, enantiomerically pure 1,3-dithiane 1-oxide 2139
Drugs
danger racemic forms, Pfeiffer's rule and computed chirality coefficients 1917
profen, optical purification 1949
Dual circular polarization
Raman optical activity, ephedrine molecules 511

Electric dipole/magnetic dipole
electric dipole/electric quadrupole contribution, cholest-4-en-3-one 517
Electrocyclization
[1,5]-, effect benzene ring, synthesis, thermolysis, optically active homoindene, *N*-carbmethoxy-homoindole, benzohomofuran, -thiophene, -phosphole 479
Electrophilic cyclization
synthetic routes to 2,5-substituted tetrahydrofurans 1711
***syn*-Elimination**
(2*S*,3*R*)- and (2*S*,3*R*)[3-^{2}H]-3-methylaspartic acid 1141
Enamino esters
asymmetric nucleophilic addition to acrylonitrile 25
Enantiocomplimentary preparation
optically pure 2-trimethylsilylethynyl-2-cyclopentenol, homochiralization racemic precursors, route key intermediate 1,25-dihydroxy-cholecalciferol, vincamine 1043
Enantiomeric excess
α-hydroxy acids 2495
analysis, sesquiterpene precursors, proton decoupled deuterium NMR in lyotropic liquid crystal 31
chiral amines determination by *anti* enantiopure coumarin dimer derivative 1421
Enantiomeric purity
1,3-dithiane 1-oxide via asymmetric oxidation dithiane derivatives 2139
alkynols, synthesis 1645
benzylic amines using Marfey's reagent 2437
bicyclic furofuran, pyrofuran chirons, enantioselective Baeyer–Villiger oxidation 1341
control, correlation with absolute configuration N-protected 2-cyanoglycinates 1891
determination α-hydroxy acids 2495
δ-lactones, enzyme assisted synthesis 1017
preparation *endo*-bicyclo[3.3.0]oct-7-en-2-ol 735
pyridylethanols via baker's yeast reduction 1255
(*R*)-2-cycloalken-1-ols via enantioselective transesterification 2323
(*R*)-3-alkyl-3-benzyl-2-azetidinones synthesis 229
(*R*)- and (*S*)-3-benzyloxy-2,3-dihydrofuran, precursor protected glycerinaldehyde synthesis 2155
(*R*)- and (*S*)-[2,3]-epoxy-2-(4-pentenyl)-propanol, preparation by *Pseudomonas fluorescens* lipase catalysed transesterification 9
route to 4,4-disubstituted cyclo-2-en-1-ones, asymmetric synthesis (+)-mesembrine 1409
(*S*)-(−)-propranolol from sorbitol synthesis 2401
styryl and dienyl phosphine oxides via Pd-catalysed Heck coupling 2143
synthesis (*R*)- and (*S*)-2-amino-2-methylbutanoic acid 1445
Enantiomeric ratio
resolution 2-methylalkanoic acids, effect chain length of alcohol 1869
Enantiomers
α-(4-fluorophenyl)-4-(2-pyrimidinyl)-1-piperazinebutanol asymmetric synthesis 2399
D- and L-phosphonic and phosphonous analogs of alanine, enzyme preparation using penicillin acylase 1965
ferrocenylalanine, synthesis 699

selective lipase hydrolysis 1,2-diol diacetates 2211
Enantioselective reactions
acylation cyanohydrins and deacylation propionates 2355
addition:
diethylzinc to aldehydes new bicyclic catalyst and cyclic catalysts 637, 1413
enones, inclusion crystals with optically active host compounds 1771
Grignard reagents to cinnamides from *N*-fluoroalkyl (*R*)-(–)-2-aminobutan-1-ol, diastereomeric excess by ^{19}F NMR 1469
to aldehydes via homochiral binaphthol-modified organolanthanide reagents 2407
alkylation, benzaldehyde by diethylzinc using chiral diethanolamines and lithium alcoholate catalysts 1987
asymmetric hydrosilylation, ketones 143
Baeyer–Villiger oxidation, synthesis enantiopure bicyclic furofuran, pyrofuran chirons 1341
Candida rugosa lipase esterification 2-methyl-alkanoic acids dependent on water activity 2123
catalysis, diazaborolidines 2335
catalytic borane reductions achiral ketones, application chiral β-amino alcohols from L-methionine 1983
chiral ligand mediated alkylation imines, steric tuning 1603
chiral NADH model, chiral amino alcohol auxiliaries 1635
comparison values application relative enantio-selectivity asymmetric hydrogenation amino acid precursors 369
deprotonation:
chiral synthesis 3-substituted and 3,3-disubstituted γ-butyrolactones 1475
construction chiral quaternary C-center, synthesis (+)-α-cuparenone 21
Diels–Alder, *N*-sulfonylated 1,3,2-oxazaborol-idine catalysts 1565
dimethyl dimedone conversion to optically active (1*R*)-*cis*- and (1*R*)-*trans*-chrysanthemic acids 289
enzymatic hydrolysis styrene oxide, *cis* and *trans*-1-phenylpropene oxide, active site mEH 1153
epoxidation styrene derivatives by chloro-peroxidase catalysis 1325
hydrogenation, syntheses diol precursor biologically active isomer insect growth regulator 2451
hydrolysis:
2-methylcyclohexanyl acetates with *Marchantia polymorpha* cells 1465
3-(2-nitrophenoxy)butenoates by *Pseudomonas fluorescens* lipase 313
α-(acyloxy)phosphonates by esterolytic enzymes 109
lipase catalysed, esters with sulfoxide stereogenic center 2371
lipase-catalysed, oxalate ester as activated group, approach to D-α-tocopherol 2303
microbiological, racemic epoxides, synthesis enantiopure Bower's compound 2445
racemic esters, preparation (*R*)- and (*S*)-(*E*)-4-hydroxyalk-2-enoic acids 1397
standard *N*-acetyl-DL-amino acid ethyl esters, selectivity in carbonic anhydrase catalysis 1137
transesterification, chemoenzymatic synthesis dihydropyridine optically active derivatives 2061
hydrophosphonylation:
aromatic aldehydes, chiral titanium alkoxide catalysis 1779
aromatic aldehydes by lanthanum binaphthol complex, electronic effect substituents 1783
palladium catalysed allylic substitution with S-containing oxazoline ligands 1785
protonation:
achiral lithium enolates using chiral amine and LiBr 35
silyl enol ethers 2501
reduction:
acetophenone, ephedrine, pseudoephedrine and phenylglycine derived 1,3,2-oxazaborolidines 13
ketones, isomerism chiral borane adducts oxazaborolidines 1569
ketones with borane, catalysed by (*S*)-(+)-prolinol or (*S*)-(–)-proline 2255
prochiral aromatic ketones with borane 2299
reductive alkylation, proline with ketones, stereochemistry 331
regioselective esterification polyoxygenated compounds catalysed by lipase 845
resolution, 1-heteroaryl and 1-aryl-alcohols by *Bacillus stearothermophilus* 1607
SN', allylic substitution versus 1,4-addition, asymmetric induction with Oppolzer's chiral sultam 613
transesterification 2-methyl-[1,4]-butanediol and derivatives, *Pseudomonas fluorescens* lipase catalysis 997
synthesis enantiomerically pure (*R*)-2-cycloalken-1-ols 2323
Enantioselective synthesis
1-metallocenylalkanols by asymmetric alkylation metallocene-carboxaldehydes with dialkylzincs 1763
3-hydroxy oxiracetam enantiomers, nootropic drugs 2483
(+) and (–) *endo*-tricyclo[5.2.1.$0^{2,6}$]deca-4,8-dien-3-one and (–)-4-*t*-butyldimethylsilyloxy-cyclopentenone by enzyme catalysed acetylation 2277
(+)-de-isopropenyl nootkatone 1901
(–)-gephyrotoxine 223AB 1429
(–)-serricornin sex pheromone *Lasioderma serricorne* 1573
1,1'-binaphthyls, approach via metalation/ligand coupling 2423
catalytic, homochiral α-cyperone 641
conjugated acyclic α-chiral (*E*)-alkenones 59
deltacyclenes using [CoI_2:Zn] catalytic system 1977
hydrolases increased via substrate, route to optically active cyclic allylic alcohols 879
key intermediates lineatin, grandisol 1537

L-and D-isoserine via asymmetric hydrogenation
methyl *N*-phthaloyl-3-amino-2-oxopropanoate 2179
methyl (+)-(*R*)-11-hydroxy-8(*E*)-dodecenoate from [2(*S*),*S*(*R*)]-2-(*p*-tolylsulfinyl)methyl oxirane 2173
Enantioseparation
5-monosubstituted hydantoins by GC, chemical and enzymatic racemization investigated 1129
Enantiospecific synthesis
4-methylcamphor 2363
N-benzyl-2-alkyl pyrrolidines and piperidines mediated by chiral organoboranes 189
quisqualic acid 2041
Staudinger route optically pure 4-formyl and 4-cyano *cis*-β-lactams 609
substituted bicyclo[2.2.1]hexane-1-carboxylic acids and esters 2333
Endomannosidase
inhibitors, synthesis 1,5-dideoxy-3-*O*-(α-D-glucopyranosyl)-1,5-imino-D-mannitol and 1,5-dideoxy-3-*O*-(α-D-mannopyranosyl)-1,5-imino-D-mannitol 2011
Enol ether
derived cyclohexanone and 2,4-pentanediol, diastereoface differentiating oxidation with MCPBA, preparation optically pure 2-hydroxy-cyclohexanone acetal 43
Enolates
derived from imide, stereoselective alkylation 2435
Enones
addition, inclusion crystals with optically active host compounds 1771
steroidal and related cisoid conjugated, CD 411
Enzymatic reactions
asymmetric hydrolysis epoxides, immobilized preparation *Rhodococcus* sp. 1161
Baeyer–Villiger oxidation, 4-substituted cyclohexanones 1387
catalysed desymmetrization *meso*-skipped polyols to chiral building blocks 793
catalysed esterification, (±)-*trans*-cyclohexane-1,2-dimethanol 969
catalysed lactonization, methyl (±)-(*E*)-3,5-dihydroxy-7-phenyl-6-heptanoates, *syn* and *anti* comparison 153
derivatization, chemical polymerization saccharides 1221
enantioselective hydrolysis α-(acyloxy)-phosphonates 109
hydrolysis:
cis and *trans*-1-phenylpropene oxide, comparison styrene oxide 1153
meso-cyclobutene esters 807
methyl *cis*-3-chloromethyl-2-tetrahydrofuran-carboxylates resolution 425
prochiral dienol diacetate, asymmetric synthesis 2447
resolution:
3-amino-1,2-propanediol series 1035
α,α-disubstituted α-amino acid esters and amides 1113
butanoic esters of 1-phenyl, 1-phenylmethyl, 1-[2-phenylethyl] and 1-[2-phenoxyethyl] ethers of 3-methoxy-[1,2]-propanediol 2265
butanoic esters of 1-phenylmethyl and 1-[2-phenylethyl] ethers of 3-chloro-[1,2]-propanediol 961
chiral tricarbonyl(benzaldehyde oxime)chromium complex 767
hindered secondary alcohols access chiral auxiliary 761
immobilized, oudemansin X synthesis 757
kinetic, synthesis natural hydroxyamino acids 893
N,N-dialkyl-3-hydroxy-4-pentenamides, unsuccessful Katsuki–Sharpless asymmetric epoxidation 1041
optically active aliphatic cyanohydrins 2355
racemic alkyl–aryl alcohols via acylation with succinic anhydride 839
Enzymatic synthesis
antagonistic metabolic pathway to 6-deoxy-L-*lyxo*- and 6-deoxy-L-*arabino*-hexulose 1-phosphates 1183
catalysed, α-tocopherol 1961
D- and L-enantiomers phosphonic, phosphonous analogs of alanine using penicillin acylase 1965
enantiomerically pure *myo*-inositol, chiral building blocks inositol polyphosphates 2135
repetitive batch, 5-azido-neuraminic acid and ^{15}N-L-glutamic acid 1193
route to optically active 3-hydroxyamides, synthesis 1,3-aminoalcohols 2199
Enzymes
specificity of spinach transketolase on achiral substrates 2383
Ephedrine
molecules, Raman optical activity, backscattering dual circular polarization 511
Epichlorohydrin
enantiomers, HMG Co-A reductase inhibitor NK-104 201
Epilaurene
(–)-isolaurene, synthesis, asymmetric quaternary C from chiral malonates 27
Epimerization
C-5 base-induced, 4-methyl-5-phenyl oxazolidinones, chiral auxiliaries derived from nor- and norpseudo-ephedrine 2513
Epoxidation
asymmetric:
alkenes using chiral borates 2339
styrene by chiral Ru Schiff base complexes, synthesis, characterization 1693
enantioselective, styrene derivatives by chloro-peroxidase catalysis 1325
MCPBA hydroxy-directed, allylic alcohols with O-bearing stereocenters, vicinal diol controlled approach 5
olefins, carbohydrate chiral auxiliaries 2283
Epoxides
asymmetric hydrolysis using immobilized enzyme preparation *Rhocococcus* sp. 1161
chiral, preparation via chemoenzymatic synthesis α-bichiral synthons 1271

optically active fluorohydrins, stereo- and regio-controlled synthesis 2053
optically pure bioformation 1331
racemic, microbiological hydrolysis, synthesis enantiopure Bower's compound 2445
Epoxy-2-(4-pentenyl)-propanol
enantiomerically pure, preparation by *Pseudomonas fluorescens* lipase catalysed transesterification 9
Epoxyalcohols
biocatalytical resolution in organic solvents 85
Eprozinol
optically active, synthesis 1457
Erythrulose
protected derivatives, addition organo-metallic reagents 1799
Esterase
pig liver:
active site, probing dimension of hydrophobic pocket 2025
resolution α-substituted β-ketoesters, synthesis (+)-nitramine and (–)-isonitramine 2119
PLE, dimethyl aziridin-2,3-dicarboxylates, stereoselective hydrolysis 2295
Esterification
enzyme-catalysed, (±)-*trans*-cyclohexane-1,2-dimethanol 969
lipase, 2-methylalkanoic acids, enantioselectivity dependent on water activity 2123
polyoxygenated compounds catalysed by lipase 845
Esters
3-(2-nitrophenoxy)butenoic acid, enantioselective hydrolysis by *Pseudomonas fluorescens* lipase 313
chiral use in asymmetric synthesis, Report 2109
oxalate as activated group, lipase catalysed enantioselective hydrolysis, approach to D-α-tocopherol 2303
with sulfoxide stereogenic center, lipase catalysed kinetic resolution 2371
Ethynyloxiranes
optically pure trisubstitution, synthesis using oxirane deprotonation 1991
Exciton interaction
retinylidene chromophore, chiral 1,2-cyclohexanediamine Schiff bases 1

Ferrocene
catalyst, alkylation aromatic, aliphatic aldehydes to secondary alcohols 285
Ferrocenylalanine
optically active, synthesis via enantioselective catalysis 699
Ferrocenylalkanols
enantioselective synthesis by asymmetric alkylation ferrocenylcarboxaldehydes with dialkylzincs 1763
Flavour
4-hydroxypentan-2-one enantiomers, structure, properties 655
fragrance stereoisomers, 8-mercapto-*p*-menthan-3-one 651
Fluorescence
chiral (+)-*t*-butyl-1,3-benzodioxole-4-carboxylic acid 1431
Fluorinated compounds
alcohols, solvents for Diels–Alder reactions chiral acrylates 1613
fluorohydrins, from optically active epoxides, stereo- and regio-controlled synthesis 2053
isoxazolidines, optically pure via cycloaddition nitrones to chiral methyl enol ethers of 3-fluoro-1-sulfinyl-2-propanones 2131
ketones, α-optically active via allene oxides 1417
nitriles, (*S*)-2-derivative, preparation 161
(*R*)-γ,γ–disubstituted butyrolactones and (2*R*,3*S*)-epoxide with tertiary stereogenic center carrying trifluoromethyl group 1703
threonine derivatives, in high optical purity, stereodivergent synthesis 835
Forskolin
optically pure precursor, resolution (±)-1-hydroxy-β-ionone acetoacetate 1775
synthesis, configuration, resolution tricyclic lactone precursor 17
Fourier-transform
IR spectral analysis, CD spectra polypeptides 591
Friedel–Crafts reactions
regio- and stereoselective alkylation, synthesis optically active 4-hydroxymandelic acid and derivatives 2411
Frontalin
(*R*)- and (*S*)-, synthesis from enantiomerically pure (*R*)- and (*S*)-epoxyalcohols 9
Functionalization
microbial, synthetic polycyclic enones 1295
Furanones
5-ethoxy-3-*p*-tolylsulfinyl-2(5*H*)-derivative, enantiomerically pure, Diels–Alder reactions cyclopentadiene 177
Furfuryl amines
absolute configuration by CD 1501
Furnidipine
stereoisomers, synthesis, separation 617

GABOB
(*R*)-(–)-γ-amino-β-hydroxybutyric acid synthesis 133
Galactopyranosides
2-amino-2-deoxy derivative, CD, conformations of 2-NAcBz group 321
Gephyrotoxine 223AB
enantioselective synthesis 1429
Gluconate
2-keto-3-deoxy derivative synthesis, *Aspergillus niger* aldolisation 1165
Glucopyranose
1-*O*-*trans*-2-butenyl-3,4,6-tri-*O*-benzyl-β-D-derivative, asymmetric epoxidation 2283
Glucose
2*O*-6-deoxy-α-L-sorbofuranosyl derivative, chemoenzymatic synthesis 1173
Glutamic acid
^{15}N-L derivative, enzymatic repetitive batch synthesis 1193

Glycerinaldehyde
protected via enantiomerically pure (*R*)- and (*S*)-3-benzyloxy-2,3-dihydrofuran 2155
Glycerol
isopropylidene-derived chiral, synthesis (+)-*E*,*E* and (±)-*Z*,*E* structures 2101
Glycopeptides
synthetic, substrates for glycosyltransferases 1205
Glycosidase
aminosugar inhibitors of endomannosidase 2011
Glycosides
3-deoxy-2-hexulosonates, stereoselective synthesis 293
Glycosylamino acids
C-derivative, synthesis 2343
Glycosyltransferases
synthetic O-glycopeptides as substrates 1205
Grandisol
enantioselective synthesis key intermediates 1537
Grignard reagents
1,2-addition, diastereomer differentiation under rotamer distribution control 1759
enantioselective addition to cinnamides from *N*-fluoroalkyl (*R*)-(–)-2-aminobutan-1-ol, diastereomeric excess by ^{19}F NMR 1469

H-bonding
conformation, optically active bilirubin amides CD, NMR 49
Haloglycine
template, asymmetric synthesis amino acid derivatives 197
Heck coupling
(*S*)-methylphenyl-vinylphosphine oxides with aryl and vinyl halides 2143
Helicities
absolute, twisted phenanthrenequinones, CD and correlation to biphenyls 433
Heptonolactones
benzylidene acetals 1579
Heterohelicenes
functionalized, optically pure, diastereocontrolled synthesis 1843
Hexoses
preparation mercaptal derivatives pentodialdose, chiral C-5 synthetic building blocks 2261
Hexulose 1-phosphates
6-deoxy-L-*lyxo*- and 6-deoxy-L-*arabino*-derivatives, enzymatic synthesis, antagonistic metabolic pathway 1183
HMG Co-A
reductase inhibitor NK-104 from epichlorohydrin enantiomers 201
Homoindene
optically active, thermolysis, synthesis 749
Hormones
juvenile, enantiomeric resolution via direct gas chromatography 165
Hydantoins
5-monosubstituted, enantioseparation by GC, chemical and enzymatic racemization investigated 1129
Hydroformylation
asymmetric, rhodium catalysed with chiral diphosphine ligands 1625
Hydrogen bond
like attractive force CH/π interaction, effect on chiroptical properties olefins dienes 555
Hydrogenation
3-aryl dehydroamino acid derivatives 73
asymmetric:
methyl *N*-phthaloyl-3-amino-2-oxopropanoate, synthesis L- and D-isoserine 2179
(*Z*)-*N*-acylaminocinnamic acid derivatives with different protective groups 2047
enantioselective syntheses diol precursor biologically active isomer insect growth regulator 2451
ethyl pyruvate, model for catalyst/modifier/-substrate interactions 1803
imines, Rh/diphosphine catalysed, kinetic resolution racemic α-methylbenzyl amine 215
water soluble ruthenium sulfonated BINAP catalyst 2461
Hydrolases
enantioselectivity increased via substrate, route to optically active cyclic allylic alcohols 879
Hydrolysis
α-(acyloxy)phosphonates by esterolytic enzymes 109
asymmetric:
cis-2,5-disubstituted tetrahydrofuran derivatives 911
disubstituted malononitrile by *Rhodococcus rhodochrous* 1081
epoxides using immobilized enzyme preparation *Rhodococcus* sp. 1161
meso diacetates, using *Pseudomonas fluorescens* lipase, synthesis chiral building blocks 973
biochemical, in (diene)$Fe(CO)_3$ series, molecular modelling 1241
enantioselective, 3-(2-nitrophenoxy)butanoates by *Pseudomonas fluorescens* lipase 313
enzymatic:
asymmetric synthesis prochiral dienol diacetate 2447
butanoic esters of 1-phenyl, 1-phenylmethyl, 1-[2-phenylethyl] and 1-[2-phenoxyethyl] ethers of 3-methoxy-[1,2]-propanediol 2265
hydrolase catalysed of *cis*- and *trans*-1-phenyl-propene oxide, comparison styrene oxide 1153
immobilization of substrates 943
meso-bis(acetoxymethyl)- and bis (hydroxy-methyl)-cyclopentane derivatives 981
meso-cyclobutene esters 807
lipase catalysed, esters with sulfoxide stereogenic center 2371
lipase enantiomer selective of 1,2-diol diacetates 2211
lipase-catalysed, oxalate ester as activated group, approach to D-α-tocopherol 2303
N-acetyl-DL-amino acid methyl esters, selectivity in carbonic anhydrase 1137
pen G acylase resolution, phenylacetate esters of secondary alcohols 1031
racemic epoxides, synthesis enantiopure Bower's compound 2445

stereoselective dimethyl aziridin-2,3-dicarboxylates with PLE 2295
stereoselective, nitriles, amides, whole cell catalyst 1085
substituted cyclopentane diesters with pig liver esterase 1047
transesterification, chemoenzymatic synthesis dihydropyridine optically active derivatives 2061
Hydrophobic pocket
probing dimension active site pig liver esterase 2025
Hydrophosphonylation
α-amino aldehydes, preparation β-amino-α-hydroxyphosphonic acid derivatives 1401
aromatic aldehydes, chiral titanium alkoxide catalysis 1779
aromatic aldehydes by lanthanum binaphthol complex, electronic effect substituents 1783
Hydrosilylation
arylalkenes via Pd–MOP catalyst 2419
enantioselective asymmetric, ketones, comparison bipymox, pymox, pybox catalysts 143
Hydroxy acetals
optically active, enantioselective synthesis via microbial reduction 2-keto acetals 1931
Hydroxy acids
α derivative, determination enantiomeric excess 2495
Hydroxy esters
factors affecting lipase catalysed transesterification 1007
via Baker's yeast reduction β-hydroxypiperidine carboxylates 625
Hydroxy-2-piperidone
amide-methylenation with dimethyltitanocene, synthesis 2*S*,5*S*- and 2*R*,5*S*-5-hydroxypipecolic acid 2085
Hydroxy-phosphonates
-phosphinates, -phosphine oxides, via hydrolysis α-acyloxy derivatives 109
Hydroxyalkyl-2-enoic acids
(*R*)- and (*S*)-(*E*)-4-derivative, preparation via PPL enantioselective hydrolysis racemic esters 1397
Hydroxyamides
optically active, enzymatic route, synthesis 1,3-aminoalcohols 2199
Hydroxyamino acids
natural, synthesis via enzymatic kinetic resolution 893
Hydroxybutyric acid
(*R*)-(–)-γ-amino-β-derivative, synthesis 133
Hydroxycyclohexanone acetal
optically pure, preparation 43
Hydroxylation
microbial, functionalization synthetic polycyclic enones 1295
side-chain, aromatic compounds by *Mortierella isabellina* benzylic hydroxylase 1353
Hydroxymandelic acid
optically active via Friedel–Crafts alkylation 2411
Hydroxypentan-2-one
enantiomers, flavour, odour 655
Hydroxypipecolic acid
2*S*,5*S*- and 2*R*,5*S*-5-derivatives, synthesis via dimethyltitanocene amide-methylenation *S*-5-hydroxy-2-piperidone 2085
Hydroxypiperidine carboxylates
Baker's yeast reduction to keto esters 625
Hydroxysulfones
via microbiological reduction keto-sulfones, synthesis (*S*)-(+)-β-angelica lactone 239
Hydroxysulfoxides
chiral catalysis diethylzinc addition benzaldehyde 727

Ibuprofen
ketoprofen, asymmetric synthesis 1435
Imines
diastereoselective hydrogenation and kinetic resolution using rhodium/diphosphine catalysed hydrogenation 215
Immobilization of substrates
enzyme-catalysed hydrolysis 943
Inclusion complexes
pheromones in modified cyclodextrins 181
Indoline
2,2,3-trialkyl alkaloids, synthesis (–)-vallesamidine A 1499
Indolizidines
alkaloid 223AB, enantioselective synthesis 1429
Indolizinone
(8*R*,8α*S*)-hexahydro-8-methyl-5(1*H*)-derivative, chiral synthesis 1405
Inhibitors
endomannosidase, synthesis 1,5-dideoxy-3-*O*-(α-D-glucopyranosyl)-1,5-imino-D-mannitol and 1,5-dideoxy-3-*O*-(α-D-mannopyranosyl) 1,5-imino-D-mannitol 2011
HMG Co-A reductase, NK-104 from epichlorohydrin enantiomers 201
proteolytic enzymes, preparation β-amino-α-hydroxyphosphonic acid derivatives 1401
Inositol polyphosphates
chiral building blocks via enantiomerically pure *myo*-inositol derivatives 2135
Inotropic activity
(–)-denopamine synthesis 2149
Insects
growth regulator, diol precursor biologically active isomer, enantioselective hydrogenation 2451
Iodobut-3-en-2-ol
(2*R*,3*E*)-4-, and (2*S*,3*E*)-4-iodobut-3-en-2-yl chloroacetate, synthesis 723
Iridium
α-amino acidato complexes, preparation. structure (R_{Ir},S_N,S_C)- (S_{Ir},S_N,S_C)-[η^5-(C_5Me_5)Ir(L-prolinate)(C≡CMe_3)] 1425
Iron
chiral acetyl complex [(C_5H_5)Fe(CO)(PPh_3)$COCH_3$], resolution 1479
complexes, (diene)Fe$(CO)_3$ series, biochemical reduction, acylation, hydrolysis, molecular modelling 1241
diastereomeric (η^4-diene)Fe$(CO)_3$ complexes containing chiral amide groups, separation, characterization 1969

Isoinversion principle
asymmetric tautomerization of photodienols 2531
Isonitramine
synthesis via PLE resolution α-substituted β-ketoesters 2119
Isopropylideneglycerols
chiral, synthesis (+)-*E*,*E* and (±)-*Z*,*E* structures 2101
Isoschizandrin
natural configuration, stereoselective synthesis 605
Isoserine
enantioselective synthesis via asymmetric hydrogenation methyl *N*-phthaloyl-3-amino-2-oxopropanoate 2179
ethyl ester, (2*R*,3*S*)-(–)-*N*-benzoyl-3-phenyl derivative, a taxol side-chain synthon, microbial synthesis 2069
Isosorbide
chiral derived auxiliaries, synthesis 1879
new chiral auxiliaries for asymmetric synthesis 2415
Isoxazolidines
optically pure fluorosubstituted via cycloaddition nitrones to chiral methyl enol ethers of 3-fluoro-1-sulfinyl-2-propanones 2131
Isoxazoline
or isoxazolidin-3-one heterocyclic derivatives, lipase PS catalysed resolution 1063

Ketoacetals
enantioselective synthesis optically active 2-hydroxy acetals 1931
Ketoalcohols
secondary-α, lipase catalysed resolution 1793
Ketoesters
α,α-disubstituted, synthesis 25
α-substituted β-, PLE-catalysed resolution, synthesis (+)-nitramine and (–)-isonitramine 2119
via Baker's yeast reduction β-hydroxypiperidine carboxylates 625
Ketones
α,β-unsaturated, asymmetric 1,4-addition, use of optically active tellurium-containing binaphthyls 2127
achiral, borane reduction, application chiral β-amino alcohols from L-methionine 1983
catalysts enantioselective reduction ketones, chiral oxazaborolidine, borane aggregation 1505
enantioselective reduction isomerism chiral borane adducts oxazaborolidines 1569
ketone–borane complexes chiral oxazaborolidines, effect ring system on binding 1597
enantioselective reduction with borane, catalysed by (*S*)-(+)-prolinol or (*S*)-(–)-proline 2255
optical resolution, new reagents 1547
prochiral aromatic, enantioselective reduction with borane 2299
reductive amination using (+) and (–) norephedrine and periodate oxidation 2095
Ketopantolactone
asymmetric, baker's yeast reduction 1253
Ketoprofen
ibuprofen, asymmetric synthesis 1435
Ketosulfones
microbiological reduction, synthesis (*S*)-(+)-β-angelica lactone 239
Kinetic resolution
alcohols, search derivatizing agents 773
Diels–Alder processes 345
double using lipase mediated reactions 813
enzymatic, synthesis natural hydroxyamino acids 893
lipase catalysed:
esters with sulfoxide stereogenic center 2371
(±)-2-hydroxymethyl-1,4-benzodioxane 339
penicillin acylase, phenylacetate esters secondary alcohols 1031
racemic α-methylbenzyl amine using rhodium/-diphosphine catalysed asymmetric imine hydrogenation 215
synthesis (2*R*,3*E*)-4-iodobut-3-en-2-ol and (2*S*,3*E*)-4-iodobut-3-en-2-yl chloroacetate 723
Kyotorphin
synthesis in frozen solution by chymotrypsin 1559

Lactams
bicyclic, biocatalytic resolution 2-azabicyclo-[2.2.1]hept-5-en-3-one, entry single enantiomer carbocyclic nucleosides 1117
chiral alkylated via cyclic imides with C-2 symmetry 1451
optically pure 4-formyl and 4-cyano derivatives, enantiospecific Staudinger reaction 609
see also 2-azetidinones
Lactones
enantiomerically pure, enzyme assisted synthesis 1017
lipase catalysed formation via irreversible intramolecular acyltransfer 1027
Lactonization
methyl (±)-(*E*)-3,5-dihydroxy-7-phenyl-6-heptanoates, *syn* and *anti* comparison enzyme catalysis 153
Lanthanum
binaphthol complex, hydrophosphonylation aromatic aldehydes, electronic effect substituents 1783
Lasioderma serricorne
enantioselective synthesis (–)-serricornin sex pheromone 1573
Lentiginosine
natural via cyclic imide with C-2 symmetry derived from L-tartaric acid 1455
Lewis acids
effect on synthesis 2'-deoxy-3'-oxacytidine nucleoside analogs 211
Lineatin
enantioselective synthesis key intermediates 1537
Lipase
acylation, 4,6-*O*-benzylidene-D-glucopyranosides to useful esters 931
as acylation and deacylation catalyst, enantiocomplimentary resolution racemic 4-hydroxy-5-(4-methoxyphenoxy)-1-pentyne 157
asymmetrization *cis*-3,7-dihydroxycycloheptane derivatives, organic aqueous media 875

catalysed enantiomer selective hydrolysis 1,2-diol diacetates 2211
catalysed hydrolysis, oxalate ester as activated group, approach to D-α-tocopherol 2303
catalysed kinetic resolution esters with sulfoxide stereogenic center 2371
catalysed resolution 2-methylalkanoic acids, effect chain length of alcohol 1869
catalysed resolution secondary α-ketoalcohols 1793
enantioselective hydrolysis, α-(acyloxy)-phosphonates 109
immobilized resolution, aryl and aryl–alkyl tetrahydroisoquinolinols prochiral phenolic acylates with guaiacol-type moiety 933
kinetic resolution:
(±)-2-hydroxymethyl-1,4-benzodioxane 339
(±)-[2,3]-butanediol in organic solvent 1995
alcohols, organic solvents, derivatizing agents 773
double, mediated reactions 813
lactone formation via irreversible intramolecular acyl transfer 1027
PPL enantioselective hydrolysis racemic esters, preparation (*R*)- and (*S*)-(*E*)-4-hydroxyalk-2-enoic acids 1397
Pseudomonas cepacia, effect chemical modification on stereoselectivity 777
racemic 2-alkyl substituted 1-alkanols 823
resolution:
3-substituted 4-oxoesters 783
aziridine carboxylates 903
cis- and *trans*-[2,3]-epoxyalcohols with 2,2,2-trifluoroethyl butyrate 85
isoxazoline or isoxazolidin-3-one heterocyclic derivatives 1063
oudemansin X synthesis 757
synthesis, optically active amides, organic media 1105
transesterification, resolution diols with C_2-symmetry 925
Lipid A
chemoenzymatic synthesis 1051
Liquid crystals
prediction absolute configuration optically active pheromones 687
Lithium
cyclic and acyclic chiral β-enamino ketone dianions, stereoselective alkylation 1651
enolates, enantioselective protonation using chiral amine and LiBr 35
LTD_4 antagonist
chemoenzymatic synthesis 865

Malolactonates
optically active 4-benzyl- and 4-alkyl-derivatives, synthesis 1925
Malonates
chiral, construction quaternary carbons, synthesis sesquiterpenes 27
Malononitrile
disubstituted, asymmetric hydrolysis by *Rhodococcus rhodochrous* 1081
Mandelic acid
enantiomers, determination enantiomeric excess 2495
Mannose
6-deoxy-6,6,6-trifluoro derivative, preparation via enzymatically resolved butenolides 1059
Mannoside
α-C-derivative, chemoenzymatic simple, stereoselective synthesis 1203
Marchantia polymorpha
cells enantioselective hydrolysis 2-methylcyclohexanyl acetates 1465
Marfey's reagent
enantiomeric purity benzylic amines 2437
MCPBA
hydroxy-directed epoxidations, allylic alcohols with O-bearing stereocenters, vicinal diol controller approach 5
Mechanisms
enzymatic antagonistic metabolic pathway to 6-deoxy-L-*lyxo*- and 6-deoxy-L-*arabino*-hexulose 1-phosphates 1183
Mercaptal derivatives
pentodialdose, chiral C-5 synthetic building blocks 2261
Mercapto-norbornanes
and -norbornenes, preparation 1591
mercapto-*p*-menthan-3-one flavour, fragrance stereoisomers from *Agathosma* sp. 651
Mesaconic acid
via *syn*-elimination (2*S*,3*R*)- and (2*S*,3*R*)[3-^{2}H]-3-methylaspartic acid 1141
Mesembrine
asymmetric synthesis 1409
***meso* Diacetates**
asymmetric lipase hydrolysis, synthesis chiral building blocks 973
Metabolism
oxidative, biotransformation 2,3-dihydrobenzofuran, benzofuran by *Pseudomonas putida* 1307
Metabolites
arthonin structure, synthesis 303
diol, biooxidation chlorostyrenes with *Pseudomonas putida*, stereochemistry, enantiomeric excess by convergent syntheses 1365
Pseudomonas putida 39/D oxidation 2- bromostyrene 2469
Metalation
ligand coupling, approach enantioselective synthesis 1,1'-binaphthyls 2423
Metals
assisted aldol condensation, chiral 6-methyl perihydropyrimidin-4-ones 2241
organo-reagents, addition to 1-*O*-silylated 3,4-di-*O*-benzyl-L-erythrulose derivatives 1799
Methoxybenzaldehyde
synthesis tembamide and aegeline (*R*)-enantiomers 205
Methyl vinyl ketone
Michael addition to 2-nitrocycloalkanones, change in absolute configuration 173
Methyl-2-methylglycerates
2(*R*) and 2(*S*), preparation 101

Methyl-2-[(phenylsulfonyl)methyl]butylphenyl sulfide
enzymatic synthesis, stereochemical course of alkylation 947
Methyl-1,4-butanediol
derivatives, enantioselectivity of transesterification *Pseudomonas fluorescens* lipase 997
Methylalkanoic acids
esterification resolved, *Candida rugosa* lipase catalysed, alcohol chain length, enantioselectivity 1869
Methylaspartase
syn-elimination, syntheses (2*S*,3*R*)- and (2*S*,3*R*)[3-^{2}H]-3-methylaspartic acid 1141
Methylation
2-position L-ascorbic acid 169
Methylcamphor
enantiospecific synthesis 2363
Methylcyclohexanyl acetates
enantioselective hydrolysis with *Marchantia polymorpha* cells 1465
Methyloxirane
[2(*S*),*S*(*R*)]-2-(*p*-tolylsulfinyl)-derivative, synthesis of *seco*-ester of (+)-(*R*)-recifeiolide 2173
Methylpropanoate
methyl 2,3-dihydroxy-2-derivative, optically active enantiomers, synthesis 101
Microorganisms
enantioselective hydrolysis racemic epoxides, synthesis enantiopure Bower's compound 2445
reduction:
2-keto acetals, enantioselective synthesis optically active 2-hydroxy acetals 1931
keto-sulfones, synthesis (*S*)-(+)-β-angelica lactone 239
synthesis (2*R*,3*S*)-(−)-*N*-benzoyl-3-phenyl isoserine ethyl ester, a taxoi side-chain synthon 2069
Models
catalyst/modifier/substrate interactions, chiral pyruvate hydrogenation 1803
molecular, biochemical reduction, acylation, hydrolysis in (diene)$Fe(CO)_3$ series 1241
reactions catalysed by porcine liver esterase and porcine pancreatic lipase 911
Mortierella isabellina benzylic hydroxylase, side-chain hydroxylation aromatic compounds 1353
Multistriatin
δ-derivative from D-glucose, component of *Scolytus multistriatus* aggregation pheromone 2535
Muscone
asymmetric lipase hydrolysis *meso* diacetates synthesis chiral building blocks 973
Mycobacterium neoaurum amidase resolution, α,α-disubstituted α-amino acid amides and esters 1113

NADH model
enantioselective, chiral amino alcohol auxiliaries 1653
Naphthoic acid
1-(9-phenanthryl)-2-derivative, absolute stereochemistry by CD, X-ray methods 1789
Nitramine
synthesis via PLE resolution α-substituted β-ketoesters 2119
Nitrile oxides
in medicinal chemistry 1063
Nitriles
stereoselective hydrolysis whole cell catalyst 1085
Nitrocycloalkanones
Michael addition to methyl vinyl ketone, change in absolute configuration 173
Nitrones
1,3-dipolar cycloaddition to chiral methyl enol ethers of 3-fluoro-1-sulfinyl-2-propanones 2131
NK-104
HMG Co-A reductase inhibitors from epichlorohydrin enantiomers 201
NMR
absolute configuration chiral secondary alcohols 1527
analysis carboxylic acids using optically active amines 207
crystallization (*S*)-timolol *O*,*O*-diacetyl-L-tartaric acid monoester 709
intramolecular H-bonding, conformation, optically active bilirubin amides 49
Nootkatone
(+)-de-isopropenyl derivative, enantioselective synthesis 1901
Nootropic drugs
synthesis 3-hydroxy oxiracetam enantiomers 2483
Norbornane
homochiral polyfunctional derivatives, stereocontrolled approach 669
Norbornene
homochiral polyfunctional derivatives, stereocontrolled approach 669
Norephedrine
derived *o*-bromobenzamides, stereoselective radical mediated cyclization to tricyclic δ-lactams 273
use in reductive amination ketones, asymmetric amine synthesis 2095
Nucleosides
carbocyclic, via resolution 2-azabicyclo-[2.2.1]hept-5-en-3-one 1117
dioxolane analogs, divergent asymmetric synthesis 2319
optically pure 2'-deoxy-3'-oxacytidine analogs, synthesis, effects of Lewis acids 211

Octalones
homochiral, synthesis from (−)-carvone 633
Olefins
dienes, chiroptical properties, effect CH/π interaction 555
Optical purity
profen drugs 1949
Organoboranes
synthesis conjugated acyclic α-chiral (*E*)-alkenones 59

Organometallic complexes
tetraethyldithiooxamide, unexpected chiral axis 2311
Oudemansin X
synthesis, enzymatic resolution using immobilized lipase 757
Oxa-Pictet–Spengler reaction
intramolecular, preparation tricyclic benzomorphan analogs 2307
Oxacytidine
2'-deoxy-3'-derivative, nucleoside analogs, synthesis, effects of Lewis acids 211
Oxalate ester
as activated group, lipase catalysed enantio-selective hydrolysis, approach to D-α-tocopherol 2303
Oxazaaluminolidines
coordination to carbonyl compounds use as controllers organic syntheses 2517
Oxazaborolidines
1,3,2-*N*-sulfonylated derivatives, catalysts in enantioselective Diels–Alder reactions 1565
chiral, borane aggregation, catalysts enantioselective reduction ketones 1505
chiral ketone–borane complexes effect ring system on binding, enantioselective reduction ketones 1597
ephedrine, pseudoephedrine and phenylglycine derived, enantioselective reduction acetophenone 13
ephedrine derived, reversible dimerization 2151
isomerism chiral borane adducts, catalytic enantioselective reduction ketones 1569
Oxazolidinones
4-methyl-5-phenyl derivative, C-5 base-induced epimerization, chiral auxiliaries derived from nor- and norpseudo-ephedrine 2513
chiral tricyclic, stereocontrol Diels–Alder reactions 629
Oxazolines
enantiomerically pure hydroxymethyl derivative, asymmetric addition diethylzinc to aromatic aldehydes 649
sulfur-containing ligands, palladium-catalysed allylic substitution 1785
Oxetanones
optically active 4-benzyloxy- and 4-alkoxycarbonyl-derivatives, synthesis 1925
Oxidation
2-bromostyrene by *Pseudomonas putida* 39/D, identification of metabolites 2469
diastereoface differentiation, enol ether derived cyclohexanone and 2,4-pentanediol with MCPBA, preparation optically pure 2-hydroxycyclo-hexanone acetal 43
enzymatic Baeyer–Villiger, 4-substituted cyclohexanones 1387
synthetic routes to [2,5]-substituted tetrahydro-furans 1711
Oxido-reductases
2-alkyl-3-oxobutanoate, diastereoselectivity 1259
Oxiracetam
3-hydroxy enantiomers, synthesis nootropic drugs 2483
Oxiranes
deprotonation, synthesis optically pure trisubstituted ethynyloxiranes 1991
reaction with β-(trimethylsilyl)alkyl phenyl sulfones, preparation *syn*-1,3,5-triols 399
Oxobutanoates
2-alkyl, baker's yeast reduction, product derivatives as precursors free radical chirons of 2(*S*)-hydroxyalkyl moiety 1229
2-alkyl-derivative, oxido-reductases, diastereoselectivity 1259
ethyl 2-chloro-derivative, baker's yeast reduction product, precursor 1-ethoxycarbonyl 2(*S*)-hydroxypropyl radical 1233
Oxoesters
3-substituted, enzymatic resolution 783
Oxopropanoate
methyl *N*-phthaloyl-3-amino-2-derivative, asymmetric hydrogenation, synthesis L- and D-isoserine 2179

Palladium
complex, chiral diphosphine ligand with cyclodextrin-based molecular recognition site synthesis, properties 1829
MOP catalyst, hydrosilylation arylalkenes 2419
Pantolactone
alkylboronate reagent 1439
Penicillin acylase
catalysed resolution, phenylacetate esters secondary alcohols 1031
Pentenamides
N,N-dialkyl-3-hydroxy-4-derivatives, enzymatic resolution, unsuccessful Katsuki–Sharpless asymmetric epoxidation 1041
Pentodialdose
mercaptal derivatives, chiral C-5 synthetic building blocks 2261
Peptides
asymmetric synthesis (2*R*,3*S*) and (2*S*,3*R*) precursors of β-methyl-histidine, -phenylalanine and -tyrosine 2315
***trans*-Perhydroazulene skeleton**
stereoselective approach 281
Perihydropyrimidin-4-ones
6-methyl, metal assisted aldol condensation 2241
Pfeiffer's rule
computed chirality coefficients, drug potency 1917
Phenanthrenequinones
twisted, absolute helicities, CD and correlation to biphenyls 433
Phenanthrolines
bipyridines bromo-substituted, synthesis camphor sultam based chiral chelating ligands 39
Phenylacetate esters
secondary alcohols, hydrolysis 1031
Phenylacetic amides
asymmetric alkylation via amino ethers derived from carbohydrates 2415
Phenylglycine
(*R*)-2-derivative as chiral auxiliary, asymmetric synthesis 2-azetidinones 1441

Phenylmenthol
chiral auxiliary, synthesis benzilic acid analogs 2183
Phenylpropene oxide
active site mEH, enantioselective enzymatic hydrolysis 1153
Pheromones
inclusion complexes in modified cyclodextrins 181
intraspecific communication, value of partial racemates 2327
optically active, absolute configuration using liquid crystals 687
(*R*)- and (*S*)-frontalin, synthesis 9
Scolytus multistriatus aggregation component, stereoselective synthesis δ-multistriatin from D-glucose 2535
Phosphinamine
resolution 1-(2-diphenylphosphino-1-naphthyl)-isoquinoline for asymmetric catalysis 743
Phosphine
modified cyclodextrin and rhodium complex 2405
Phosphine oxides
(*S*)-methylphenylvinyl-, Pd-catalysed Heck coupling aryl and vinyl halides 2143
Phosphonic
phosphonous analogs of alanine, enzyme preparation D- and L-enantiomers using penicillin acylase 1965
Phosphorus
ligands, asymmetric conjugate addition organo-copper reagents 2427
Photodienols
tautomerization, asymmetric isoinversion principle 2531
Pictet–Spengler
oxa reaction, intramolecular, preparation tricyclic benzomorphan analogs 2307
Pig liver esterase
hydrolysis substituted cyclopentane diesters 1047
Piperazines
chiral hydrochloride as chiral proton source 247
optically active 2-hydroxymethyl derivative, catalytic enantioselective addition diethylzinc to benzaldehyde 2389
Piperidines
N-benzyl-2-alkyl derivatives, enantiospecific synthesis 189
Platinum
and organometallic complexes of tetraethyldithio-oxamide, unexpected chiral axis 2311
Polycyclic enones
synthetic, microbial functionalization, hydroxylation 1295
Polymerization
chemical, of enzymatically derivatization saccharides 1221
Polyols
meso skipped, to chiral building blocks via enzyme catalysed desymmetrization 793
Polyoxygenated compounds
esterification catalysed by lipase 845
Polypeptides
CD spectra, FT-IR guided analysis 591
lyotropic liquid crystal, enantiomeric excess analysis deuterated sesquiterpene precursors via proton decoupled ^{2}H NMR 31
Porcine liver esterase
and porcine pancreatic lipase, catalysed reactions, models 911
Porcine pancreatic lipase
catalysed acylation allylic alcohols effect double bond isomerism on rate 907
Profen drugs
optical purification 1949
Proline
reductive alkylation with ketones, stereochemistry 331
Propan-1,3-diols
(+)-(1*S*,2*S*)-2-amino-1-phenyl derivative, route optically pure 4-formyl and 4-cyano *cis*-β-lactams via enantiospecific Staudinger reaction 609
Propranolol
(*S*)-(−)-derivative, synthesis from sorbitol 2401
Protecting groups
chiral, rhodium-catalysed cyclization 6-octen-1-als 1857
different, effect on asymmetric hydrogenation acylaminocinnamic acid 2047
Protection
regioselective, *threo*-2,3-dihydroxybutanoic esters 2347
Proteins
asymmetric synthesis (2*R*,3*S*) and (2*S*,3*R*) precursors of β-methyl-histidine, -phenylalanine and -tyrosine 2315
Protonation
asymmetric, using chiral piperazine hydro-chlorides 247
enantioselective, achiral lithium enolates using chiral amine and lithium bromide 35
Pseudomonas cepacia lipase:
asymmetrization *cis*-3,7-dihydroxycycloheptane derivatives 875
effect chemical modification on stereoselectivity 777
kinetic resolution (±)-2,3-butanediol in organic solvent 1995
Pseudomonas fluorescens
lipase:
active sites 981
asymmetric hydrolysis *meso* diacetates, synthesis chiral building blocks 973
enantioselective hydrolysis 3-(2-nitrophenoxy)-butenoates 313
mediated reactions for double kinetic resolution 813
transesterification, preparation enantiomerically pure epoxyalcohols 9
lipase catalysis, transesterification 2-methyl-1,4-butanediol and derivatives 997
Pseudomonas putida
39/D, oxidation 2-bromostyrene, identification of metabolites 2469
biooxidation chlorostyrenes, diol metabolites stereochemistry, enantiomeric excess by convergent syntheses 1365

biotransformation 2,3-dihydrobenzofuran, benzofuran derived chiral synthons, stereochemistry, structures 1307
Purification
optical profen drugs 1949
Pybox derivatives
chirality recognition 1,1-bi-2-naphthol 1461
Pyridazino[4,5-*b*]cholestenes
synthesis, CD 393
Pyridylethanols
enantiopure via baker's yeast reduction 1255
Pyroglutamic acid
methyl ester, synthesis chiral triaminobutanes 91
Pyrrolidines
N-benzyl-2-alkyl derivatives, enantiospecific synthesis 189
trans-2,5-dimethyl derivative, asymmetric synthesis 2163
Pyruvate
ethyl enantioselective hydrogenation with proline 331
hydrogenation model, catalyst/modifier/substrate interactions 1803

Quinodimethane
α-hydroxy-α-phenyl derivative, Diels–Alder asymmetric cycloaddition 645
Quisqualic acid
enantiospecific synthesis 2041

Racemization
chemical and enzymatic investigated via enantioseparation 5-monosubstituted hydantoins by GC 1129
Radicals
1-ethoxycarbonyl 2(*S*)-hydroxypropyl, via reduction product ethyl 2-chloro-3-oxobutanoate as precursor 1233
free, precursors chirons of 2(*S*)-hydroxyalkyl moiety, derivative baker's yeast reduction product 2-alkyl 3-oxobutanoates 1229
Raman optical activity
backscattering dual circular polarization, ephedrine molecules 511
Recifeiolide
seco-ester of (+)-(*R*)-, synthesis from [2(*S*),*S*(*R*)]-2-(*p*-tolylsulfinyl)methyl oxirane 2173
Reduction
amination ketones using (+) and (–) norephedrine and periodate oxidation 2095
baker's yeast:
2-alkyl 3-oxobutanoates, product derivatives as precursors free radical chirons of 2(*S*)-hydroxyalkyl moiety 1229
asymmetric, ketopantolactone 1253
high optical purity derivatives *p*-substituted trifluoromethylbenzylic alcohol 1237
stereocontrol, diastereoselectivity 2-alkyl-3-oxobutanoate oxido-reductases 1259
biochemical, in (diene)$Fe(CO)_3$ series, molecular modelling 1241
borane, achiral ketones, application chiral β-amino alcohols from L-methionine 1983
enantioselective, acetophenone, ephedrine, pseudoephedrine and phenylglycine derived 1,3,2-oxazaborolidines 13
ketones with borane, catalysed by (*S*)-(+)-prolinol or (*S*)-(–)-proline 2255
microbial, 2-keto acetals, enantioselective synthesis optically active 2-hydroxy acetals 1931
product ethyl 2-chloro-3-oxobutanoate, precursor 1-ethoxycarbonyl 2(*S*)-hydroxypropyl radical 1233
stereoselective microbial, fluorine substituted acetylferrocene, acetophenone 1287
substituted benzophenones by *Debaryomyces marama* 301
Regiocontrol
synthesis fluorohydrins from optically active epoxides 2053
Regioselective protection
threo-2,3-dihydroxybutanoic esters 2347
Regioselective reactions
enantioselective esterification polyoxygenated compounds catalysed by lipase 845
Friedel–Crafts alkylation, synthesis optically active 4-hydroxymandelic acid and derivatives 2411
hydrosilylation arylalkenes via Pd–MOP catalyst 2419
Relative enantioselectivity
comparison chiral catalysts, asymmetric hydrogenation amino acid precursors 369
Repetitive batch synthesis
enzymatic, 5-azido-neuraminic acid and ^{15}N-L-glutamic acid 1193
Resolution
1-(2-diphenylphosphino-1-naphthyl)isoquinoline, for asymmetric catalysis 743
alcohols, search derivatizing agents, lipase catalysis in organic solvents 773
biocatalytic:
2-azabicyclo[2.2.1]hept-5-en-3-one, entry single enantiomer carbocyclic nucleosides 1117
2,3-epoxyalcohols in organic solvents 85
butanoic esters of 1-phenyl, 1-phenylmethyl, 1-[2-phenylethyl] and 1-[2-phenoxyethyl] ethers of 3-methoxy-[1,2]-propanediol 2265
C_2-symmetric spirosulfurane:
1,1'-spirobi[3*H*-[2,1]-benzoxathiol]-3,3'-dione 2329
chiral acetyl complex $[(C_5H_5)Fe(CO)(PPh_3)COCH_3]$ 1479
cyclobutenoic ester using chiral lactols 2475
diols with C_2-symmetry via lipase catalysed transesterification 925
double kinetic using lipase mediated reactions 813
enantiocomplimentary, racemic 4-hydroxy-5-(4-methoxyphenoxy)-1-pentyne using same lipase as acylation and deacylation catalyst 157
enantioselective, 1-heteroaryl and 1-aryl-alcohols by *Bacillus stearothermophilus* 1607
enzymatic:
3-amino-[1,2]-propanediol series 1035
3-substituted 4-oxoesters 783
(±)-2,3-butanediol in organic solvent by *Pseudomonas cepacia* lipase 1995

(±)-*cis,cis*-spiro[4.4]nonane-1,6-diol 1973
(±)-2-hydroxymethyl-1,4-benzodioxane 339
α,α-disubstituted α-amino acid esters and amides 1113
aminophosphonic acids, serine and isoserine analogs 959
aryl and arylalkyl tetrahydroisoquinolinols prochiral phenolic acylates with guaiacol-type moiety 933
aziridine carboxylates 903
butanoic esters of 1-phenylmethyl and 1-[2-phenylethyl] ethers of 3-chloro-[1,2]-propanediol 961
by esterification in organic solvent water enhanced enantioselectivity 2123
chiral tricarbonyl(benzaldehyde oxime)Cr complex 767
Diels–Alder processes 345
hindered secondary alcohols access chiral auxiliary 761
juvenile hormones, enantiomeric, via direct gas chromatography ketones, via new reagent, application to dimethyl cyclopentanone-3,4-dicarboxylate 1547
methyl *cis*-3-chloromethyl-2-tetrahydro-furancarboxylate 425
N,N-dialkyl-3-hydroxy-4-pentenamides, unsuccessful Katsuki–Sharpless asymmetric epoxidation 1041
optically active aliphatic cyanohydrins 2355
oudemansin X synthesis 757
natural hydroxyamino acids 893
phenylacetate esters of secondary alcohols 1031
PS catalysed, Δ-isoxazoline or isoxazolidin-3-one heterocyclic derivatives 1063
racemic 2-alkyl substituted 1-alkanols 823
racemic alkyl–aryl alcohols via enzymatic acylation with succinic anhydride 839
secondary α-ketoalcohols 1793
substituted bithioxanthylidenes 1481
tricyclic lactone precursor highly functionalized terpenoids 17
via nonclassical, with 2,2'-dihydroxy 1,1'-binaphthol, preparation optically active spirosulfuranes 297
Retinylidene
chromophore, exciton interaction chiral 1,2-cyclohexanediamine Schiff bases 1
Rhizopus delemar lipases active sites 981
Rhodium
catalysed asymmetric hydroformylation with chiral diphosphine ligands 1625
catalysed cyclization, 6-octen-1-als with chiral protecting group 1857
complex, boron analog of DIOP, synthesis and properties 2219
complex of phosphine modified cyclodextrin 2405
diphosphine, catalysed hydrogenation imines kinetic resolution racemic α-methylbenzyl amine 215
(*S*)-6,6'-dimethyl-2,2'-diaminobiphenyl complex, preparation, X-ray structure 2147
Rhodococcus erthyropolis carbonyl reductases, synthetic applications 1683
Rhodococcus rhodochrous asymmetric hydrolysis disubstituted malononitrile 1081
Rhodococcus sp. immobilized enzyme preparation, asymmetric hydrolysis epoxides 1161
whole cell, stereoselective hydrolysis nitriles, amides 1085
Ring reactions
closure, *o*-methoxycarbonylbenzoyl group leading to phthaloyl group using 2-hydroxypyridine 1891
enlargement, stereoselective approach *trans*-perhydroazulene skeleton 281
inversion, barrier in $S_1(n\pi^*)$ state *cis*-3,4-dimethyl cyclopentanone 473
Roccellaric acid
asymmetric synthesis 457
Ruthenium
chiral Schiff base complexes, styrene asymmetric epoxidation 1693
sulfonated BINAP, water soluble asymmetric hydrogenation catalyst 2461
tetroxide, oxidation, stereoselective approach *trans*-perhydroazulene skeleton 281

Saccharides
enzymatic derivatization, chemical polymerization 1221
Schisandra chinensis stereoselective synthesis isoschizandrin 605
Scolytus multistriatus aggregation pheromone component, stereoselective synthesis δ-multistriatin from D-glucose 2535
***seco*-Ester of (+)-(*R*)-recifeiolide**
synthesis from [2(*S*),*S*(*R*)]-2-(*p*-tolylsulfinyl)-methyl oxirane 2173
Sedoheptulose
synthesis catalysed by spinach transketolase 1169
Serine
isoserine analogs, enzyme-catalysed resolution aminophosphonic acids 959
Serotonin
receptor antagonist, optically pure synthesis 943
Serricornin
sex pheromone *Lasioderma serricorne* enantioselective synthesis 1573
Sesquiterpenes
(+)-epilaurene, (–)-isolaurene syntheses 27
Silica
Lewis acid modified catalysts, Diels–Alder reactions of chiral acrylates 621
Silyl enol ethers
deracemization 2501
Silylcyanation
asymmetric titanium-catalysed, (*S*)-3,3-dimethyl-1,2,4-butanetriol as ligand 185
Solid state
photochemical rearrangement, stereoselective approach *trans*-perhydroazulene skeleton 281
Solvents
fluorinated alcohols for Diels–Alder reactions chiral acrylates 1613
Sorbitol
synthesis of (*S*)-(–)-propranolol 2401
Spiro[4.4]nonane-1,6-diol
(±)-*cis,cis* derivative, synthesis, resolution 1973

Spiro[5.5]undecanes
1,4,7,10-tetraoxa derivative, 1- and 8-functionalized 2101
Spirobi[3*H*-[2,1]benzoxathiol]-3,3'-dione
via chromatographic resolution:
C_2-symmetric spirosulfurane 2329
Spirosulfuranes
C_2-symmetric derivative, chromatographic resolution, 1,1'-3*H*-[2,1]-benzoxathiol-3,3'-dione 2329
optically active, via nonclassical resolution with 2,2'-dihydroxy 1,1'-binaphthol 297
Sporobolomyces odorus cultures,
biotransformation (–)-vernolic acid into (4*R*,5*R*)-5-hydroxy-γ-decalactone 1391
Staudinger reaction
route optically pure 4-formyl and 4-cyano *cis*-β-lactams 609
Stereochemistry
1-(9-phenanthryl)-2-naphthoic acid by CD, X-ray methods 1789
alkylation (*S*)-(–)-3-methyl-2-[(phenylsulfonyl)-methyl]butylphenyl sulfide 947
baker's yeast transformation, racemic, enantiomerically pure 2-deutero-3-chloropropio-phenone 1909
carboxylic acids, chiral probe for optical resolution, X-ray crystallography 1755
chiral synthons, structures, biotransformation 2,3-dihydrobenzofuran, benzofuran by *Pseudomonas putida* 1307
enantioselective reductive alkylation, proline with ketones 331
methyl 2,3-dihydroxy-2-methylpropanoate 101
Pseudomonas putida biooxidation, chlorostyrene diol metabolites 1365
Stereocontrol
approach to norbornene, norbornane homochiral polyfunctional derivatives 669
baker's yeast reduction, diastereoselectivity 2-alkyl-3-oxobutanoate oxido-reductases 1259
Diels–Alder reactions with chiral tricyclic oxazolidinones 629
synthesis fluorohydrins from optically active epoxides 2053
synthesis *p*-substituted trifluoromethylbenzylic alcohol high optical purity derivatives by baker's yeast reduction 1237
Stereodivergent synthesis
fluorinated threonine derivatives in high optical purity 835
Stereoisomers
2-methyl-4-hydroxy-5-aminopentanoic acid, synthesis 121
Stereoselective reactions
alkylation, cyclic and acyclic chiral β-enamino ketone lithium dianions 1651
Friedel–Crafts alkylation, synthesis optically active 4-hydroxymandelic acid and derivatives 2411
hydrolysis:
dimethyl aziridin-2,3-dicarboxylates with PLE 2295
nitriles, amides, whole cell catalyst 1085
substituted cyclopentane diesters with pig liver esterase 1047
hydrosilylation arylalkenes via palladium–MOP catalyst 2419
microbial reduction, (trifluoroacetyl)ferrocene, 2-fluoroacetophenone 1287
Pseudomonas cepacia lipase, effect chemical modification 777
reduction, substituted benzophenones by *Debaryomyces marama* 301
Stereoselective synthesis
(–)-δ-multistriatin from D-glucose, component of *Scolytus multistriatus* aggregatiòn pheromone 2535
approach *trans*-perhydroazulene skeleton 281
β-glycosides of 3-deoxy-2-hexulosonates 293
chemoenzymatic, α-C-mannoside 1203
isoschizandrin with natural configuration 605
Steroids
17-α-OH-progesterone, testosterone, cortisol diastereoselective hydrolysis with *Candida cylindracea* lipase 1467
Strigol
C-2' analogs configurations 351
Structures
organic chemical applications CD intensities, coupled oscillator calculations 545
Styrene
asymmetric epoxidation by chiral ruthenium Schiff base complexes, synthesis, characterization 1693
derivatives enantioselective epoxidation by chloroperoxidase catalysis 1325
oxide, active site mEH, enantioselective enzymatic hydrolysis 1153
Styryl phosphine oxides
enantiomerically pure via palladium-catalysed Heck coupling 2143
Substitution
allylic, with sulfur-containing oxazoline ligands palladium-catalysed 1785
synthetic routes to 2,5-substituted tetrahydro-furans 1711
Substrates
increased enantioselectivity hydrolases, route to optically active cyclic allylic alcohols 879
synthetic O-glycopeptides for glycosyltransferases 1205
Sugars
derivatives, achiral aldehydes specificity of spinach transketolase 2383
synthesis 2,3-dideoxy-C-methylheptose derivatives 681
Sulfides
3-hydroxyalkenyl phenyl, diastereodivergent synthesis *trans*- and *cis*-6-benzyloxymethyl-4-tetrahydro-2-pyrones 1795
α,β-dihydroxy via titanium promoted oxirane ring opening 1533
(*S*)-(–)-3-methyl-2-[(phenylsulfonyl)methyl]-butylphenyl-, stereochemical course of alkylation 947

Sulfinyl allylic bromides
chiral, synthesis, preparation $(R)_S$- and $(S)_S$-2-*p*-tolylsulfinyl-1,3-alkadienes 1667
Sulfones
β-trimethylsilyl derivative, reaction with oxiranes, preparation *syn*-1,3,5-triols 399
Sulphinamides
cyclic chiral non-racemic, asymmetric synthesis amines 2159
Sultams
γ-bromo conjugated *N*-acyl derivatives, SN'-allylic substitution with organocuprates 613

Tautomerization
photodienols, asymmetric isoinversion principle 2531
Taxol
side-chain synthon, microbial synthesis (2*R*,3*S*)-(–)-*N*-benzoyl-3-phenyl isoserine ethyl ester 2069
Tellurium
containing optically active binaphthyls, use asymmetric 1,4-addition α,β-unsaturated ketones 2127
Tembamide
(*R*)-enantiomer, synthesis from *p*-methoxybenzaldehyde 205
Terpenoids
alcohols, purification 907
highly functionalized, resolution absolute configuration tricyclic lactone precursor 17
Tetraethyldithiooxamide
Pt coordination and organometallic complexes, unexpected chiral axis 2311
Tetrahydroisoquinolinols
aryl and aryl–alkyl derivatives, prochiral phenolic acylates with guaiacol-type moiety, immobilized lipase resolution 933
Tetrahydro-2-pyrones
trans- and *cis*-6-benzyloxymethyl-4 derivative, diastereodivergent synthesis via 3-hydroxyalkenyl phenyl sulfides 1795
Tetrahydrofurancarboxylates
methyl *cis*-3-chloromethyl-2 derivative, resolution via enzymatic hydrolysis 425
Tetrahydrofurans
2,5-substituted, synthetic routes, Report 1711
cis-2,5-disubstituted derivatives, asymmetric acylation, hydrolysis 911
Tetrahydroisoquinolines
4-substituted, enantioselective synthesis 273
Tetralones
2-alkyl-1 derivative, asymmetric synthesis 35
Theoretical studies
calculations, CD tensor components, parallel, antiparallel β sheets 529
crystallization (*S*)-timolol *O*,*O*-diacetyl-L-tartaric acid monoester 709
Thermolysis
optically active homoindene, *N*-carbmethoxyhomoindole, benzohomo- furan, -thiophene, -phosphole 479
Thienylalanines
asymmetric synthesis 1833
Thiols
addition to (*R*)-1-acetyl-5-isopropoxy-3-pyrrolin-2-one, enantiopure *N*-acyliminium ion precursors 1941
optically active carotenoid, synthesis 361
Thiophosphonates
1,1-binaphthol, chiral equivalents H_2S, preparation 2-mercapto-norbornanes and to -norbornenes 1591
Threonine
fluorinated derivatives, in high optical purity, stereodivergent synthesis 835
Timolol
O,*O*-diacetyl-L-tartaric acid monoester crystallization, X-ray, NMR, theoretical studies 709
Titanium
catalyst based on chiral triol 185
promoted oxirane ring opening, synthesis α,β-dihydroxysulfides 1533
Tocopherol
D-α-derivative, approach via lipase catalysed hydrolysis with oxalate ester as activated group 2303
natural enzyme-catalysed synthesis 1961
Transesterification
enantioselectivity 2-methyl-1,4-butanediol and derivatives, *Pseudomonas fluorescens* lipase catalysis 997
enzymatic, *meso*-bis(acetoxymethyl)- and bis(hydroxymethyl)-cyclopentane derivatives 981
hydrolysis, chemoenzymatic synthesis dihydropyridine optically active derivatives 2061
lipase catalysed 3-hydroxy esters, affecting factors 1007
resolution diols with C_2-symmetry 925
synthesis enantiomerically pure (*R*)-2-cycloalken-1-ols 2323
Transketolase
catalysed condensation hydroxypyruvic acid with D-ribose, synthesis sedoheptulose 1169
spinach, specificity on achiral substrates 2383
Triaminobutanes
chiral, synthesis from (*S*)-pyroglutamic acid methyl ester 91
Tricarbonyl complexes
(η^6-arene)Cr-, as chiral auxiliaries in Diels–Alder asymmetric reactions 2291
Tricarbonyl (η^6-arene)chromium
complexes as enantioselective catalysts 261
Tricyclic benzomorphan
analogs via intramolecular oxa-Pictet–Spengler reaction 2307
Tricyclic δ-lactams
via stereoselective radical mediated cyclization *o*-bromobenzamide derived norephedrine 273
Tricyclo[5.2.1.$0^{2,6}$]deca-4-8-dien-3-one
enantioselective synthesis by enzyme catalysed acetylation 2277
Trifluoromethylbenzylic alcohol
p-substitution, high optical purity derivatives by baker's yeast reduction 1237
Triols
propane, butane, esterification catalysed by lipase 845

syn-[1,3,5] via reaction oxiranes with β-(trimethylsilyl)alkyl phenyl sulfones 399

Vallesamidine A
synthesis 1499
Verlukast
chemoenzymatic synthesis LTD_4 antagonist 865
Vernolic acid
biotransformation into (4*R*,5*R*)-5-hydroxy-γ-decalactone 1391
Vincamine
route to key intermediate 1043
Vitamins
C, C-2 methylation 169

Water activity
effect on enantioselectivity lipase esterification 2-methylalkanoic acids 2123
Wilkinson complex
Rh-catalysed cyclization 6-octen-1-als with chiral protecting group 1857
Wittig reaction
under sonication, (+)-epilaurene, (–)-isolaurene syntheses 27

X-rays
configurations, C-2' analogs strigol 351
crystal and molecular structure 1,5-bisnitrogen ligands and rhodium(I) complexes 575
crystallization (*S*)-timolol *O*,*O*-diacetyl-L-tartaric acid monoester 709
dexmedetomidine, tosyl derivative, crystal structure, absolute configuration 45
structure rhodium(III)–(*S*)-6,6'-dimethyl-[2,2']-diamino-biphenyl complex 2147

Zinc
alkyl-, addition to aldehydes 261, 1449
diethyl addition:
to aldehydes 1413
new bicyclic catalyst 637
using enantiomerically pure hydroxymethyl oxazoline ligands 649
to benzaldehyde using optically active 2-hydroxymethyl piperazines 2389

Author Index 1993

Aaviksaar A. see Meos H. 1559
Abdi S. H. R. see Kureshy R. I. 1693
Abe M. see Nishida Y. 1431
Abenhaim D. see Tamion R. 1879
Achiwa K. see Mizuguchi E. 1961
Achiwa K. see Mizuguchi E. 2303
Achiwa K. see Sakuraba S. 1457
Achiwa K. see Yamazaki A. 2287
Achmatowicz B. and Wicha J. Iterative *syn*-1,3,5-triol synthesis utilizing the reaction of β-(trimethyl-silyl)alkyl phenyl sulphones with oxiranes 399
Adachi T. Ishii M. Ohta Y. Ota T. Ogawa T. and Hanada K. Chemoenzymatic synthesis of optically active 1,4-dihydropyridine derivatives via enantioselective hydrolysis and transesterification 2061
Adamczyk M. Chen Y.-Y. Fishpaugh J. R. and Gebler J. C. Lipase mediated diastereoselective hydrolysis of steroidal 3-(*O*-carboxymethyl) oxime methyl esters 1467
Adegawa Y. Kashima T. and Saigo K. Determination of enantiomeric excesses of chiral amines by using an enantiomerically pure *anti* head-to-head coumarin dimer derivative 1421
Agami C. Kadouri-Puchot C. and Le Guen V. Synthesis of homochiral α-cyperone via enantioselective catalysis 641
Agbossou F. see Roucoux A. 2279
Ahn K. H. Lim A. and Lee S. Diastereoselective alkylation reactions employing a camphor-based chiral oxazinone auxiliary 2435
Akita H. see Hoshino O. 933
Akita H. Umezawa I. Nozawa M. and Nagumo S. Total synthesis of (–)-oudemansin X based on enzymatic resolution using immobilized lipase 757
Akita K. see Hirata T. 1465
Alajarin R. Alvarez-Builla J. Vaquero J. J. Sunkel C. Fau de Casa-Juana M. Statkow P. R. and Sanz-Aparicio J. Synthesis and chromatographic separation of the stereoisomers of furnidipine 617
Albrecht W. and Tressl R. Microbial transformation of (–)-vernolic acid into (4*R*,5*R*)-5-hydroxy-γ-decalactone 1391
Alcock N. W. Brown J. M. and Hulmes D. I. Synthesis and resolution of 1-(2-diphenylphosphino-1-naphthyl)-isoquinoline; a P–N chelating ligand for asymmetric catalysis 743
Alexakis A. Frutos J. and Mangeney P. Chiral phosphorus ligands for the asymmetric conjugate addition of organocopper reagents 2427
Alexakis A. Frutos J. C. and Mangeney P. An easy and fast way to determine the enantiomeric purity of substituted cyclanones 2431
Allen J. V. Frost C. G. and Williams J. M. J. Asymmetric addition of diethylzinc to aromatic aldehydes using enantiomerically pure hydroxymethyl oxazoline ligands 649
Allenmark S. and Claeson S. Chromatographic resolution of a C_2-symmetric spirosulfurane: 1,1'-spirobi-[3*H*-2,1-benzoxathiol]-3,3'-dione 2329
Allenmark S. G. and Andersson A. C. Lipase-catalyzed kinetic resolution of a series of esters having a sulfoxide group as the stereogenic centre 2371
Allevi P. Anastasia M. Ciuffreda P. and Sanvito A. M. Preparation of (*R*)- and (*S*)-(*E*)-4-hydroxy-2-unsaturated acids by asymmetric hydrolysis of their racemic esters 1397
Almeida J. F. Grande M. Moran J. R. Anaya J. Mussons Mª L. and Caballero Mª C. Synthesis of the 3-hydroxy oxiracetam enantiomers, potential nootropic drugs 2483
Altenbach H.-J. and Wolf E. Enantiomerically pure (*R*)- and (*S*)-3-benzyloxy-2,3-dihydrofuran: versatile precursors for the synthesis of protected glycerinaldehydes 2155
Altman J. and Ben-Ishai D. Synthesis of chiral 1,2,4-triaminobutanes 91
Alvarez-Builla J. see Alajarin R. 617
Alvik T. see Partali V. 961
Amer I. see Lew D. 2147
Amoroso R. Cardillo G. Mobbili G. and Tomasini C.

Metal-assisted aldol condensation of chiral 6-methyl perihydropyrimidin-4-ones 2241
Anastasia M. see Allevi P. 1397
Anaya J. see Almeida J. F. 2483
Andersch P. and Schneider M. P. Enzyme assisted synthesis of enantiomerically pure *myo*-inositol derivatives—chiral building blocks for inositol polyphosphates 2135
Andersson A. C. see Allenmark S. G. 2371
Anthonsen T. see Partali V. 961
Anthonsen T. see Waagen V. 2265
Antunes O. A. C. see Costa P. R. R. 1499
Antus S. Gottsegen Á. Kajtár J. Kovács T. Tóth T. S. and Wagner H. Lipase-catalyzed kinetic resolution of (±)-2-hydroxymethyl-1,4-benzodioxane 339
Aragozzini F. see Ferraboschi P. 1931
Araki S. Seki T. Sakakibara K. Hirota M. Kodama Y. and Nishio M. Effect of CH/π interaction on the chiroptical properties of olefins and dienes 555
Aranda G. see Lallemand J.-Y. 1775
Archelas A. Delbecque J.-P. and Furstoss R. Microbiological transformations—XXX. Enantioselective hydrolysis of racemic epoxides: the synthesis of enantiopure insect juvenile hormone analogs (Bower's compound) 2445
Archer C. H. Thomas N. R. and Gani D. Syntheses of (2*S*,3*R*)- and (2*S*,3*R*)[3-^{2}H]- 3-methylaspartic acid: slow substrates for a *syn*-elimination reaction catalysed by methylaspartase 1141
Ardron H. Butters T. D. Platt F. M. Wormald M. R. Dwek R. A. Fleet G. W. J. and Jacob G. S. Synthesis of 1,5-dideoxy-3-*O*-(α-D-mannopyranosyl)-1,5-imino-D-mannitol and 1,5-dideoxy-3-*O*-(α-D-glucopyranosyl)-1,5-imino-D-mannitol: powerful inhibitors of endomannosidase 2011
Aso Y. see Irie M. 2127
Atencio R. see Carmona D. 1425
Augé C. and Delest V. Microbiological aldolisations. Synthesis of 2-keto-3-deoxy-D-gluconate 1165
Augustine R. L. Tanielyan S. K. and Doyle L. K. Enantioselective heterogeneous catalysis—I. A working model for the catalyst–modifier–substrate interactions in chiral pyruvate hydrogenations 1803
Avenoza A. see Cativiela C. 1677
Azerad R. see Hammoumi A. 1295
Azerad R. see Randrianasolo-Rakotozafy L. R. 761

Bacigaluppo J. A. see Preite M. D. 17
Badía J. see Fessner W.-D. 1183
Badran T. W. Easton C. J. Horn E. Kociuba K. May B. L. Schliebs D. M. and Tiekink E. R. T. A new α-halogłycine template for the asymmetric synthesis of amino acid derivatives 197
Bailey D. O'Hagan D. Dyer U. and Lamont R. B. Preparation of highly enantiopure pyridylethanols by baker's yeast reductions 1255
Baker R. W. Pocock G. R. Sargent M. V. and Twiss E. Directed metalation/ligand coupling approach to the enantioselective synthesis of 1,1'-binaphthyls 2423
Baker R. W. and Davies S. G. Resolution of the chiral iron acetyl complex $[(C_5H_5)Fe(CO)(PPh_3)COCH_3]$ 1479
Balavoine G. G. A. see Manoury E. 2339
Baldaro E. D'Arrigo P. Pedrocchi-Fantoni G. Rosell C. M. Servi S. Tagliani A. and Terreni M. Pen G acylase catalyzed resolution of phenylacetate esters of secondary alcohols 1031
Baldoli C. Maiorana S. Carrea G. and Riva S. Studies on the enzymatic resolution of chiral tricarbonyl(benzaldehyde oxime)chromium complexes 767
Ball D. see Nguyen T. 189
Banerjee A. see Patel R. N. 2069
Bänziger M. Griffiths G. J. and McGarrity J. F. A facile synthesis of (2*R*,3*E*)-4-iodobut-3-en-2-ol and (2*S*,3*E*)-4-iodobut-3-en-2-yl chloroacetate 723
Barnier J.-P. see Blanco L. 783
Barth S. and Effenberger F. Lipase-catalyzed resolution of racemic 2-alkyl substituted 1-alkanols 823
Bartoli G. Bosco M. Cimarelli C. Dalpozzo R. De Munno G. and Palmieri G. Stereoselective alkylation of cyclic and acyclic chiral β-enamino ketones lithium dianions: synthesis of either (*R*)- or (*S*)-chiral 1,3-diketones 1651
Bates R. B. and Gangwar S. Asymmetric syntheses of 3-amino-2-methylpentanoic acids. Configurations of the β-amino acid in majusculamide C, 57-normajusculamide C and dolastatins 11 and 12 69
Battistel E. see Bianchi D. 777
Beard T. Cohen M. A. Parratt J. S. Turner N. J. Crosby J. and Moilliet J. Stereoselective hydrolysis of nitriles and amides under mild conditions using a whole cell catalyst 1085
Bednarski K. see Evans C. A. 2319
Beels C. M. see Jin H. 211
Behnen W. Mehler T. and Martens J. Catalytic enantioselective addition of diethylzinc to aldehydes: synthesis and application of a new cyclic catalyst 1413
Bel Rhlid R. see Chênevert R. 1137
Belik M. Y. see Solodenko V. A. 1965
Bellucci G. Chiappe C. Cordoni A. and Marioni F. Substrate enantioselectivity in the rabbit liver microsomal epoxide hydrolase catalyzed hydrolysis of *trans* and *cis* 1-phenylpropene oxides. A comparison with styrene oxide 1153
Belter R. K. see Poss A. J. 169
Belvisi L. Gennari C. Poli G. Scolastico C. and Salom B. Stereoselective radical-mediated cyclization of norephedrine derived *o*-bromobenzamides: enantioselective synthesis of

4-substituted 1,2,3,4-tetrahydroisoquinolines 273
Ben-Ishai D. see Altman J. 91
Bennani Y. L. see Kolb H. C. 133
Bensch W. Mosandl A. and Fischer K. Stereoisomeric flavour compounds—LXIII. 4-Hydroxypentan-2-one enantiomers—structure and properties 655
Bensch W. see Mosandl A. 651
Bensimon C. see Poss A. J. 169
Berenguer R. Garcia J. Gonzàlez M. and Vilarrasa J. Enantioselective reduction of acetophenone with 1,3,2-oxazaborolidines derived from ephedrine, pseudoephedrine, and phenylglycine 13
Bergan J. J. see Hughes D. L. 865
Berglund P. Holmquist M. Hedenström E. Hult K. and Högberg H.-E. 2-Methylalkanoic acids resolved by esterification catalyzed by lipase from *Candida rugosa*: alcohol chain length and enantioselectivity 1869
Berglund P. see Högberg H.-E. 2123
Bergter L. see Costa P. R. R. 1499
Berova N. see Lo L.-C. 321
Besse P. and Veschambre H. Chemoenzymatic synthesis of 'α-bichiral' synthons. Application to the preparation of chiral epoxides 1271
Bevan J. see Taylor S. J. C. 1117
Bevinakatti H. S. and Newadkar R. V. Lipase catalysis in organic solvents. In search of practical derivatizing agents for the kinetic resolution of alcohols 773
Bhatt K. N. see Kureshy R. I. 1693
Bhawal B. M. see Jayaraman M. 609
Bianchi D. Battistel E. Bosetti A. Cesti P. and Fekete Z. Effects of chemical modification on stereoselectivity of *Pseudomonas cepacia* lipase 777
Bichard C. J. F. Bruce I. Hughes D. J. Girdhar A. Fleet G. W. J. and Watkin D. J. Benzylidene acetals of heptonolactones 1579
Bigi F. Sartori G. Maggi R. Cantarelli E. and Galaverna G. Synthesis of optically active 4-hydroxymandelic acid and derivatives via regio- and stereoselective Friedel–Crafts alkylation 2411
Bis S. J. Whitaker D. T. and Johnson C. R. Lipase asymmetrization of *cis*-3 7-dihydroxycycloheptene derivatives in organic and aqueous media 875
Bisht K. S. Parmar V. S. and Crout D. H. G. Diastereo- and enantioselective esterification of butane-2,3-diol catalysed by the lipase from *Pseudomonas fluorescens* 957
Black D. J. see Taschner M. J. 1387
Blanco L. Rousseau G. Barnier J.-P. and Guibé-Jampel E. Enzymatic resolution of 3-substituted-4-oxoesters 783
Blanke H.-P. see Kirschning A. 2347
Blinkovsky A. M. and Dordick J. S. Enzymatic derivatization of saccharides and their chemical polymerization 1221
Bloch R. see Girard C. 613
Boesten W. H. J. see Kaptein B. 1113
Boiadjiev S. E. Person R. V. and Lightner D. A. Synthesis intramolecular hydrogen bonding and conformation of optically active bilirubin amides. Analysis by circular dichroism and NMR 491
Boltanski A. see Gutman A. L. 839
Bonfand E. Gosselin P. and Maignan C. An easy synthesis of chiral sulfinyl allylic bromides and their use in the preparation of $(R)_S$- and $(S)_S$-2-*p*-tolylsulfinyl-1,3-alkadienes 1667
Bonin M. see Froelich O. 2335
Bonini C. Racioppi R. Viggiani L. Righi G. and Rossi L. Enzyme-catalyzed desymmetrization of *meso*-skipped polyols to useful chiral building blocks 793
Borer B. C. see Pehk T. 1527
Börner A. Ward J. Kortus K. and Kagan H. B. A boron analog of DIOP: synthesis and properties 2219
Bornscheuer U. Herar A. Kreye L. Wendel V. Capewell A. Meyer H. H. Scheper T. and Kolisis F. N. Factors affecting the lipase catalyzed transesterification reactions of 3-hydroxy esters in organic solvents 1007
Boros C. H. see Hudlicky T. 1365
Boros E. E. see Hudlicky T. 1365
Bosco M. see Bartoli G. 1651
Bosetti A. see Bianchi D. 777
Boulet S. see Charlton J. L. 645
Bourguignon J. see Combret Y. 1635
Boutault K. see Cammas S. 1925
Boyd D. R. Sharma N. D. Boyle R. Malone J. F. Chima J. and Dalton H. Structures and stereochemical assignments of some novel chiral synthons derived from the biotransformation of 2,3-dihydrobenzofuran and benzofuran by *Pseudomonas putida* 1307
Boyle R. see Boyd D. R. 1307
Brandl G. see Fritsch R. 433
Brasca S. see Panza L. 931
Bravo P. Bruché L. Farina A. Fronza G. Meille S. V. and Merli A. Synthesis of optically pure fluorosubstituted isoxazolidines by 1,3-dipolar cycloaddition of nitrones to chiral methyl enol ethers of 3-fluoro-1-sulphinyl-2-propanones 2131
Breining T. see Evans C. A. 2319
Brenner D. see Gutman A. L. 839
Brieva R. see Quirós M. 1105
Brockamp H.-P. see Peters J. 1173
Brown E. see Dujardin G. 193
Brown E. see Touet J. 1469
Brown H. C. and Mahindroo V. K. Chiral synthesis via organoboranes—XXXVII. Enantioselective synthesis of conjugated acyclic α-chiral (*E*)-alkenones 59
Brown H. C. see Ramachandran P. V. 2399
Brown J. M. Lloyd-Jones G. C. and Layzell T. P. Reversible dimerisation of ephedrine-derived oxazaborolidines 2151

Brown J. M. see Alcock N. W. 743
Brown R. F. C. Jackson W. R. and McCarthy T. D. A synthesis of (–)-denopamine 2149
Brown R. F. C. Jackson W. R. and McCarthy T. D. The synthesis of homochiral naturally occurring hydroxy amides 205
Brown S. M. Davies S. G. and de Sousga J. A. A. Kinetic resolution strategies—II. Enhanced enantiomeric excesses and yields for the faster reacting enantiomer in lipase mediated kinetic resolutions 813
Broxterman Q. B. see Kaptein B. 1113
Brozozowski D. see Patel R. N. 2069
Bruce I. see Bichard C. J. F. 1579
Bruché L. see Bravo P. 2131
Brunel J. M. Maffei M. and Buono G. Enantioselective reduction of ketones with borane, catalyzed by (*S*)-(–)-proline or (*S*)-(+)-prolinol 2255
Brunner H. König W. and Nuber B. Enantioselective catalysis—LXXXIII. Synthesis of optically active ferrocenylalanine 699
Bruno G. see Lanza S. 2311
Brussee J. see de Vries E. F. J. 1987
Bucciarelli M. Forni A. Moretti I. Prati F. and Torre G. Enzymatic resolution of aziridine-carboxylates 903
Buddrus J. see Kühn M. 207
Buisman G. J. H. Kamer P. C. J. and van Leeuwen P. W. N. M. Rhodium catalysed asymmetric hydroformylation with chiral diphosphite ligands 1625
Buono G. see Brunel J. M. 2255
Buono G. see Pardigon O. 1977
Buser H.-P. and Spindler F. Two enantioselective syntheses of the diol precursor of the biologically most active isomer of an insect growth regulator 2451
Buss V. Kolster K. and Görs B. Unexpected behavior of the retinylidene chromophore in the exciton interaction of chiral 1,2-cyclohexanediamine Schiff bases 1
Butters T. D. see Ardron H. 2011

Caballero Mª C. see Almeida J. F. 2483
Cabrejas L. M. M. see Carreño M. C. 727
Cahard D. see Duhamel P. 2447
Callant D. Stanssens D. and de Vries J. G. (*S*)-3,3-Dimethyl-1,2,4-butanetriol as ligand for titanium catalysed asymmetric silylcyanation 185
Calmes M. Daunis J. Hanouneh A. and Jacquier R. Determination of the chiral purity of benzylic amines using Marfey's reagent 2437
Cammas S. Renard I. Boutault K. and Guérin P. A novel synthesis of optically active 4-benzyloxy- and 4-alkyloxycarbonyl-2-oxetanones 1925
Campelo J. M. see Cativiela C. 2507
Canet J.-L. Fadel A. Salaün J. Canet-Fresse I. and Courtieu J. Enantiomeric excess analysis of sesquiterpene precursors through proton decoupled deuterium NMR in cholesteric lyotropic liquid crystal 31
Canet J.-L. see Fadel A. 27
Canet-Fresse I. see Canet J.-L. 31
Cantarelli E. see Bigi F. 2411
Capewell A. see Bornscheuer U. 1007
Cappon J. J. see Kragl U. 1193
Carda M. González F. Rodríguez S. and Marco J. A. Highly diastereoselective additions of organometallic reagents to 1-*O*-silylated 3,4-di-*O*-benzyl-L-erythrulose derivatives 1799
Cardillo G. see Amoroso R. 2241
Carlos Carretero J. García Ruano J. L. Lorente A. and Yuste F. Asymmetric Diels–Alder reactions of γ-alkoxy-α-sulfinylbutenolides 177
Carman R. M. The value of partial racemates in intraspecific communication 2327
Carmona D. Lahoz F. J. Atencio R. Oro L. A. Lamata M. P. and José E. S. Chiral iridium(III) α-amino acidato complexes (R_{Ir},S_N,S_C)- and (S_{Ir},S_N,S_C)-[(η^5-C_5Me_5)Ir(L-prolinate)(C≡C–CMe_3)] 1425
Carnielli M. see Carrea G. 1063
Caron G. and Kazlauskas R. J. Sequential kinetic resolution of (±)-2,3-butanediol in organic solvent using lipase from *Pseudomonas cepacia* 1995
Carrea G. De Amici M. De Micheli C. Liverani P. Carnielli M. and Riva S. Nitrile oxides in medicinal chemistry—V. Lipase PS-catalyzed resolution of a set of heterocyclic derivatives 1063
Carrea G. see Baldoli C. 767
Carrea G. see Colonna S. 1325
Carrea G. see De Amici M. 1073
Carrea G. see Secundo F. 1981
Carreño M. C. García Ruano J. L. Maestro M. C. and Cabrejas L. M. M. Catalytic activity of chiral β-hydroxysulfoxides in the enantioselective addition of diethylzinc to benzaldehyde 727
Casas R. Ibarzo J. Jiménez J. M. and Ortuño R. M. A versatile and highly stereocontrolled synthetic approach to homochiral polyfunctional norbornene and norbornane derivatives 669
Casati S. see Ferraboschi P. 9
Casati S. see Grisenti P. 997
Casella L. see Colonna S. 1325
Casiraghi G. Pinna L. Rassu G. Spanu P. and Ulgheri F. Total synthesis of 2,3-dideoxy-*C*-methylheptose derivatives 681
Castro R. N. see Costa P. R. R. 1499
Cateni F. see De Amici M. 1073
Cativiela C. Avenoza A. and Peregrina J. M. Synthesis of methyl 2-*exo*-cyano-3-*exo*-phenyl-5,6-*endo*-(or *exo*)-epoxy-bicyclo[2.2.1]heptane-2-*endo*-carboxylates in enantiomerically pure form 1677
Cativiela C. Diaz-de-Villegas M. D. and Galvez J. A. Synthesis of (*R*)-3-alkyl-3-benzyl-2-azetidinones in enantiomerically pure form 229
Cativiela C. Diaz-de-Villegas M. D. and Galvez J. A. Synthesis of (*R*)- and (*S*)-2-

amino-2-methylbutanoic acid (Iva) in enantiomerically pure form 1445
Cativiela C. Figueras F. Fraile J. M. García J. I. and Mayoral J. A. Clay-catalysed asymmetric Diels–Alder reaction of cyclopentadiene with chiral acrylates 223
Cativiela C. Figueras F. García J. I. Mayoral J. A. Pires E. and Royo A. J. Silica and alumina modified by Lewis acids as catalysts in Diels–Alder reactions of chiral acrylates 621
Cativiela C. Fraile Mª J. García J. I. Mayoral J. A. Campelo J. M. Luna D. and Marinas J. M. $AlPO_4$-Catalysed asymmetric Diels–Alder reactions of cyclopentadiene with chiral acrylates 2507
Cativiela C. García J. I. Mayoral J. A. Royo A. J. Salvatella L. Fluorinated alcohols as solvents for Diels–Alder reactions of chiral acrylates 1613
Cavelier F. Gomez S. Jacquier R. Llinares M. Mercadier J.-L. Petrus C. and Verducci J. Determination of the enantiomeric excess of α-hydroxy acids 2495
Cavelier F. Gomez S. Jacquier R. and Verducci J. Deracemization of silyl enol ethers 2501
Célérier J. P. see Fleurant A. 1429
Cense J. M. see Howell J. A. S. 1241
Cesti P. see Bianchi D. 777
Chadha A. Goergens U. and Schneider M. P. A facile enzyme assisted route to (*R*)- and (*S*)-*t*-butyloxirane and related β-amino alcohols—catalysts for the enantioselective addition of dialkylzinc reagents to aldehydes 1449
Charette A. B. and Côté B. Carbohydrates as chiral auxiliaries: the asymmetric epoxidation reaction of olefins 2283
Charlton J. L. Maddaford S. Koh K. Boulet S. and Saunders M. H. An asymmetric Diels–Alder cycloaddition to alpha-hydroxy-alpha-phenyl-orthoquinodimethane 645
Che D. see Yu G.-S. 511
Chen Q.-Z. see Taschner M. J. 1387
Chen Y.-Y. see Adamczyk M. 1467
Chênevert R. Bel Rhlid R. Létourneau M. Gagnon R. and D'Astous L. Selectivity in carbonic anhydrase catalyzed hydrolysis of standard *N*-acetyl-DL-amino acid methyl esters 1137
Cheng J.-F. see Zhou W.-S. 1501
Chiappe C. see Bellucci G. 1153
Chibale K. Greeves N. Lyford L. and Pease J. E. New homochiral binaphthol-modified organolanthanide reagents for the enantioselective addition to aldehydes 2407
Chima J. see Boyd D. R. 1307
Chon C. Heisler A. Junot N. Levayer F. and Rabiller C. Regioselective acylation of 1,6-anhydro-β-D-glucopyranose catalysed by lipases 2441
Chuche J. see Grandjean D. 1991
Cimarelli C. see Bartoli G. 1651
Cimpoia A. see Evans C. A. 2319
Ciuffreda P. see Allevi P. 1397
Claeson S. see Allenmark S. 2329
Cohen M. A. see Beard T. 1085
Colobert F. see Solladié G. 2173
Colombo M. I. see Preite M. D. 17
Colonna S. Gaggero N. Casella L. Carrea G. and Pasta P. Enantioselective epoxidation of styrene derivatives by chloroperoxidase catalysis 1325
Combret Y. Duflos J. Dupas G. Bourguignon J. and Quéguiner G. Variations of the nature of the chiral auxiliary with a highly enantioselective chiral NADH model 1635
Conti S. see Falorni M. 2389
Cordoni A. see Bellucci G. 1153
Costa P. R. R. Castro R. N. Farias F. M. C. Antunes O. A. C. and Bergter L. Formal synthesis of (–)-vallesamidine a 2,2,3-trialkylindoline alkaloid 1499
Côté B. see Charette A. B. 2283
Cotté A. see Franck-Neumann M. 2475
Courtieu J. see Canet J.-L. 31
Crosby J. see Beard T. 1085
Crout D. H. G. see Bisht K. S. 957
Crout D. H. G. see Harvey I. 807
Cueto S. see Herradón B. 845

Dahuron N. and Langlois N. Enantioselective synthesis of (+)-de-isopropenyl nootkatone 1901
Dallavalle S. see Secundo F. 1981
Dalmas V. and Demuynck C. An efficient synthesis of sedoheptulose catalyzed by spinach transketolase 1169
Dalmas V. and Demuynck C. Study of the specificity of a spinach transketolase on achiral substrates 2383
Dalpozzo R. see Bartoli G. 1651
Dalton H. see Boyd D. R. 1307
d'Angelo J. see Hammoumi A. 1295
d'Angelo J. see Randrianasolo-Rakotozafy L. R. 761
D'Arrigo P. see Baldaro E. 1031
D'Astous L. see Chênevert R. 1137
Daunis J. see Calmes M. 2437
Dauphin G. see Lemaire M. 2101
Davies S. G. and Doisneau G. J.-M. Base induced C-5 epimerisation of 4-methyl-5-phenyl oxazolidinones: chiral auxiliaries derived from norephedrine and norpseudoephedrine 2513
Davies S. G. see Baker R. W. 1479
Davies S. G. see Brown S. M. 813
Davis M. E. see Wan K. 2461
De Amici M. De Micheli C. Cateni F. Carrea G. and Ottolina G. Chemoenzymatic synthesis of acetyl (*R*)-(+)- and (*S*)-(–)-cycloserine 1073
De Amici M. see Carrea G. 1063
de Bont J. A. M. Bioformation of optically pure epoxides 1331
De Jeso B. see Hamdani M. 1229
De Jeso B. see Hamdani M. 1233
Dekkers H. P. J. M. and Moraal P. F. Ring inversion barrier in the

$S_1(n\pi^*)$ state of *cis*-3,4-dimethyl cyclopentanone 473
de la Moya Cerero S. see Martínez A. G. 2333
de Lange B. see Jager W. F. 1481
Delbecque J.-P. see Archelas A. 2445
Delest V. see Augé C. 1165
Deleuze H. see Hamdani M. 1229
Deleuze H. see Hamdani M. 1233
Delogu G. see Fabbri D. 1591
De Lucchi O. see Fabbri D. 1591
De Micheli C. see Carrea G. 1063
De Micheli C. see De Amici M. 1073
De Munno G. see Bartoli G. 1651
Demuynck C. see Dalmas V. 1169
Demuynck C. see Dalmas V. 2383
de Oliveira E. R. see Tenius B. S. M. 633
Deshmukh A. R. A. S. see Jayaraman M. 609
de Sousga J. A. A. see Brown S. M. 813
de Vries E. F. J. Brussee J. Kruse C. G. and van der Gen A.
Chiral diethanolamines and their lithium alcoholates as catalysts in the enantioselective alkylation of benzaldehyde by diethylzinc 1987
de Vries J. G. see Callant D. 185
de Vries J. G. see Lensink C. 215
Dezeny G. C. see Hughes D. L. 865
Diaz-de-Villegas M. D. see Cativiela C. 229
Diaz-de-Villegas M. D. see Cativiela C. 1445
Dickson K. see Taylor S. J. C. 1117
Dixit D. M. see Evans C. A. 2319
Döbler C. Kreuzfeld H.-J. Krause H. W. and Michalik M.
Unusual amino acids—IV. Asymmetric synthesis of thienylalanines 1833
Döbler C. see Kreuzfeld H.-J. 2047
Doi Y. see Irie M. 2127
Doisneau G. J.-M. see Davies S. G. 2513
Dordick J. S. see Blinkovsky A. M. 1221
Douillard R. see Heisler A. 959
Doyle L. K. see Augustine R. L. 1803
Drabowicz J. and Martin J. C.
Optically active spirosulfuranes via nonclassical resolution with 2,2'-dihydroxy 1,1'-binaphthol 297
Duflos J. see Combret Y. 1635
Duguay G. see Hudhomme P. 1891
Duh T.-H. Wang Y.-F. and Wu M.-J.
Enzymes in organic synthesis: lipase catalyzed resolution of secondary α-ketoalcohols 1793
Duhamel P. Renouf P. Cahard D. Yebga A. and Poirier J.-M.
Asymmetric synthesis by enzymatic hydrolysis of prochiral dienol diacetate 2447
Dujardin G. Molato S. and Brown E.
Asymmetric syntheses of substituted dihydropyrans by Diels–Alder heterocycloadditions involving chiral vinyl ethers as dienophiles 193
Dumas F. see Randrianasolo-Rakotozafy L. R. 761
Dupas G. see Combret Y. 1635
Dwek R. A. see Ardron H. 2011
Dyer U. see Bailey D. 1255

Easton C. J. see Badran T. W. 197
Edlund H. see Högberg H.-E. 2123
Effenberger F. see Barth S. 823
Effenberger F. see Stelzer U. 161
El Hafa H. see Howell J. A. S. 1241
Elling L. see Peters J. 1173
Evans C. A. Dixit D. M. Siddiqui M. A. Jin H. Tse H. L. A. Cimpoia A. Bednarski K. Breining T. and Mansour T. S.
Divergent asymmetric syntheses of dioxolane nucleoside analogues 2319
Evans C. A. see Jin H. 211
Evans C. T. see Taylor S. J. C. 1117
Eyrisch O. see Fessner W.-D. 1183

Fabbri D. Delogu G. and De Lucchi O.
Thiophosphonates of 1,1'-binaphthol as chiral equivalents of H_2S. Preparation of 2-mercaptonorbornanes and 2-mercaptonorbornenes 1591
Faber K. see Hechtberger P. 1161
Facklam C. see Kreuzfeld H.-J. 2047
Facklam C. see Selke R. 369
Fadel A. Canet J.-L. and Salaün J.
Asymmetric construction of quaternary carbons from chiral malonates: total syntheses of (+)-epilaurene and (–)-isolaurene 27
Fadel A. see Canet J.-L. 31
Falorni M. Satta M. Conti S. and Giacomelli G.
Chiral ligands containing heteroatoms—XI. Optically active 2-hydroxy-methyl piperazines as catalysts in the enantioselective addition of diethylzinc to benzaldehyde 2389
Fantin G. Fogagnolo M. Medici A. Pedrini P. Poli S. and Gardini F.
Microbial oxidation with *Bacillus stearothermophilus*: high enantioselective resolution of 1-heteroaryl and 1-aryl alcohols 1607
Farias F. M. C. see Costa P. R. R. 1499
Farina A. see Bravo P. 2131
Fasman G. D. see Perczel A. 591
Fau de Casa-Juana F. see Alajarin R. 617
Fauve A. see Robin S. 239
Fekete Z. see Bianchi D. 777
Feringa B. L. see Jager W. F. 1481
Feringa B. L. see Zwaagstra M. E. 2163
Ferraboschi P. Casati S. Grisenti P. and Santaniello E.
A chemoenzymatic approach to enantiomerically pure (*R*)- and (*S*)-2,3-epoxy-2-(4-pentenyl)-propanol, a chiral building block for the synthesis of (*R*)- and (*S*)-frontalin 9
Ferraboschi P. Santaniello E. Tingoli M. Aragozzini F. and Molinari F.
Microbial reduction of 2-keto acetals as a biocatalytic approach to the enantioselective synthesis of optically active 2-hydroxy acetals 1931
Ferraboschi P. see Grisenti P. 997
Ferraz H. M. C. see Tenius B. S. M. 633

Fessner W.-D. Schneider A. Eyrisch O. Sinerius G. and Badía J.
6-Deoxy-L-*lyxo*- and 6-deoxy-L-*arabino*-hexulose 1-phosphates, enzymic syntheses by antagonistic metabolic pathways 1183
Fields L. B. and Jacobsen E. N.
Synthesis and characterization of chiral bimetallic complexes bearing hard and soft Lewis acidic sites 2229
Figadère B. see Harmanage J.-C. 1711
Figueras F. see Cativiela C. 223
Figueras F. see Cativiela C. 621
Fischer K. see Bensch W. 655
Fishpaugh J. R. see Adamczyk M. 1467
Fleet G. W. J. see Ardron H. 2011
Fleet G. W. J. see Bichard C. J. F. 1579
Fleurant A., Célérier J. P. and Lhommet G.
Enantioselective synthesis of (−)-gephyrotoxine 223AB [(3*R*,5*R*,9*R*)-3-butyl-5-propyloctahydroindolizine] 1429
Fogagnolo M. see Fantin G. 1607
Foken H. see Selke R. 369
Forni A. see Bucciarelli M. 903
Fraanje J. see Udding J. H. 425
Fraile J. M. see Cativiela C. 223
Fraile Mª J. see Cativiela C. 2507
Franck-Neumann M. Miesch M. Cotté A. Gross L. and Metz B.
Synthesis of polyquinanes via bicyclo[2.1.0]pentane intermediates. An easy access to optically pure diquinane alcohols of known absolute configuration 2475
Franzosi G. see Secundo F. 1981
Freedman T. B. see Yu G.-S. 511
Frelek J. see Kuball H.-G. 517
Frelek J. Szczepek W. J. and Weiß H. P.
Circular dichroism of steroidal and related cisoid α,β-unsaturated ketones—I 411
Frischmuth K. Wagner U. Samson E. Weigelt D. Koll P. Meuer H. Sheldrick W. S. and Welzel P.
Configurational assignment at C-2′ of some strigol analogues 351
Fritsch R. Hartmann E. Brandl G. and Mannschreck A.
Absolute helicities of twisted 9,10-phenanthrenequinones. Circular dichroism and chemical correlation to biphenyls 433
Froelich O. Bonin M. Quirion J.-C. and Husson H.-P.
Diazaborolidines, a new class of enantioselective organoboron catalytic agents 2335
Fronza G. Fuganti C. and Grasselli P.
Stereochemical features of baker's yeast mediated transformation of racemic and enantiomerically pure 2-deutero-3-chloropropiophenone 1909
Fronza G. see Bravo P. 2131
Frost C. G. and Williams J. M. J.
Enantioselective palladium catalysed allylic substitution with sulfur-containing oxazoline ligands 1785
Frost C. G. see Allen J. V. 649
Frutos J. C. see Alexakis A. 2427
Frutos J. see Alexakis A. 2431
Fuganti C. see Fronza G. 1909
Fuji K. Tanaka K. and Miyamoto H.
Hydrochloride of chiral piperazine as a chiral proton source 247
Fujimori K. see Shimizu M. 835
Fujisawa T. Ichikawa K. and Shimizu M.
Stereocontrolled synthesis of *p*-substituted trifluoromethylbenzylic alcohol derivatives of high optical purity by the baker's yeast reduction 1237
Fujisawa T. see Shimizu M. 835
Fukazawa T. and Hashimoto T.
Synthesis of enantiomerically pure (*R*)-2-cycloalken-1-ols using highly enantioselective enzymatic transesterification 2323
Fukuda R. see Naemura K. 911
Funakoshi K. see Koga I. 1857
Furstoss R. see Archelas A. 2445
Furstoss R. see Petit F. 1341
Furuhashi K. see Umezawa J. 2053

Gaggero N. see Colonna S. 1325
Gagnon R. see Chênevert R. 1137
Galaverna G. see Bigi F. 2411
Galons H. Gnaïm J. Rysanek N. LeBas G. Villain F. and Tsoucaris G.
Inclusion, complexation and efficient enantiomeric discrimination by regiospecific overmethylation of a dimethyl-β-cyclodextrin 181
Galushko S. V. see Solodenko V. A. 1965
Galvez J. A. see Cativiela C. 229
Galvez J. A. see Cativiela C. 1445
Gangwar S. see Bates R. B. 69
Gani D. see Archer C. H. 1141
Garcia J. see Berenguer R. 13
García J. I. see Cativiela C. 223
García J. I. see Cativiela C. 621
García J. I. see Cativiela C. 1613
García J. I. see Cativiela C. 2507
García M. J. Rebolledo F. and Gotor V.
Practical enzymatic route to optically active 3-hydroxyamides. Synthesis of 1,3-aminoalcohols 2199
García Ruano J. L. see Carlos Carretero J. 177
García Ruano J. L. see Carreño M. C. 727
Gardini F. see Fantin G. 1607
Gareh M. T. see Page P. C. B. 2139
Gawronska K. see Gawronski J. 383
Gawronski J. Gawronska K. Radocki D. and Walborsky H. M.
Chiroptical properties of benzene chromophore in substituted 1,1-diphenylcyclopropanes 383
Gebler J. C. see Adamczyk M. 1467
Gehrcke B. see König W. A. 165
Gehrcke B. see Lickefett H. 1129
Gennari C. see Belvisi L. 273
Giacomelli G. see Falorni M. 2389
Girard C. Mandville G. and Bloch R.
Regioselective SN′ allylic substitution versus 1,4-addition: asymmetric induction with Oppolzer's chiral sultam 613
Girault J.-P. see Hammoumi A. 1295
Girdhar A. see Bichard C. J. F. 1579
Gnaïm J. see Galons H. 181

Goalou N. see Heisler A. 959
Gödde A. see Kragl U. 1193
Goergens U. see Chadha A. 1449
Gomez S. see Cavelier F. 2495
Gomez S. see Cavelier F. 2501
Gong B. see Ramachandran P. V. 2399
González F. see Carda M. 1799
Gonzàlez M. see Berenguer R. 13
González-Sierra M. see Preite M. D. 17
Görs B. see Buss V. 1
Gosselin P. see Bonfand E. 1667
Gotoh S. see Hirata T. 1465
Gotor V. see García M. J. 2199
Gotor V. see Quirós M. 1105
Gottsegen Á. see Antus S. 339
Goubitz K. see Udding J. H. 425
Gourcy J.-G. see Lemaire M. 2101
Grabowski E. J. J. see Hughes D. L. 865
Grande M. see Almeida J. F. 2483
Grandjean D. Pale P. and Chuche J.
Synthesis of optically pure trisubstituted ethynyloxiranes by oxirane deprotonation 1991
Grasselli P. see Fronza G. 1909
Greeves N. see Chibale K. 2407
Griffiths G. J. see Bänziger M. 723
Grisenti P. Ferraboschi P. Casati S. and Santaniello E.
Studies on the enantioselectivity of the transesterification of 2-methyl-1 4-butanediol and its derivatives catalyzed by *Pseudomonas fluorescens* lipase in organic solvents 997
Grisenti P. see Ferraboschi P. 9
Gross L. see Franck-Neumann M. 2475
Grothus M. see Peters J. 1173
Guérin P. see Cammas S. 1925
Guevel R. and Paquette L. A.
An enzyme-based synthesis of (*S*)-(−)-3-methyl-2-[(phenylsulfonyl)methyl]-butyl phenyl sulfide and the stereochemical course of its alkylation 947
Guibé-Jampel E. see Blanco L. 783
Guibourdenche C. Roumestant M. L. and Viallefont Ph.
Enantiospecific synthesis of quisqualic acid 2041
Guingant A. and Hammami H.
Asymmetric nucleophilic addition of chiral β-enamino esters to acrylonitrile 25
Gupta A. K. and Kazlauskas R. J.
Substrate modification to increase the enantioselectivity of hydrolases. A route to optically-active cyclic allylic alcohols 879
Gurjar M. K., Mainkar A. S. and Syamala M.
Synthesis of *C*-α-D-glucosyl-α-amino acids 2343
Gutman A. L. Brenner D. and Boltanski A.
Convenient practical resolution of racemic alkyl–aryl alcohols via enzymatic acylation with succinic anhydride in organic solvents 839

Haase B. and Schneider M. P.
Enzyme assisted synthesis of enantiomerically pure δ-lactones 1017
Haga M. see Meos H. 1559
Hägele G. see Heisler A. 959
Haigh D. see Knight D. W. 625
Hajós G.
Synthesis and circular dichroism of pyridazino[4,5-*b*]cholestenes 393
Hakushi T. see Sugimura T. 43
Hamdani M. De Jeso B. Deleuze H. and Maillard B.
Derivatives of the product of baker's yeast reduction of ethyl 2-alkyl 3-oxobutanoates as precursors of free radical chirons of the 2(*S*)-hydroxy-alkyl moiety 1229
Hamdani M. DeJeso B. Deleuze H. Saux A. and Maillard B.
The product of baker's yeast reduction of ethyl 2-chloro-3-oxobutanoate as a precursor of the 1-ethoxycarbonyl 2(*S*)-hydroxypropyl radical 1233
Hammami H. see Guingant A. 25
Hammerschmidt F. see Li Y.-F. 109
Hammoumi A. Girault J.-P. Azerad R. Revial G. and d'Angelo J.
Microbial hydroxylation and functionalization of synthetic polycyclic enones 1295
Hamon D. P. G. Massy-Westropp R. A. and Newton J. L.
Asymmetric synthesis of ibuprofen and ketoprofen 1435
Hanack M. see Martínez A. G. 2333
Hanada K. see Adachi T. 2061
Hanouneh A. see Calmes M. 2437
Hansen M. see Wegener B. 345
Harada N. Hattori T. Suzuki T. Okamura A. Ono H. Miyano S. and Uda H.
Absolute stereochemistry of 1-(9-phenanthryl)-2-naphthoic acid as determined by CD and X-ray methods 1789
Harada N. Soutome T. Murai S. and Uda H.
A chiral probe useful for optical resolution and X-ray crystallographic determination of the absolute stereochemistry of carboxylic acids 1755
Harmanage J.-C. and Figadère B.
Synthetic routes to 2 5-disubstituted tetrahydrofurans 1711
Hartl H. see Mulzer J. 457
Hartmann E. see Fritsch R. 433
Harvey I. and Crout D. H. G.
Enzymatic hydrolysis of *meso*-cyclobutene esters 907
Hashimoto T. see Fukazawa T. 2323
Hattori T. see Harada N. 1789
Hayashi M. see Matsumoto Y. 1763
Hayashi T. see Matsumoto Y. 1763
Hayashi T. see Uozumi Y. 2419
Hayashi Y. see Uemura M. 2291
Hayashi Y. see Uemura M. 2291
He L. see Liu Z.-Y. 2277
Heaton S. B. see Jones G. B. 261
Hechtberger P. Wirnsberger G. Mischitz M. Klempier N. and Faber K.
Asymmetric hydrolysis of epoxides using an immobilized enzyme preparation from *Rhodococcus* sp. 1161
Hedenström E. see Berglund P. 1869
Hedenström E. see Högberg H.-E. 2123
Heisler A. Rabiller C. Douillard R. Goalou N. Hägele G. and Levayer F.
Enzyme catalysed resolution of aminophosphonic acids—I. Serine and isoserine analogues 959
Heisler A. see Chon C. 2441
Heller D. see Selke R. 369
Heller E. see Herdeis C. 2085

Hénin F. see Muzart J. 2531
Henkel B. Kunath A. and Schick H.
Enzyme-catalyzed lactonization of methyl (±)-(*E*)-3,5-dihydroxy-7-phenyl-6-heptenoates—a comparison of the behaviour of *syn*- and *anti*-compounds 153
Herar A. see Bornscheuer U. 1007
Herczegh P. see Kovács I. 2261
Herdeis C. and Heller E.
Synthesis of 2*S*,5*S*- and 2*R*,5*S*-5-hydroxypipecolic acid via amide-methylenation of *S*-5-hydroxy-2-piperidone with dimethyltitanocene 2085
Herdeis C. and Lütsch K.
Enantiopure DAVA-derivatives—III. Synthesis of all 4 stereoisomers of 2-methyl-4-hydroxy-5-aminopentanoic acid (2-Me-4-OH-DAVA) 121
Herradón B. Cueto S. Morcuende A. and Valverde S.
Regio- and enantioselective esterifications of polyoxygenated compounds catalyzed by lipases 845
Hesse M. see Latvala A. 173
Hiemstra H. see Koot W.-J. 1941
Hiemstra H. see Udding J. H. 425
Hirata T. Izumi S. Akita K. Yoshida H. and Gotoh S.
Enantioselective hydrolysis of 2-methylcyclohexanyl acetates with the cultured cells of *Marchantia polymorpha* 1465
Hirose Y. see Naemura K. 911
Hirose Y. see Soai K. 1473
Hirota M. see Araki S. 555
Hoeper F. and Montforts F.-P.
A new allylboronate reagent from pantolactone 1439
Högberg H.-E. Edlund H. Berglund P. and Hedenström E.
Water activity influences enantioselectivity in a lipase-catalysed resolution by esterification in an organic solvent 2123
Högberg H.-E. see Berglund P. 1869
Hogg D. J. P. North M. Stokoe R. B. and Teasdale W. G.
The oxidation of benzaldehyde to benzoic acid catalysed by *cyclo*-[(*S*)-His-(*S*)-Phe], and its implications for the catalytic asymmetric addition of HCN to aldehydes 1553
Holland H. L. Kindermann M. Kumaresan S. and Stefanac T.
Side chain hydroxylation of aromatic compounds by fungi—V. Exploring the benzylic hydroxylase of *Mortierella isabellina* 1353
Hollingsæter I. see Waagen V. 2265
Hollósi M. see Perczel A. 591
Holly S. see Perczel A. 591
Holmquist M. see Berglund P. 1869
Honda T. Kimura N. and Tsubuki M.
Construction of a chiral quaternary carbon center by enantioselective deprotonation: application to the formal synthesis of (+)-α-cuparenone 21
Honda T. Kimura N. and Tsubuki M.
Chiral synthesis of 3-substituted and 3,3-disubstituted γ-butyrolactones by enantioselective deprotonation strategy 1475
Honda T. see Toya T. 1537
Horn E. see Badran T. W. 197
Hose D. R. J. Raynham T. and Wills M.
Asymmetric synthesis of amines using a chiral, non-racemic, cyclic sulphinamide 2159
Hoshino O. Tanahashi R. Okada M. Akita H. and Oishi T.
Enzymatic resolution of acylates of prochiral phenolic 1-aryl- and 1-aryl-alkyl-1,2,3,4-tetrahydroisoquinolinols, which possess a guaiacol-type moiety, by use of immobilized lipase in organic solvent 933
Howell J. A. S. Palin M. G. Jaouen G. Top S. El Hafa H. and Cense J. M.
Asymmetric biochemical reduction, acylation and hydrolysis in the (diene)$Fe(CO)_3$ series: experimental results and molecular modelling studies 1241
Howell J. M. see Patel R. N. 2069
Hruby V. J. see Li G. 2315
Hudhomme P. and Duguay G.
Control of the enantiomeric purity and correlation with the absolute configuration of N-protected 2-cyanoglycinates 1891
Hudlicky T. Boros E. E. and Boros C. H.
New diol metabolites derived by biooxidation of chlorostyrenes with *Pseudomonas putida*: determination of absolute stereochemistry and enantiomeric excess by convergent syntheses 1365
Hudlicky T. see Königsberger K. 2469
Huet F. see Robin S. 239
Huet F. see Touet J. 1469
Hughes D. J. see Bichard C. J. F. 1579
Hughes D. L. Song Z. Smith G. B. Bergan J. J. Dezeny G. C. Grabowski E. J. J. and Reider P. J.
A practical chemoenzymatic synthesis of an LTD_4 antagonist 865
Hulmes D. I. see Alcock N. W. 743
Hult K. see Berglund P. 1869
Hult K. see Mattson A. 925
Humber D. C. see Jin H. 211
Huneck S. Porzel A. and Schmidt J.
Structure and synthesis of arthonin, a lichen metabolite from *Arthonia endlicheri* 303
Husson H.-P. see Froelich O. 2335
Huuhtanen T. T. see Kanerva L. T. 2355

Ibarzo J. see Casas R. 669
Ichikawa K. see Fujisawa T. 1237
Ikemoto T. Mitsuhashi K. and Mori K.
Prediction of the absolute configuration of optically active pheromones using liquid crystals 687
Inoue I. Shindo M. Koga K. and Tomioka K.
Steric tuning in chiral ligand mediated enantioselective alkylation of imines 1603
Irie H. see Miyashita M. 1573
Irie M. Doi Y. Ohsuka M. Aso Y. Otsubo T. and Ogura F.
Synthesis of optically active tellurium-containing binaphthyls and their use in the asymmetric 1,4-addition reaction of α,β-unsaturated ketones 2127
Ishii M. see Adachi T. 2061
Ito Y. see Sawamura M. 1829
Itoh H. see Saito S. 5
Itoh H. see Tanaka M. 605
Itoh K. see Nishiyama H. 143
Itoh K. see Nishiyama H. 1461

Izquierdo I. Rodríguez M. Plaza M. T. and Vallejo I. Stereoselective synthesis from D-glucose of (–)-δ-multistriatin (component of the European elm bark beetle, *Scolytus multistriatus*, aggregation pheromone) 2535
Izumi S. see Hirata T. 1465

Jackson W. R. see Brown R. F. C. 205
Jackson W. R. see Brown R. F. C. 2149
Jacob G. S. see Ardron H. 2011
Jacobsen E. N. see Fields L. B. 2229
Jacquier R. see Calmes M. 2437
Jacquier R. see Cavelier F. 2495
Jacquier R. see Cavelier F. 2501
Jager W. F. de Lange B. Schoevaars A. M. van Bolhuis F. and Feringa B. L. Sterically overcrowded alkenes; synthesis, resolution and circular dichroism studies of substituted bithioxanthylidenes 1481
Jakubke H.-D. see Meos H. 1559
Jaouen G. see Howell J. A. S. 1241
Jastrzebski J. T. B. H. see van Maanen H. L. 1441
Jayaraman M. Nandi M. Sathe K. M. Deshmukh A. R. A. S. and Bhawal B. M. Synthesis of optically pure 4-cyano and 4-formyl *cis*-β-lactams via enantiospecific Staudinger reaction 609
Jeminet G. see Lemaire M. 2101
Jiang Y. Z. see Mi A. Q. 1957
Jiménez J. M. see Casas R. 669
Jin H. see Evans C. A. 2319
Jin H. Tse H. L. A. Evans C. A. Mansour T. S. Beels C. M. Ravenscroft P. Humber D. C. Jones M. F. Payne J. J. and Ramsay M. V. J. Unexpected effects of Lewis acids in the synthesis of optically pure 2'-deoxy-3'-oxacytidine nucleoside analogues 211
Johnson A. P. see Mata P. 657
Johnson C. R. see Bis S. J. 875
Jones G. B. and Heaton S. B. Catalytic asymmetric induction—II. Chiral tricarbonyl (η^6 arene) chromium(0) complexes as enantioselective catalysts 261
Jones J. B. see Provencher L. 2025
Jones M. F. see Jin H. 211
José E. S. see Carmona D. 1425
Junot N. see Chon C. 2441

Kabat M. M. Highly enantioselective synthesis of α-fluoro ketones via allene oxides 1417
Kadouri-Puchot C. see Agami C. 641
Kagan H. B. see Börner A. 2219
Kajtár J. see Antus S. 339
Kajtár-Peredy M. see Poppe L. 2211
Kakehi A. see Yoda H. 1759
Kamer P. C. J. see Buisman G. J. H. 1625
Kamikubo T. see Takano S. 201
Kamphuis J. see Kaptein B. 1113
Kamphuis J. see Udding J. H. 425
Kandzia C. Steckhan E. and Knoch F. Efficient and short synthesis of new camphor sultam based chiral bipyridines and phenanthrolines 39
Kanerva L. T. and Vänttinen E. Biocatalytic resolution of 2,3-epoxyalcohols in organic solvents 85
Kanerva L. T. Kiljunen E. and Huuhtanen T. T. Enzymatic resolution of optically active aliphatic cyanohydrins 2355
Kanna H. see Kosugi H. 1409
Kaptein B. Boesten W. H. J. Broxterman Q. B. Peters P. J. H. Schoemaker H. E. and Kamphuis J. Enzymatic resolution of α,α-disubstituted α-amino acid esters and amides 1113
Kaptein B. see Udding J. H. 425
Kashima T. see Adegawa Y. 1421
Katagiri T. see Yoda H. 1451
Katagiri T. see Yoda H. 1455
Kato K. see Suemune H. 1767
Kawai Y. see Nakamura K. 1253
Kazlauskas R. J. see Caron G. 1995
Kazlauskas R. J. see Gupta A. K. 879
Keay B. A. see Nieman J. A. 1973
Khan N. H. see Kureshy R. I. 1693

Kieboom A. P. G. see van Maanen H. L. 1441
Kiesewetter D. O. Asymmetric synthesis of benzilic acid analogues using 8-phenylmenthol as a chiral auxiliary 2183
Kiljunen E. see Kanerva L. T. 2355
Kimura N. see Honda T. 21
Kimura N. see Honda T. 1475
Kindermann M. see Holland H. L. 1353
King C. H. R. and Margolin A. L. Immobilization of substrates in enzyme-catalyzed hydrolysis 943
Kinzy W. see Kragl U. 1193
Kiralj R. see Šunjic V. 575
Kirschning A. Kreimeyer M. and Blanke H.-P. Regioselective protection of *threo*-2,3-dihydroxybutanoic esters 2347
Kitayama H. see Yoda H. 1451
Kitayama H. see Yoda H. 1455
Kitayama H. see Yoda H. 1759
Kitayama K. see Sawamura M. 1829
Kitayama K. see Uozumi Y. 2419
Kitazume T. see Murata K. 889
Kitazume T. see Yamazaki T. 1059
Kivikoski J. Vepsäläinen J. Suontamo R. Pohjala E. and Laatikainen R. Timolol derivatives—I. X-Ray, NMR and theoretical studies of the crystallization of (*S*)-timolol *O,O*-diacetyl-L-tartaric acid monoester 709
Kivikoski J. H. Rissanen K. T. and Parhi S. S. L. Crystal structures and absolute configurations of dexmedetomidine and its tosyl derivative 45
Klärner F.-G. Kleine A. E. Oebels D. and Scheidt F. The effect of the benzene ring on 1,5-electrocyclizations: synthesis and thermolysis of optically active benzohomofuran, benzohomothiophene, N-carbmethoxyhomoindole, benzohomophosphole and homoindene 479
Klasen M. see Kuball H.-G. 517
Kleine A. E. see Klärner F.-G. 479
Klempier N. see Hechtberger P. 1161
Knezovic S. and Šunjic V. Lévai A. Enantioselective hydrolysis of some 3-(2-nitrophenoxy)

butanoates catalyzed by *Pseudomonas fluorescens* and *Pseudomonas* sp. lipase 313
Knight D. W. Lewis N. Share A. C. and Haigh D. New members of the chiral pool: β-hydroxypiperidine carboxylates from baker's yeast reductions of the corresponding keto-esters 625
Knoch F. see Kandzia C. 39
Kobayashi H. see Yamazaki Y. 1287
Kociuba K. see Badran T. W. 197
Kodama Y. see Araki S. 555
Koga I. Funakoshi K. Matsuda A. and Sakai K. Insight into Rh(I)-catalyzed cyclization of 6-octen-1-als with a chiral protecting group 1857
Koga K. see Inoue I. 1603
Koga K. see Yasukata T. 35
Koh K. see Charlton J. L. 645
Kojic-Prodic B. see Šunjic V. 575
Kolb H. C. Bennani Y. L. and Sharpless K. B. Short and practical syntheses of (*R*)-(–)-carnitine and (*R*)-(–)-γ-amino-β-hydroxybutyric acid (GABOB) 133
Kolisis F. N. see Bornscheuer U. 1007
Koll P. see Frischmuth K. 351
Kolster K. see Buss V. 1
Kondo S. see Nakamura K. 1253
König W. see Brunner H. 699
König W. A. Gehrcke B. Peter M. G. and Prestwich G. D. Direct gas chromatographic enantiomeric resolution of juvenile hormones I–III 165
König W. A. see Lickefett H. 1129
Königsberger K. and Hudlicky T. Microbial oxidation of 2-bromostyrene by *Pseudomonas putida* 39/D. Isolation and identification of metabolites 2469
Konishi M. see Naemura K. 911
Koomen G.-J. see Veloo R. A. 2401
Koot W.-J. Hiemstra H. and Speckamp W. N. Conjugate addition of amines and thiols to (*R*)-1-acetyl-5-isopropoxy-3-pyrrolin-2-one; preparation of enantiopure *N*-acyliminium ion precusors 1941
Köpke T. see Mosandl A. 651
Koprowski M. see Pietrusiewicz K. M. 2143
Kortmann I. see Westermann B. 2119
Kortus K. see Börner A. 2219
Kosugi H. Miura Y. Kanna H. and Uda H. A new route to enantiomerically pure 4,4-disubstituted cyclohex-2-en-1-ones: asymmetric synthesis of (+)-mesembrine 1409
Kovács A. see Tóth G. 331
Kovács I. Tóth Z. Herczegh P. and Sztaricskai F. Pentodialdose mercaptal derivatives: new chiral C_5 synthetic building blocks 2261
Kovács T. see Antus S. 339
Kovenski J. see Solladié G. 2173
Kozlova E. V. see Solodenko V. A. 1965
Kragl U. Gödde A. Wandrey C. Kinzy W. Cappon J. J. and Lugtenburg J. Repetitive batch as an efficient method for preparative scale enzymic synthesis of 5-azido-neuraminic acid and ^{15}N-L-glutamic acid 1193
Krause H. W. see Döbler C. 1833
Krause H. W. see Kreuzfeld H.-J. 2047
Krause H.-W. see Taudien S. 73
Krawczyk A. R. see Provencher L. 2025
Kreimeyer M. see Kirschning A. 2347
Kreuzfeld H.-J. Döbler C. Krause H. W. and Facklam C. Unusual amino acids—V. Asymmetric hydrogenation of (*Z*)-*N*-acylamino-cinnamic acid derivatives bearing different protective groups 2047
Kreuzfeld H.-J. see Döbler C. 1833
Kreye L. see Bornscheuer U. 1007
Krief A. Surleraux D. and Ropson N. Novel enantioselective syntheses of optically active (1*R*)-*cis*- and (1*R*)-*trans*-chrysanthemic acids 289
Krohn K. see Lickefett H 1129
Kruse C. G. see de Vries E. F. J. 1987
Kuball H.-G. Schultheis B. Klasen M. Frelek J. and Schönhofer A. Circular dichroism of oriented molecules. Electric dipole/magnetic dipole and electric dipole/electric quadrupole contribution for cholest-4-en-3-one 517
Kühn M. and Buddrus J. Analysis of chiral carboxylic acids by NMR using new optically active amines 207
Kukhar V. P. see Solodenko V. A. 1965
Kula M.-R. see Peters J. 1173
Kula M.-R. see Peters J. 1683
Kumaresan S. see Holland H. L. 1353
Kunath A. see Henkel B. 153
Kunath A. see Ozegowski R. 695
Kunesch N. see Lu Y. 893
Künstler Th. Schollmeyer D. Singer H. and Steigerwald M. Synthesis of optically pure alkynols 1645
Kunz H. see Schultz M. 1205
Kureshy R. I. Khan N. H. Abdi S. H. R. and Bhatt K. N. Asymmetric epoxidation of styrene by novel chiral ruthenium(II) Schiff base complexes; synthesis and characterization 1693
Kuznikowski M. see Pietrusiewicz K. M. 2143

Laatikainen R. see Kivikoski J. 709
Lahoz F. J. see Carmona D. 1425
Lallemand J.-Y. Leclaire M. Levet R. and Aranda G. Easy access to an optically pure precursor of forskolin 1775
Lamata M. P. see Carmona D. 1425
Lambusta D. Nicolosi G. Patti A. and Piattelli M. Separation of stereoisomeric 1,1'-bis(α-hydroxyethyl)ferrocenes by lipase-mediated acetylation in organic solvent 919
Lamont R. B. see Bailey D. 1255
Lamont R. B. see O'Hagan D. 1703
Langlois N. see Dahuron N. 1901
Lanza S. Bruno G. Scolaro L. M. Nicolò F. and Rosace G. Evidence for an unexpected chiral axis in tetraethyldithiooxamide and in its platinum(II) coordination and organometallic complexes 2311
Latvala A. Stanchev S. Linden A. and Hesse M.

Unexpected change of absolute configuration in asymmetric Michael addition of methyl vinyl ketone to 2-nitrocycloalkanones 173
Layzell T. P. see Brown J. M. 2151
LeBas G. see Galons H. 181
Leclaire M. see Lallemand J.-Y. 1775
Lee C. see Taylor S. J. C. 1117
Lee S. see Ahn K. H. 2435
Le Grumelec C. see Touet J. 1469
Le Guen V. see Agami C. 641
Lemaire M. Jeminet G. Gourcy J.-G. and Dauphin G. 2- and 8-Functionalized 1,4,7,10-tetraoxaspiro[5.5]undecanes —II. Synthesis of (+)-*E,E* and (±)-*Z,E* structures from chiral isopropyl-ideneglycerols 2101
Lensink C. and de Vries J. G. Diastereoselective hydrogenation and kinetic resolution of imines using rhodium/diphosphine catalyzed hydrogenation 215
Létourneau M. see Chênevert R. 1137
Lévai A. see Knezovic S. 313
Levayer F. see Chon C. 2441
Levayer F. see Heisler A. 959
Levet R. see Lallemand J.-Y. 1775
Lew D. and Amer I. Preparation and X-ray structure of a rhodium(III)–(*S*)-6,6'-dimethyl-2,2'-diamino-biphenyl complex 2147
Lewis N. see Knight D. W. 625
Lhommet G. see Fleurant A. 1429
Li G. Patel D. and Hruby V. J. Asymmetric synthesis of (2*R*,3*S*) and (2*S*,3*R*) precursors of β-methyl-histidine, -phenylalanine and -tyrosine 2315
Li Y.-F. and Hammerschmidt F. Enzymes in organic chemistry—I. Enantioselective hydrolysis of α-(acyloxy)phosphonates by esterolytic enzymes 109
Liaaen-Jensen S. see Sliwka H.-R. 361
Liaaen-Jensen S. see Sliwka H.-R. 2377
Lickefett H. Krohn K. König W. A. Gehrcke B. and Syldatk C. Enantioseparation of 5-monosubstituted hydantoins by capillary gas chromatography—investigation of chemical and enzymatic racemization 1129
Lightner D. A. see Boiadjiev S. E. 491
Lim A. see Ahn K. H. 2435
Lin G. Shi Z. and Zeng C. One-pot synthesis of α,β-dihydroxy sulfides via titanium-promoted oxirane ring opening 1533
Linden A. see Latvala A. 173
Lippmaa E. see Pehk T. 1527
Littlechild J. see Taylor S. J. C. 1117
Liu Z.-Y. He L. and Zheng H. Highly enantioselective synthesis of (+) and (–)-*endo*-tricyclo[5.2.1.$0^{2,6}$]-deca-4,8-dien-3-one and (–)-4-*t*-butyldimethylsilyloxycyclopentenone by enzyme-catalyzed acetylation 2277
Liverani P. see Carrea G. 1063
Llinares M. see Cavelier F. 2495
Lloyd-Jones G. C. see Brown J. M. 2151
Lo L.-C. Berova N. Nakanishi K. Morales E. Q. and Vázquez J. T. Circular dichroic studies of 2-amino-2-deoxy-galactopyranosides—conformations of the 2-(*N*-acetyl-*p*-bromobenzamido) group 321
Lobell M. and Schneider M. P. Lipase catalyzed formation of lactones via irreversible intramolecular acyl-transfer 1027
Lobo A. M. see Mata P. 657
Lohse O. see Solladié G. 1547
Lopp M. see Pehk T. 1527
Lorente A. see Carlos Carretero J. 177
Loupy A. see Tamion R. 1879
Lu S. see Matsumoto Y. 1763
Lu Y. Miet C. Kunesch N. and Poisson J. E. A simple total synthesis of naturally occurring hydroxy-amino acids by enzymatic kinetic resolution 893
Lugtenburg J. see Kragl U. 1193
Luna D. see Cativiela C. 2507
Lütsch K. see Herdeis C. 121
Lyford L. see Chibale K. 2407

Machytka D. see Perczel A. 591
Maddaford S. see Charlton J. L. 645
Maestro M. C. see Carreño M. C. 727
Maffei M. see Brunel J. M. 2255
Maggi R. see Bigi F. 2411
Mahindroo V. K. see Brown H. C. 59
Maignan C. see Bonfand E. 1667
Maillard B. see Hamdani M. 1229
Maillard B. see Hamdani M. 1233
Mainkar A. S. see Gurjar M. K. 2343
Maiorana S. see Baldoli C. 767
Majer Z. see Perczel A. 591
Malone J. F. see Boyd D. R. 1307
Mandville G. see Girard C. 613
Mangeney P. see Alexakis A. 2427
Mangeney P. see Alexakis A. 2431
Manimaran T. and Stahly G. P. Optical purification of profen drugs 1949
Mannschreck A. see Fritsch R. 433
Manoury E. Mouloud H. A. H. and Balavoine G. G. A. Asymmetric epoxidation of unfunctionalized alkenes using chiral borates 2339
Mansour T. S. see Evans C. A. 2319
Mansour T. S. see Jin H. 211
Marco J. A. see Carda M. 1799
Margolin A. L. see King C. H. R. 943
Marinas J. M. see Cativiela C. 2507
Marioni F. see Bellucci G. 1153
Markey P. see Rodríguez J. B. 101
Marotta E. Rastelli E. Righi P. and Rosini G. A practical preparation of pure enantiomers of *endo*-bicyclo[3.3.0]oct-7-en-2-ol, versatile intermediate for the synthesis of natural products 735
Marsais F. see Tamion R. 1879
Marsais F. see Tamion R. 2415
Marshall C. see Mata P. 657
Martens J. see Behnen W. 1413
Martens J. see Mehler T. 1983
Martens J. see Mehler T. 2299
Martens J. see Wallbaum S. 637
Martin J. C. see Drabowicz J. 297
Martínez A. G. Vilar E. T. Osío Barcina J. Rodriguez Herrero M. E. de la Moya Cerero S. Hanack M. and Subramanian L. R. Enantiospecific synthesis of substituted bicyclo[2.1.1]hexane-1-

carboxylic acids and esters 2333
Maruno M. see Tanaka M. 605
Massy-Westropp R. A. see Hamon D. P. G. 1435
Mata P. Lobo A. M. Marshall C. and Johnson A. P. The CIP Sequence Rules: analysis and proposal for a revision 657
Matsuda A. see Koga I. 1857
Matsumoto Y. Ohno A. Lu S. Hayashi T. Oguni N. and Hayashi M. Enantioselective synthesis of 1-metallocenylalkanols by catalytic asymmetric alkylation of metallocenecarboxaldehydes with dialkylzincs 1763
Mattson A. Öhrner N. Hult K. and Norin T. Resolution of diols with C_2-symmetry by lipase catalysed transesterification 925
May B. L. see Badran T. W. 197
Mayoral J. A. see Cativiela C. 223
Mayoral J. A. see Cativiela C. 621
Mayoral J. A. see Cativiela C. 1613
Mayoral J. A. see Cativiela C. 2507
Mbappé M.-A. and Sicsic S. Enzymatic resolutions in 3-amino-1,2-propanediol series 1035
M'Boungou-M'Passi A. see Muzart J. 2531
McCague R. see Taylor S. J. C. 1117
McCarthy T. D. see Brown R. F. C. 205
McCarthy T. D. see Brown R. F. C. 2149
McGarrity J. F. see Bänziger M. 723
McNamee C. G. see Patel R. N. 2069
Medici A. see Fantin G. 1607
Meetsma A. see Zwaagstra M. E. 2163
Meguro H. see Nishida Y. 1431
Mehler T. and Martens J. Enantioselective catalytic borane reductions of achiral ketones: synthesis and application of new chiral β-amino alcohols from L-methionine 1983
Mehler T. and Martens J. L-Cysteine-derivatives in asymmetric synthesis: preparation of two new chiral β-amino alcohols and their application in the enantioselective catalytic reduction of prochiral aromatic ketones with borane 2299
Mehler T. see Behnen W. 1413
Meille S. V. see Bravo P. 2131
Meos H. Tõugu V. Haga M. Aaviksaar A. Schuster M. and Jakubke H.-D. Single-step synthesis of Kyotorphin in frozen solutions by chymotrypsin 1559
Mercadier J.-L. see Cavelier F. 2495
Merli A. see Bravo P. 2131
Metz B. see Franck-Neumann M. 2475
Meuer H. see Frischmuth K. 351
Meyer H. H. see Bornscheuer U. 1007
Mi A. Q. Wang Z. Y. and Jiang Y. Z. Asymmetric catalytic alkylation of 4-chlorophenylacetic acid 1957
Michalik M. see Döbler C. 1833
Miesch M. see Franck-Neumann M. 2475
Miet C. see Lu Y. 893
Minuth T. see Peters J. 1173
Minuth T. see Peters J. 1683
Mirfakhrae D. see Patel R. N. 2069
Mironenko D. A. see Solodenko V. A. 1965
Mischitz M. see Hechtberger P. 1161
Mitsuhashi H. see Tanaka M. 605
Mitsuhashi K. see Ikemoto T. 687
Miura Y. see Kosugi H. 1409
Miyamoto H. see Fuji K. 247
Miyano S. see Harada N. 1789
Miyashita M. Toshimitsu Y. Shiratani T. and Irie H. Enantioselective synthesis of (−)-serricornin, a sex pheromone of a female cigarette beetle (*Lasioderma serricorne* F.) 1573
Mizuguchi E. and Achiwa K. Oxalate as an activated ester group in lipase-catalyzed enantioselective hydrolysis: a versatile approach to D-α-tocopherol 2303
Mizuguchi E. Takemoto M. and Achiwa K. An enzyme-catalyzed synthesis of natural α-tocopherol 1961
Mizutani K. see Yamazaki T. 1059
Mlinaric-Majerski K. see Šunjic V. 575
Mobbili G. see Amoroso R. 2241
Moilliet J. see Beard T. 1085
Molato S. see Dujardin G. 193
Molinari F. see Ferraboschi P. 1931
Momose T. see Takahata H. 1041
Money T. and Palme M. H. An enantiospecific synthesis of 4-methylcamphor 2363
Montforts F.-P. see Hoeper F. 1439
Moraal P. F. see Dekkers H. P. J. M. 473
Morales E. Q. see Lo L.-C. 321
Moran J. R. see Almeida J. F. 2483
Morcuende A. see Herradón B. 845
Moretti I. see Bucciarelli M. 903
Morgan B. and Oehlschlager A. C. Enzyme reactions in apolar solvent—VI. The effect of double bond isomerism on the rate of PPL-catalyzed acylation of allylic alcohols 907
Mori K. see Ikemoto T. 687
Morimoto T. see Yamazaki A. 2287
Moriwake T. see Saito S. 5
Mortreux A. see Roucoux A. 2279
Mosandl A. Köpke T. and Bensch W. Stereoisomeric flavour compounds—LXII. Structure elucidation of 8-mercapto-*p*-menthan-3-one isomers 651
Mosandl A. see Bensch W. 655
Mouloud H. A. H. see Manoury E. 2339
Mulzer J. Salimi N. and Hartl H. First asymmetric synthesis of (+)- and (−)-roccellaric acid and dihydro-protolichesterinic acid 457
Munnier L. see Tamion R. 1879
Murai S. see Harada N. 1755
Murata K. and Kitazume T. Asymmetric synthesis of both enantiomers of acyloxy methyl 3,3-difluorolactate 889
Mussons M^a L. see Almeida J. F. 2483
Muzart J. Hénin F. Pète J.-P. and M'Boungou-M'Passi A. The isoinversion principle for the asymmetric tautomerization of photodienols 2531

Naemura K. Fukuda R. Takahashi N. Konishi M. Hirose Y. and Tobe Y. Enzyme-catalyzed asymmetric acylation and hydrolysis of *cis*-2,5-disubstituted tetrahydrofuran derivatives: contribution to development of

models for reactions catalyzed by porcine liver esterase and porcine pancreatic lipase 911
Nafie L. A. see Yu G.-S. 511
Nagase H. see Toya T. 1537
Nagumo S. see Akita H. 757
Nakajima N. see Sakuraba S. 1457
Nakamura K. Kondo S. Kawai Y. and Ohno A.
Asymmetric reduction of ketopantolactone by baker's yeast 1253
Nakanishi K. see Lo L.-C. 321
Nakanishi S. Yamamoto H. Otsuji Y. and Nakazumi H.
Separation and characterization of diastereomeric (η^4-diene)$Fe(CO)_3$ complexes containing chiral amide groups 1969
Nakazumi H. see Nakanishi S. 1969
Nandi M. see Jayaraman M. 609
Nanduri V. see Patel R. N. 2069
Nevalainen V.
Quantum chemical modeling of chiral catalysis—IX. On the aggregation reactions of borane and chiral oxazaborolidines used as catalysts in the enantioselective reduction of ketones 1505
Nevalainen V.
Quantum chemical modeling of chiral catalysis—X. On the complexes of carbonyl compounds with chiral *N*-sulfonylated 1,3,2-oxazaborolidines used as catalysts in the enantioselective Diels–Alder reactions 1565
Nevalainen V.
Quantum chemical modeling of chiral catalysis—XI. Isomerism in borane adducts of chiral oxazaborolidines used as catalysts in the enantioselective reduction of ketones? 1569
Nevalainen V.
Quantum chemical modeling of chiral catalysis—XII. On the influence of the nature of the ring system on binding in ketone–borane complexes of chiral oxazaborolidines used as catalysts in the enantioselective reduction of ketones 1597
Nevalainen V.
Quantum chemical modeling of chiral catalysis—XIII. On the role of borane *O*-adducts in the enantioselective reduction of ketones catalyzed by chiral oxazaborolidines 2001
Nevalainen V.
Quantum chemical modeling of chiral catalysis—XIV. On the coordination of carbonyl compounds to diaza-, oxaza- and dioxaluminolidines of potential use as chiral controllers in organic synthetic chemistry 2517
Newadkar R. V. see Bevinakatti H. S. 773
Newton J. L. see Hamon D. P. G. 1435
Nguyen T. Sherman D. Ball D. Solow M. and Singaram B.
Enantiospecific synthesis of *N*-benzyl-2-alkyl pyrrolidines and piperidines mediated by chiral organoborane reagents 189
Nicolò F. see Lanza S. 2311
Nicolosi G. see Lambusta D. 919
Nicotra F. Panza L. Russo G. and Verani A.
Simple and stereoselective chemoenzymatic synthesis of an α-C-mannoside 1203
Nieman J. A. Parvez M. and Keay B. A.
An improved synthesis and resolution of (±)-*cis,cis*-spiro[4.4]nonane-1,6-diol 1973
Nishida Y. Abe M. Ohrui H. and Meguro H.
(+)-*tert*-Butyl-1,3-benzodioxole-4-carboxylic acid: fluorescent chiral carboxylic acid with a 1,3-benzodioxole skeleton 1431
Nishio M. see Araki S. 555
Nishioka K. see Saito S. 5
Nishiyama H. Tajima T. Takayama M. and Itoh K.
Chirality recognition of 1,1'-bi-2-naphthol with optically active bis(oxazolinyl)pyridines 1461
Nishiyama H. Yamaguchi S. Park S.-B. and Itoh K.
New chiral bis(oxazolinyl)bipyridine ligand (bipymox): enantioselection in the asymmetric hydrosilylation of ketones 143
Nishiyama N. see Sugimura T. 43
Nohira H. see Umezawa J. 2053
Norin T. see Mattson A. 925
North M. see Hogg D. J. P. 1553
Novák L. see Poppe L. 2211
Nozaki K. Sato N. and Takaya H.
Enantioselective synthesis of L- and D-isoserine via asymmetric hydrogenation of methyl *N*-phthaloyl-3-amino-2-oxopropanoate 2179
Nozawa M. see Akita H. 757
Nuber B. see Brunner H. 699

O'Brien F. see Taylor S. J. C. 1117
Oebels D. see Klärner F.-G. 479
Oehlschlager A. C. see Morgan B. 907
Ogasawara K. see Takano S. 157
Ogasawara K. see Takano S. 201
Ogasawara K. see Takano S. 1043
Ogasawara K. see Takano S. 1795
Ogawa T. see Adachi T. 2061
Oguni N. see Matsumoto Y. 1763
Ogura F. see Irie M. 2127
O'Hagan D. see Bailey D. 1255
O'Hagan D. Zaidi N. A. and Lamont R. B.
The synthesis of (*R*)-γ-phenyl-γ-(trifluoromethyl)-butyrolactone and (2*R*,3*S*)-1,1,1-trifluoro-2-methoxy-2-phenyl-3,4-epoxybutane in homochiral forms 1703
Ohkawa Y. see Takahata H. 1041
Ohno A. see Matsumoto Y. 1763
Ohno A. see Nakamura K. 1253
Ohno Y. see Soai K. 1473
Öhrner N. see Mattson A. 925
Ohrui H. see Nishida Y. 1431
Ohsuka M. see Irie M. 2127
Ohta H. see Yokoyama M. 1081
Ohta Y. see Adachi T. 2061
Oishi T. see Hoshino O. 933
Okada M. see Hoshino O. 933
Okamura A. see Harada N. 1789
Ono H. see Harada N. 1789
Ono Y. see Saito S. 5
Oro L. A. see Carmona D. 1425
Ortuño R. M. see Casas R. 669
Osío Barcina J. see Martínez A. G. 2333
Osuga H. see Tanaka K. 629
Osuga H. see Tanaka K. 1843
Ota T. see Adachi T. 2061
Otsubo T. see Irie M. 2127
Otsuji Y. see Nakanishi S. 1969
Ottolina G. see De Amici M. 1073
Ozegowski R. Kunath A. and Schick H.
Synthesis of 2,4-

dimethylglutaric acid monoesters via enzyme-catalyzed asymmetric alcoholysis of *meso*-2,4-dimethylglutaric anhydride 695

Page P. C. B. Gareh M. T. and Porter R. A. Asymmetric oxidation of dithiane derivatives: enantiomerically pure 1,3-dithiane 1-oxide 2139
Paju A. see Pehk T. 1527
Pale P. see Grandjean D. 1991
Palin M. G. see Howell J. A. S. 1241
Palme M. H. see Money T. 2363
Palmieri G. see Bartoli G. 1651
Panza L. Brasca S. Riva S. and Russo G. Selective lipase-catalyzed acylation of 4,6-*O*-benzylidene-D-glucopyranosides to synthetically useful esters 931
Panza L. see Nicotra F. 1203
Paquette L. A. see Guevel R. 947
Pardigon O. and Buono G. Enantioselective synthesis of deltacyclenes using a [CoI_2:Zn] catalytic system 1977
Parhi S. S. L. see Kivikoski J. H. 45
Park S.-B. see Nishiyama H. 143
Parmar V. S. see Bisht K. S. 957
Parratt J. S. see Beard T. 1085
Partali V. see Waagen V. 2265
Partali V. Waagen V. Alvik T. and Anthonsen T. Enzymatic resolution of butanoic esters of 1-phenylmethyl and 1-[2-phenylethyl] ethers of 3-chloro-1,2-propanediol 961
Parvez M. see Nieman J. A. 1973
Pasta P. see Colonna S. 1325
Patel D. see Li G. 2315
Patel R. N. Banerjee A. Howell J. M. McNamee C. G. Brozozowski D. Mirfakhrae D. Nanduri V. Thottathil J. K. and Szarka L. J. Microbial synthesis of (2*R*,3*S*)-(–)-*N*-benzoyl-3-phenyl isoserine ethyl ester—a taxol side-chain synthon 2069
Patti A. see Lambusta D. 919
Payne J. J. see Jin H. 211
Pease J. E. see Chibale K. 2407
Pedrini P. see Fantin G. 1607
Pedrocchi-Fantoni G. see Baldaro E. 1031
Pehk T. Lippmaa E. Lopp M. Paju A. Borer B. C. and Taylor R. J. K. Determination of the absolute configuration of chiral secondary alcohols; new advances using ^{13}C- and 2D-NMR spectroscopy 1527
Perczel A. Majer Z. Holly S. Machytka D. Fasman G. D. and Hollósi M. FT–IR Spectroscopy guided analysis of the circular dichroism spectra of polypeptides 591
Peregrina J. M. see Cativiela C. 1677
Person R. V. see Boiadjiev S. E. 491
Pète J.-P. see Muzart J. 2531
Peter M. G. see König W. A. 165
Peters J. Brockamp H.-P. Minuth T. Grothus M. Steigel A. Kula M.-R. and Elling L. Combined chemoenzymatic synthesis of 2O-6-deoxy-α-L-sorbofuranosyl-D-glucose 1173
Peters J. Zelinski T. Minuth T. and Kula M.-R. Synthetic applications of the carbonyl reductases isolated from *Candida parapsilosis* and *Rhodococcus erythropolis* 1683
Peters P. J. H. see Kaptein B. 1113
Petit F. and Furstoss R. Microbiological transformations—XXV. Enantioselective Baeyer–Villiger oxidation as a tool for the synthesis ot enantiopure bicyclic furofuran and pyrofuran chirons 1341
Petit F. see Roucoux A. 2279
Petri A. see Pini D. 2351
Petrus C. see Cavelier F. 2495
Piattelli M. see Lambusta D. 919
Pietrusiewicz K. M. Kuznikowski M. and Koprowski M. Synthesis of enantiomerically pure styryl and dienyl phosphine oxides via Pd-catalyzed Heck coupling reaction 2143
Pillai C. N. see Sreekumar R. 2095
Pini D. Petri A. and Salvadori P. A new crosslinked polymer for the heterogeneous catalytic asymmetric dihydroxylation of alkenes 2351
Pinna L. see Casiraghi G. 681
Pires E. see Cativiela C. 621
Platt F. M. see Ardron H. 2011
Plaza M. T. see Izquierdo I. 2535
Pocock G. R. see Baker R. W. 2423
Pohjala E. see Kivikcski J. 709
Poirier J.-M. see Duhamel P. 2447
Poisson J. E. see Lu Y. 893
Poli G. see Belvisi L. 273
Poli S. see Fantin G. 1607
Popp B. Sönnichsen F. and Tochtermann W. A new stereoselective approach to the *trans*-perhydroazulene skeleton 281
Poppe L. Novák L. Kajtár-Peredy M. and Szántay C. Lipase-catalyzed enantiomer selective hydrolysis of 1,2-diol diacetates 2211
Porter R. A. see Page P. C. B. 2139
Porzel A. see Huneck S. 303
Poss A. J. Belter R. K. and Bensimon C. Vitamin C in organic synthesis—II. C-2 Methylation 169
Potin D. see Randrianasolo-Rakotozafy L. R. 761
Pramatarova V. see Spassov G. 301
Prati F. see Bucciarelli M. 903
Preite M. D. Zinczuk J. Colombo M. I. Bacigaluppo J. A. González-Sierra M. and Ruveda E. A. Resolution and absolute configuration of a tricyclic lactone. A potentially useful precursor of highly functionalized terpenoids 17
Prestwich G. D. see König W. A. 165
Provencher L. Wynn H. Jones J. B. and Krawczyk A. R. Enzymes in organic synthesis—LI. Probing the dimensions of the large hydrophobic pocket of the active site of pig liver esterase 2025

Quéguiner G. see Combret Y. 1635
Queguiner G. see Tamion R. 1879
Queguiner G. see Tamion R. 2415
Quirion J.-C. see Froelich O. 2335

Quirós M. Sánchez V. M. Brieva R. Rebolledo F. and Gotor V.
Lipase-catalyzed synthesis of optically active amides in organic media 1105

Rabiller C. see Chon C. 2441
Rabiller C. see Heisler A. 959
Racioppi R. see Bonini C. 793
Radocki D. see Gawronski J. 383
Ramachandran P. V. Gong B. and Brown H. C.
Asymmetric synthesis of both enantiomers of α-(4-fluorophenyl)-4-(2-pyrimidinyl)-1-piperazinebutanol: potential antipsychotic agents 2399
Ramsay M. V. J. see Jin H. 211
Randrianasolo-Rakotozafy L. R. Azerad R. Dumas F. Potin D. and d'Angelo J.
Enzymatic resolution of hindered secondary alcohols: efficient access to a new simplified chiral auxiliary 761
Rassu G. see Casiraghi G. 681
Rastelli E. see Marotta E. 735
Ravenscroft P. see Jin H. 211
Raynham T. see Hose D. R. J. 2159
Rebolledo F. see García M. J. 2199
Rebolledo F. see Quirós M. 1105
Reetz M. T. and Rudolph J.
Synthesis of a phosphine-modified cyclodextrin and its rhodium complex 2405
Reider P. J. see Hughes D. L. 865
Renard I. see Cammas S. 1925
Renold P. and Tamm C.
Stereoselective hydrolysis of dimethyl aziridin-2,3-dicarboxylates with pig liver esterase (PLE) 2295
Renold P. and Tamm C.
Stereoselective hydrolysis of substituted cyclopentane diesters with pig liver esterase (PLE) 1047
Renouf P. see Duhamel P. 2447
Revial G. see Hammoumi A. 1295
Ribereau P. see Tamion R. 1879
Ribereau P. see Tamion R. 2415
Richards W. G. see Seri-Levy A. 1917
Righi G. see Bonini C. 793
Righi P. see Marotta E. 735
Rissanen K. T. see Kivikoski J. H. 45
Ritzén H. see Sugai T. 1051
Riva S. see Baldoli C. 767
Riva S. see Carrea G. 1063
Riva S. see Panza L. 931
Roberts S. M. see Taylor S. J. C. 1117
Roberts S. M. Steukers V. G. R. and Taylor P. L.
Enzyme-catalysed esterification of (±)-*trans*-cyclohexane-1,2-dimethanol 969
Robin S. Huet F. Fauve A. and Veschambre H.
Microbiological reduction of keto-sulfones. Application in a three-step synthesis of (*S*)-(+)-β-angelica lactone 239
Rodríguez J. B. Markey P. and Ziffer H.
Preparation of 2(*R*) and 2(*S*) methyl-2-methylglycerates 101
Rodríguez M. see Izquierdo I. 2535
Rodríguez S. see Carda M. 1799
Rodriguez Herrero M. E. see Martínez A. G. 2333
Ropson N. see Krief A. 289
Rosace G. see Lanza S. 2311
Rosell C. M. see Baldaro E. 1031
Rosini C. Zandomeneghi M. and Salvadori P.
Coupled oscillator calculations of circular dichroism intensities: structural applications in organic chemistry 545
Rosini G. see Marotta E. 735
Rossi L. see Bonini C. 793
Rotstein D. M. and Walker K. A. M.
The synthesis and antifungal activity of the enantiomers of butoconazole nitrate 1521
Roucoux A. Agbossou F. Mortreux A. and Petit F.
New alkylarylamidophosphinephos phinites as chiral diphosphines for asymmetric hydrogenation of activated keto compounds 2279
Roumestant M. L. see Guibourdenche C. 2041
Rousseau G. see Blanco L. 783
Royo A. J. see Cativiela C. 621
Royo A. J. see Cativiela C. 1613
Rozwadowska M. D.
An efficient synthesis of *S*-(+)-amphetamine 1619
Rudolph J. see Reetz M. T. 2405
Ruecroft G. see Taylor S. J. C. 1117
Russo G. see Nicotra F. 1203
Russo G. see Panza L. 931
Ruveda E. A. see Preite M. D. 17
Rysanek N. see Galons H. 181

Saigo K. see Adegawa Y. 1421
Saito S. Itoh H. Ono Y. Nishioka K. and Moriwake T.
Vicinal diol controller approach to highly diastereoselective hydroxy-directed MCPBA epoxidations of allylic alcohols with oxygen-bearing stereocenters 5
Sakai K. and Suemune H.
Application of chiral cyclic diols to asymmetric synthesis 2109
Sakai K. see Koga I. 1857
Sakai K. see Suemune H. 1767
Sakai K. see Tanaka M. 981
Sakai K. see Xie Z.-F. 973
Sakakibara K. see Araki S. 555
Sakuraba S. Nakajima N. and Achiwa K.
An efficient synthesis of optically active eprozinol 1457
Salaün J. see Canet J.-L. 31
Salaün J. see Fadel A. 27
Salimi N. see Mulzer J. 457
Salom B. see Belvisi L. 273
Salvadori P. see Pini D. 2351
Salvadori P. see Rosini C. 545
Salvatella L. see Cativiela C. 1613
Samson E. see Frischmuth K. 351
Sánchez V. M. see Quirós M. 1105
Santaniello E. see Ferraboschi P. 9
Santaniello E. see Ferraboschi P. 1931
Santaniello E. see Grisenti P. 997
Sanvito A. M. see Allevi P. 1397
Sanz-Aparicio J. see Alajarin R. 617
Sargent M. V. see Baker R. W. 2423
Sartori G. see Bigi F. 2411
Satake A. and Shimizu I.
A chiral synthesis of (8*R*,8a*S*)-hexahydro-8-methyl-5(1*H*)-indolizinone 1405
Sathe K. M. see Jayaraman M. 609
Sato J. see Toda F. 1771
Sato N. see Nozaki K. 2179
Satta M. see Falorni M. 2389
Saunders M. H. see Charlton J. L. 645
Saux A. see Hamdani M. 1233
Sawamura M. Kitayama K. and Ito Y.
Synthesis and properties of a new chiral diphosphine ligand

bearing a cyclodextrin-based molecular recognition site and its palladium(II) complex 1829
Scharmann H. G. see Westermann B. 2119
Scheidt F. see Klärner F.-G. 479
Scheper T. see Bornscheuer U. 1007
Schick H. see Henkel B. 153
Schick H. see Ozegowski R. 695
Schinkowski K. see Taudien S. 73
Schliebs D. M. see Badran T. W. 197
Schlögl K. see Wally H. 285
Schmidt J. see Huneck S. 303
Schmidt R. R. see Vlahov I. R. 293
Schneider A. see Fessner W.-D. 1183
Schneider M. P. see Andersch P. 2135
Schneider M. P. see Chadha A. 1449
Schneider M. P. see Haase B. 1017
Schneider M. P. see Lobell M. 1027
Schoemaker H. E. see Kaptein B. 1113
Schoemaker H. E. see Udding J. H. 425
Schoevaars A. M. see Jager W. F. 1481
Schollmeyer D. see Künstler Th. 1645
Schönhofer A. see Kuball H.-G. 517
Schultheis B. see Kuball H.-G. 517
Schultz M. and Kunz H. Synthetic O-glycopeptides as model substrates for glycosyltransferases 1205
Schuster M. see Meos H. 1559
Scolaro L. M. see Lanza S. 2311
Scolastico C. see Belvisi L. 273
Secundo F. Carrea G. Dallavalle S. and Franzosi G. Asymmetric oxidation of sulfides by cyclohexanone monooxygenase 1981
Seki T. see Araki S. 555
Selke R. Facklam C. Foken H. and Heller D. Application of the term 'relative enantioselectivity' as useful measure for comparison of chiral catalysts, demonstrated on asymmetric hydrogenation of amino acid precursors 369
Šepac D. see Šunjic V. 575
Seri-Levy A. and Richards W. G. Chiral drug potency: Pfeiffer's rule and computed chirality coefficients 1917
Servi S. see Baldaro E. 1031
Setoh M. see Takano S. 157
Share A. C. see Knight D. W. 625
Sharma N. D. see Boyd D. R. 1307
Sharpless K. B. see Kolb H. C. 133
Sheldrick W. S. see Frischmuth K. 351
Sherman D. see Nguyen T. 189
Shi Z. see Lin G. 1533
Shibuya S. see Yokomatsu T. 1401
Shibuya S. see Yokomatsu T. 1779
Shibuya S. see Yokomatsu T. 1783
Shieh W.-R. and Sih C. J. Stereochemical control of yeast reductions—VI. Diastereoselectivity of 2-alkyl-3-oxobutanoate oxido-reductases 1259
Shimizu I. see Satake A. 1405
Shimizu M. see Fujisawa T. 1237
Shimizu M. Yokota T. Fujimori K. and Fujisawa T. Stereodivergent synthesis of fluorinated threonine derivatives in high optical purity 835
Shindo M. see Inoue I. 1603
Shiratani T. see Miyashita M. 1573
Sicsic S. see Mbappé M.-A. 1035
Siddiqui M. A. see Evans C. A. 2319
Sih C. J. see Shieh W.-R. 1259
Sinerius G. see Fessner W.-D. 1183
Singaram B. see Nguyen T. 189
Singer H. see Künstler Th. 1645
Sliwka H.-R. and Liaaen-Jensen S. Synthetic sulfur carotenoids—II. Optically active carotenoid thiols 361
Sliwka H.-R. and Liaaen-Jensen S. Synthetic nitrogen carotenoids: optically active carotenoid amines 2377
Smith G. B. see Hughes D. L. 865
Snatzke G. see Spassov G. 301
Soai K. Hirose Y. and Ohno Y. Chiral dialkyl thiophosphoramidates as highly enantioselective catalysts for the alkylation of aldehydes 1473
Solladié G. and Lohse O. New reagent for the optical resolution of ketones: (–)-(1*R*,2*R*,5*R*)-5-methyl-2-(1-mercapto-1-methylethyl)-cyclohexanol. Application to *trans* dimethyl cyclopentanone-3,4-dicarboxylate 1547
Solladié G. Kovenski J. and Colobert F. Enantioselective synthesis of methyl (+)-(*R*)-11-hydroxy-8(*E*)-dodecenoate, the *seco*-ester of (+)-(*R*)-recifeiolide, from [2(*S*),*S*(*R*)]-2-(*p*-tolyl-sulfinyl)methyl oxirane 2173
Solodenko V. A. Belik M. Y. Galushko S. V. Kukhar V. P. Kozlova E. V. Mironenko D. A. and Svedas V. K. Enzymatic preparation of both L- and D-enantiomers of phosphonic and phosphonous analogues of alanine using penicillin acylase 1965
Solow M. see Nguyen T. 189
Song Z. see Hughes D. L. 865
Sönnichsen F. see Popp B. 281
Soutome T. see Harada N. 1755
Spanu P. see Casiraghi G. 681
Spassov G. Pramatarova V. Vlahov R. and Snatzke G. Stereoselective reduction of substituted benzophenones by micro-organisms—I 301
Speckamp W. N. see Koot W.-J. 1941
Speckamp W. N. see Udding J. H. 425
Spek A. L. see van Maanen H. L. 1441
Spindler F. see Buser H.-P. 2451
Sreekumar R. and Pillai C. N. Asymmetric synthesis of amines by the reductive amination of ketones using (+) and (–) norephedrine followed by periodate oxidation 2095
Stahly G. P. see Manimaran T. 1949
Stanchev S. see Latvala A. 173
Stanssens D. see Callant D. 185
Statkow P. R. see Alajarin R. 617
Steckhan E. see Kandzia C. 39
Stefanac T. see Holland H. L. 1353
Steigel A. see Peters J. 1173
Steigerwald M. see Künstler Th. 1645

Stelzer U. and Effenberger F. Preparation of (*S*)-2-fluoronitriles 161
Steukers V. G. R. see Roberts S. M. 969
Stokoe R. B. see Hogg D. J. P. 1553
Subramanian L. R. see Martínez A. G. 2333
Suemune H. see Sakai K. 2109
Suemune H. see Xie Z.-F. 973
Suemune H. Watanabe K. Kato K. and Sakai K. Asymmetric induction to *meso*-cyclohexane-1,2-diol based on diastereoselective elimination 1767
Sugai T. Ritzén H. and Wong C.-H. Towards the chemoenzymatic synthesis of lipid A 1051
Sugai T. see Yokoyama M. 1081
Sugihara T. see Takano S. 201
Sugihara Y. see Takano S. 1795
Sugimura T. Nishiyama N. Tai A. and Hakushi T. Diastereoface differentiating peracid oxidation of the enol ether derived from cyclohexanone and 2,4-pentanediol: preparation of optically pure 2-hydroxycyclohexanone acetal 43
Šunjic V. see Knezovic S. 313
Šunjic V. Šepac D. Kojic-Prodic B. Kiralj R. Mlinaric-Majerski K. and Vinkovic V. Chiroptical, structural and catalytic properties of *S*-α-methyl-[1-(substituted phenyl)-2-(2'-pyrido)-1-ethylidene]benzylamines and their Rh(I) and Cu(I) complexes 575
Sunkel C. see Alajarin R. 617
Suontamo R. see Kivikoski J. 709
Surleraux D. see Krief A. 289
Suzuki H. see Tanaka K. 629
Suzuki H. see Tanaka K. 1843
Suzuki M. see Takano S. 201
Suzuki M. see Takano S. 1043
Suzuki T. see Harada N. 1789
Svedas V. K. see Solodenko V. A. 1965
Syamala M. see Gurjar M. K. 2343
Syldatk C. see Lickefett H. 1129
Szántay C. see Poppe L. 2211
Szarka L. J. see Patel R. N. 2069
Szczepek W. J. see Frelek J. 411
Sztaricskai F. see Kovács I. 2261
Tagliani A. see Baldaro E. 1031
Tai A. see Sugimura T. 43
Tajima T. see Nishiyama H. 1461
Takabe K. see Yoda H. 1451
Takabe K. see Yoda H. 1455
Takabe K. see Yoda H. 1759
Takahashi N. see Naemura K. 911
Takahashi O. see Umezawa J. 2053
Takahata H. Uchida Y. Ohkawa Y. and Momose T. Enzymatic resolution of *N,N*-dialkyl-3-hydroxy-4-pentenamides unsuccessful in resolution by the Katsuki–Sharpless asymmetric epoxidation 1041
Takano S. Kamikubo T. Sugihara T. Suzuki M. and Ogasawara K. Enantioconvergent synthesis of a promising HMG Co-A reductase inhibitor NK-104 from both enantiomers of epichlorohydrin 201
Takano S. Setoh M. and Ogasawara K. Enantiocomplementary resolution of 4-hydroxy-5-(4-methoxyphenoxy)-1-pentyne using the same lipase 157
Takano S. Sugihara Y. and Ogasawara K. Diastereodivergent synthesis of optically active *trans*- and *cis*-6-benzyl-oxymethyl-4-hydroxytetrahydro-2-pyrones via 3-hydroxyalkenyl phenyl sulfides 1795
Takano S. Suzuki M. and Ogasawara K. Enantiocomplementary preparation of optically pure 2-trimethylsilylethynyl-2-cyclopentenol by homochiralization of racemic precursors: a new route to the key intermediate of 1,25-dihydroxycholecalciferol and vincamine 1043
Takaya H. see Nozaki K. 2179
Takayama M. see Nishiyama H. 1461
Takemoto M. see Mizuguchi E. 1961
Tamion R. Marsais F. Ribereau P. and Queguiner G. Asymmetric synthesis with new chiral auxiliaries derived from isosorbide 2415
Tamion R. Marsais F. Ribereau P. Queguiner G. Abenhaim D. Loupy A. and Munnier L. Synthesis of new chiral auxiliaries derived from isosorbide 1879
Tamm C. see Renold P. 1047
Tamm C. see Renold P. 2295
Tanahashi R. see Hoshino O. 933
Tanaka K. Osuga H. and Suzuki H. Diastereocontrolled synthesis of optically pure functionalized hetero-helicenes 1843
Tanaka K. see Fuji K. 247
Tanaka K. see Toda F. 1771
Tanaka K. Uno H. Osuga H. and Suzuki H. Stereocontrolled Diels–Alder reactions with chiral tricyclic oxazolidinones 629
Tanaka M. Itoh H. Mitsuhashi H. Maruno M. and Wakamatsu T. The stereoselective first total synthesis of isoschizandrin having the natural configuration 605
Tanaka M. Yoshioka M. and Sakai K. Highly asymmetric enzymatic hydrolysis and transesterification of *meso*-bis(acetoxymethyl)- and bis(hydroxymethyl)cyclopentane derivatives: an insight into the active site model of *Rhizopus delemar* lipase 981
Tanielyan S. K. see Augustine R. L. 1803
Tarnai T. see Tóth G. 331
Taschner M. J. Black D. J. and Chen Q.-Z. The enzymatic Baeyer–Villiger oxidation: a study of 4-substituted cyclohexanones 1387
Taudien S. Schinkowski K. and Krause H.-W. Unusual amino acids—III. Asymmetric synthesis of 3-arylalanines 73
Taylor P. L. see Roberts S. M. 969
Taylor R. J. K. see Pehk T. 1527
Taylor S. J. C. McCague R. Wisdom R. Lee C. Dickson K. Ruecroft G. O'Brien F. Littlechild J. Bevan J. Roberts S. M. and Evans C. T. Development of the biocatalytic resolution of 2-azabicyclo[2.2.1]hept-5-en-3-one as an entry to single-enantiomer carbocyclic nucleosides 1117
Teasdale W. G. see Hogg D. J. P. 1553

Tenius B. S. M. de Oliveira E. R. and Ferraz H. M. C. An improved synthesis of homochiral octalones from (–)-carvone 633
Terreni M. see Baldaro E. 1031
Thomas N. R. see Archer C. H. 1141
Thorstad O. see Waagen V. 2265
Thottathil J. K. see Patel R. N. 2069
Tiekink E. R. T. see Badran T. W. 197
Tingoli M. see Ferraboschi P. 1931
Tobe Y. see Naemura K. 911
Tochtermann W. see Popp B. 281
Toda F. Tanaka K. and Sato J. Enantioselective Michael additions to enones in their inclusion crystals with optically active host compounds 1771
Tomasini C. see Amoroso R. 2241
Tomioka K. see Inoue I. 1603
Top S. see Howell J. A. S. 1241
Torre G. see Bucciarelli M. 903
Toshimitsu Y. see Miyashita M. 1573
Tóth G. Kovács A. Tarnai T. and Tungler A. Stereochemistry of the enantioselective reductive alkylation of proline with ketones 331
Tóth T. S. see Antus S. 339
Tóth Z. see Kovács I. 2261
Touet J. Le Grumelec C. Huet F. and Brown E. Enantioselective Michael additions of Grignard reagents to cinnamamides deriving from *N*-fluoroalkyl (*R*)-(–)-2-aminobutan-1-ol. Determination of diastereomeric excess by means of ^{19}F NMR 1469
Tōugu V. see Meos H. 1559
Toya T. Nagase H. and Honda T. Preparation of chiral cyclobutane derivatives: enantioselective syntheses of the key intermediates for cyclobutane monoterpenes, grandisol and lineatin 1537
Tressl R. see Albrecht W. 1391
Tse H. L. A. see Evans C. A. 2319
Tse H. L. A. see Jin H. 211
Tsoucaris G. see Galons H. 181
Tsubuki M. see Honda T. 21
Tsubuki M. see Honda T. 1475
Tungler A. see Tóth G. 331
Turner N. J. see Beard T. 1085
Twiss E. see Baker R. W. 2423

Uchida Y. see Takahata H. 1041
Uda H. see Harada N. 1755
Uda H. see Harada N. 1789
Uda H. see Kosugi H. 1409
Udding J. H. Fraanje J. Goubitz K. Hiemstra H. Speckamp W. N. Kaptein B. Schoemaker H. E. and Kamphuis J. Resolution of methyl *cis*-3-chloromethyl-2-tetrahydrofurancarboxylate via enzymatic hydrolysis 425
Uemura M. Hayashi Y. and Hayashi Y. (η^6-Arene)chromium tricarbonyl complexes as chiral auxiliaries in asymmetric Diels–Alder reactions 2291
Ulgheri F. see Casiraghi G. 681
Umezawa I. see Akita H. 757
Umezawa J. Takahashi O. Furuhashi K. and Nohira H. Stereo- and regiocontrolled synthesis of fluorohydrins from optically active epoxides 2053
Uno H. see Tanaka K. 629
Uozumi Y. Kitayama K. and Hayashi T. Regio- and enantioselective hydrosilylation of 1-arylalkenes by use of palladium–MOP catalyst 2419

Vallejo I. see Izquierdo I. 2535
Valverde S. see Herradón B. 845
van Bolhuis F. see Jager W. F. 1481
van der Gen A. see de Vries E. F. J. 1987
van Koten G. see van Maanen H. L. 1441
van Leeuwen P. W. N. M. see Buisman G. J. H. 1625
van Maanen H. L. Jastrzebski J. T. B. H. Verweij J. Kieboom A. P. G. Spek A. L. and van Koten G. (*R*)-2-Phenylglycine as a chiral auxiliary in the asymmetric synthesis of 2-azetidinones 1441
Vänttinen E. see Kanerva L. T. 85
Vaquero J. J. see Alajarin R. 617
Vázquez J. T. see Lo L.-C. 321
Veloo R. A. and Koomen G.-J. Synthesis of enantiomerically pure (*S*)-(–)-propranolol from sorbitol 2401
Vepsäläinen J. see Kivikoski J. 709
Verani A. see Nicotra F. 1203
Verducci J. see Cavelier F. 2495
Verducci J. see Cavelier F. 2501
Verweij J. see van Maanen H. L. 1441
Veschambre H. see Besse P. 1271
Veschambre H. see Robin S. 239
Viallefont Ph. see Guibourdenche C. 2041
Viggiani L. see Bonini C. 793
Vilar E. T. see Martínez A. G. 2333
Vilarrasa J. see Berenguer R. 13
Villain F. see Galons H. 181
Vinkovic V. see Šunjic V. 575
Vlahov I. R. Vlahova P. I. and Schmidt R. R. Highly stereoselective synthesis of β-glycosides of 3-deoxy-2-hexulosonates 293
Vlahov R. see Spassov G. 301
Vlahova P. I. see Vlahov I. R. 293

Waagen V. Hollingsæter I. Partali V. Thorstad O. and Anthonsen T. Enzymatic resolution of butanoic esters of 1-phenyl, 1-phenylmethyl, 1-[2-phenylethyl] and 1-[2-phenoxyethyl] ethers of 3-methoxy-1,2-propanediol 2265
Waagen V. see Partali V. 961
Wagner H. see Antus S. 339
Wagner U. see Frischmuth K. 351
Wakamatsu T. see Tanaka M. 605
Walborsky H. M. see Gawronski J. 383
Walker K. A. M. see Rotstein D. M. 1521
Wallbaum S. and Martens J. Catalytic enantioselective addition of diethylzinc to aldehydes: application of a new bicyclic catalyst 637
Wally H. Widhalm M. Weissensteiner W. and Schlögl K. A homoannularly bridged hydroxyamino ferrocene as an efficient catalyst for the enantioselective ethylation of aromatic and aliphatic aldehydes 285
Wan K. and Davies M. E. Ruthenium(II)-sulfonated BINAP: a novel water-soluble asymmetric hydrogenation catalyst 2461
Wandrey C. see Kragl U. 1193

Wang Y.-F. see Duh T.-H. 1793
Wang Z. Y. see Mi A. Q. 1957
Ward J. see Börner A. 2219
Watanabe K. see Suemune H. 1767
Watkin D. J. see Bichard C. J. F. 1579
Wegener B. Hansen M. and Winterfeldt E.
Kinetic resolution in Diels–Alder processes 345
Weigelt D. see Frischmuth K. 351
Weiß H. P. see Frelek J. 411
Weissensteiner W. see Wally H. 285
Welzel P. see Frischmuth K. 351
Wendel V. see Bornscheuer U. 1007
Westermann B. Scharmann H. G. and Kortmann I.
PLE-Catalyzed resolution of α-substituted β-ketoesters. Application to the synthesis of (+)-nitramine and (–)-isonitramine 2119
Whitaker D. T. see Bis S. J. 875
Wicha J. see Achmatowicz B. 399
Widhalm M. see Wally H. 285
Williams J. M. J. see Allen J. V. 649
Williams J. M. J. see Frost C. G. 1785
Wills M. see Hose D. R. J. 2159
Winterfeldt E. see Wegener B. 345
Wirnsberger G. see Hechtberger P. 1161
Wisdom R. see Taylor S. J. C. 1117
Wolf E. see Altenbach H.-J. 2155
Wong C.-H. see Sugai T. 1051
Woody R. W.
The circular dichroism of oriented β sheets: theoretical predictions 529
Wormald M. R. see Ardron H. 2011
Wu M.-J. see Duh T.-H. 1793
Wünsch B. and Zott M.
Tricyclic benzomorphan analogues by intramolecular oxa-Pictet–Spengler reaction 2307
Wynn H. see Provencher L. 2025

Xie Z.-F. Suemune H. and Sakai K.
Synthesis of chiral building blocks using *Pseudomonas fluorescens* lipase catalyzed asymmetric hydrolysis of *meso* diacetates 973

Yamada W. see Yoda H. 1451
Yamagishi T. see Yokomatsu T. 1401
Yamagishi T. see Yokomatsu T. 1779
Yamagishi T. see Yokomatsu T. 1783
Yamaguchi S. see Nishiyama H. 143
Yamamoto H. see Nakanishi S. 1969
Yamazaki A. Morimoto T. and Achiwa K.
Synthesis and application of chiral bisphosphine ligands containing a hetero-functional group 2287
Yamazaki T. Mizutani K. and Kitazume T.
Preparation of 6-deoxy-6,6,6-trifluoro-D-mannose and D-allose from enzymatically resolved 2-butenolides 1059
Yamazaki Y. and Kobayashi H.
Stereoselectivity in the microbial reduction of (trifluoroacetyl)ferrocene and 2-fluoroacetophenones 1287
Yasukata T. and Koga K.
Enantioselective protonation of achiral lithium enolates using a chiral amine in the presence of lithium bromide 35
Yebga A. see Duhamel P. 2447
Yoda H. Kitayama H. Katagiri T. and Takabe K.
Synthesis of natural lentiginosine employing a cyclic imide with C_2-symmetry derived from L-tartaric acid 1455
Yoda H. Kitayama H. Takabe K. and Kakehi A.
Diastereomer differentiation during 1,2-addition of Grignard reagents under rotamer distribution control 1759
Yoda H. Kitayama H. Yamada W. Katagiri T. and Takabe K.
Novel synthetic strategy to chiral alkylated lactams employing cyclic imides with C_2-symmetry 1451
Yokomatsu T. Yamagishi T. and Shibuya S.
Enantioselective hydrophosphonylation of aromatic aldehydes catalyzed by chiral titanium alkoxides 1779
Yokomatsu T. Yamagishi T. and Shibuya S.
Enantioselectivity for hydrophosphonylation of aromatic aldehydes catalyzed by lanthanum binaphthol complex. Remarkable electronic effect of aromatic sustituents 1783
Yokomatsu T. Yamagishi T. and Shibuya S.
Stereodivergent synthesis of β-amino-α-hydroxyphosphonic acid derivatives by Lewis acid mediated stereoselective hydrophosphonylation of α-amino aldehydes 1401
Yokota T. see Shimizu M. 835
Yokoyama M. Sugai T. and Ohta H.
Asymmetric hydrolysis of a disubstituted malononitrile by the aid of a microorganism 1081
Yoshida H. see Hirata T. 1465
Yoshioka M. see Tanaka M. 981
Yu G.-S. Che D. Freedman T. B. and Nafie L. A.
Backscattering dual circular polarization Raman optical activity in ephedrine molecules 511
Yuste F. see Carlos Carretero J. 177

Zaidi N. A. see O'Hagan D. 1703
Zandomeneghi M. see Rosini C. 545
Zelinski T. see Peters J. 1683
Zeng C. see Lin G. 1533
Zheng H. see Liu Z.-Y. 2277
Zhou W.-S. Zhu X.-Y. and Cheng J.-F.
Circular dichroic method for the determination of absolute configuration of α-furfuryl amines 1501
Zhu X.-Y. see Zhou W.-S. 1501
Ziffer H. see Rodríguez J. B. 101
Zinczuk J. see Preite M. D. 17
Zott M. see Wünsch B. 2307
Zwaagstra M. E. Meetsma A. and Feringa B. L.
Asymmetric synthesis of *trans*-2,5-dimethylpyrrolidine 2163

TETRAHEDRON: ASYMMETRY

STATEMENT ON THE US COPYRIGHT LAW FOR EDITORS, AUTHORS AND CONTRIBUTORS

The US Copyright Law (1978) has necessitated some changes regarding the assignment of copyright of articles published by **ELSEVIER SCIENCE LTD.** Although the author, editor or Publisher may not be in the USA a substantial proportion of the subscribers operate under US law. To provide protection and lawfully to permit traditional information distribution it is therefore desirable that authors from all countries should transfer copyright to the Publisher.

Amongst the principal changes brought about by the new law are the following:

1. Before the enactment of the new law, transfer of copyright was assumed to be implicit in the process of submitting a manuscript and its acceptance for publication. The new law vests statutory copyright in each article with the authors (or their employers) and the copyright can only be transferred in a formal written manner.

2. A copyright notice printed in the journal was taken to apply to the journal issue as a whole and to the articles individually. The new law requires a copyright notice to be published on the first page of each article for which copyright is claimed.

3. A much more rigorous definition of the conditions under which libraries and others may make photographic copies. Individuals and non-profit libraries will still be free to make copies of articles for research and teaching but severe restrictions have been placed on copying by commercial libraries and microfilm services who will have to obtain authorization from the copyright holder.

Traditionally the Publisher has been able to provide services in addition to the printed version of the journal, for example, offprints of separate articles, reprints of complete issues, microfilm editions, etc. He has also been able to authorize reproductions, reprinting and copying, make arrangements with indexing and abstracting services, and negotiate translation rights.

Such activities are now controlled by the need to obtain written permission from the copyright holder for every individual article involved.

It is therefore clearly in the interests of the maximum diffusion of knowledge for the Publisher to be in a position to continue these activities. We are therefore asking authors to transfer copyright to us by signing the Transfer of Copyright Form reproduced overleaf and sending it to the Publisher. Should the manuscript not be accepted, the form will be returned together with your paper.

Provision is made on the form for work performed for the United States Government (which is not subject to Copyright restrictions). If copyright is held by an employer an authorized representative of the company should sign the form.

Authors or their employers will continue to hold all proprietary rights including patent rights, and, of course, the right to make use of the article, as well as to grant permission for reproduction of tables, charts, illustrations etc.

To help libraries to obtain permission for copying (outside the fair use provisions) we have joined the Copyright Clearance Center. A note regarding this will appear inside the front cover of the journal.

NOTE: AUTHORS/COPYRIGHT HOLDERS ARE ASKED TO COMPLETE THIS FORM, SIGNING SECTION A, B OR C, AND MAIL IT TO THE PUBLISHERS WITH THE MANUSCRIPT OR AS SOON AFTERWARDS AS POSSIBLE.

Registered Office: The Boulevard, Langford Lane, Kidlington, Oxford, OX5 1GB. *Registered in England Number 1982084*

TRANSFER OF COPYRIGHT AGREEMENT AND PUBLISHING AGREEMENT

(see statement overleaf)

The article entitled:

_____

_____

By: _____

To be published in: Tetrahedron: Asymmetry

A. The author warrants that the above article is the author's original work, and has not been published before. The author warrants that the article contains no libelous or other unlawful statements, and does not infringe on the rights of others.

Copyright to the above article is hereby transferred to **ELSEVIER SCIENCE LTD**, effective upon acceptance for publication. However, the following rights are reserved by the author(s)/copyright holder(s):

1. All proprietary rights other than copyright, such as patent rights;
2. The right to use, free of charge, all or part of this article in future works of their own, such as books or lectures; and
3. The right to reproduce the article for their own purposes provided the copies are not offered for sale.

(To be signed below by all authors or, if signed by only one author on behalf of all coauthors, the additional statement A2 must be signed.)

A1. All authors:

signature _____ date _____ signature _____ date _____

printed name _____ printed name _____

signature _____ date _____ signature _____ date _____

printed name _____ printed name _____

A2. One author on behalf of all coauthors:

"I represent and warrant that I am authorized to execute this copyright on behalf of all the authors of the article referred to above".

signature _____ date _____ title _____

B. The author warrants that the above article is the author's original work, and has not been published before. The author also warrants that the article contains no libelous or other unlawful statements, and does not infringe on the rights of others.

The above article was written as part of duties as an employee or otherwise as a work made for hire. As an authorized representative of the employer or other proprietor, I hereby transfer copyright to the above article to **ELSEVIER SCIENCE LTD**, effective upon publication. However, the following rights are reserved:

1. All proprietary rights other than copyright, such as patent rights;
2. The right to use, free of charge, all or part of this article in future works of their own, such as books or lectures; and
3. The right to reproduce the article for their own purposes provided the copies are not offered for sale.

signature _____ date _____ title _____

C. The author warrants that the above article is the author's original work, and has not been published before. The author also warrants that the article contains no libelous or other unlawful statements, and does not infringe on the rights of others.

I certify that the above article has been written in the course of employment by the United States Government so that no copyright exists, or by the United Kingdom Government (Crown Copyright), thus there is no transfer of copyright.

signature _____ date _____ title _____

NOTE: AUTHORS/COPYRIGHT HOLDERS ARE ASKED TO COMPLETE THIS FORM, SIGNING SECTION A, B OR C AND MAIL IT TO THE PUBLISHERS WITH THE MANUSCRIPT OR AS SOON AFTERWARDS AS POSSIBLE.

Tetrahedron: *Asymmetry*

The International Journal for Rapid Publication on all Aspects of Asymmetry in Organic, Inorganic, Organometallic, Physical and Bio-organic Chemistry

AIMS AND SCOPE

Tetrahedron: Asymmetry presents experimental or theoretical research results of outstanding significance and timeliness on asymmetry in organic, inorganic, organometallic and physical chemistry, as well as its application to related disciplines, especially bio-organic chemistry.

The journal will publish critical reviews, original research articles and preliminary communications dealing with all aspects of the chemical, physical and theoretical properties of non-racemic organic and inorganic materials and processes.

Topics relevant to the journal include:

- the physico-chemical and biological properties of enantiomers
- strategies and methodologies of asymmetric synthesis
- resolution
- chirality recognition and enhancement
- analytical techniques for assessing enantiomeric purity and the unambiguous determination of absolute configuration
- molecular graphics and modelling methods for interpreting and predicting asymmetric phenomena

Papers describing the synthesis or properties of non-racemic molecules will be required to include a separate statement, in the form of a Stereochemistry Abstract, for publication in the same issue, of the criteria used for the assignment of configuration and enantiomeric purity.

Printed in Great Britain at BPC-AUP Aberdeen Ltd